

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tulare
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 11 / 30 / 06

State: California

County: 054

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	247	19.0		6 - 11 Months	38 *
12 - 17 Months	274	17.9		12 - 17 Months	39 *
18 - 23 Months	119	18.5		18 - 23 Months	19 *
24 - 35 Months	283	22.6		24 - 35 Months	47 *
36 - 59 Months	542	18.8		36 - 59 Months	67 *
Total	1,465	19.4		Total	210 21.4
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	17	*		6 - 11 Months	1 *
12 - 17 Months	26	*		12 - 17 Months	1 *
18 - 23 Months	11	*		18 - 23 Months	2 *
24 - 35 Months	31	*		24 - 35 Months	6 *
36 - 59 Months	61	*		36 - 59 Months	6 *
Total	146	26.0		Total	16 *
Hispanic				Filipino	
6 - 11 Months	2,049	23.5		6 - 11 Months	6 *
12 - 17 Months	2,536	21.3		12 - 17 Months	6 *
18 - 23 Months	1,046	20.3		18 - 23 Months	5 *
24 - 35 Months	2,665	21.0		24 - 35 Months	6 *
36 - 59 Months	4,919	13.2		36 - 59 Months	20 *
Total	13,215	18.5		Total	43 *
American Indian/Alaskan Native				All Other	
6 - 11 Months	7	*		6 - 11 Months	175 20.6
12 - 17 Months	11	*		12 - 17 Months	207 15.9
18 - 23 Months	4	*		18 - 23 Months	81 *
24 - 35 Months	14	*		24 - 35 Months	219 22.8
36 - 59 Months	29	*		36 - 59 Months	392 15.3
Total	65	*		Total	1,074 17.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tulare
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 054

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	2,540	22.8	
6 - 11 Months	3,100	20.6	
12 - 17 Months	1,287	19.4	
18 - 23 Months	3,271	21.6	
24 - 35 Months	6,036	13.9	
36 - 59 Months			
Total	16,234	18.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tulare
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 054

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
5 - 8 Years	531	14.9		5 - 8 Years	53 *
9 - 11 Years	211	14.2		9 - 11 Years	25 *
12 - 14 Years - Girls	95	*		12 - 14 Years - Girls	21 *
12 - 14 Years - Boys	131	13.7		12 - 14 Years - Boys	19 *
15 - 19 Years - Girls	83	*		15 - 19 Years - Girls	19 *
15 - 19 Years - Boys	115	13.0		15 - 19 Years - Boys	9 *
Total	1,166	14.6		Total	146 22.6
Black, Not Hispanic				Pacific Islander	
5 - 8 Years	51	*		5 - 8 Years	16 *
9 - 11 Years	36	*		9 - 11 Years	0 *
12 - 14 Years - Girls	13	*		12 - 14 Years - Girls	2 *
12 - 14 Years - Boys	21	*		12 - 14 Years - Boys	1 *
15 - 19 Years - Girls	27	*		15 - 19 Years - Girls	0 *
15 - 19 Years - Boys	26	*		15 - 19 Years - Boys	1 *
Total	174	21.3		Total	20 *
Hispanic				Filipino	
5 - 8 Years	4,334	15.8		5 - 8 Years	4 *
9 - 11 Years	1,814	13.5		9 - 11 Years	7 *
12 - 14 Years - Girls	938	12.5		12 - 14 Years - Girls	5 *
12 - 14 Years - Boys	1,027	15.5		12 - 14 Years - Boys	4 *
15 - 19 Years - Girls	652	18.4		15 - 19 Years - Girls	6 *
15 - 19 Years - Boys	716	14.9		15 - 19 Years - Boys	5 *
Total	9,481	15.1		Total	31 *
American Indian/Alaskan Native				All Other	
5 - 8 Years	22	*		5 - 8 Years	348 14.9
9 - 11 Years	6	*		9 - 11 Years	138 15.9
12 - 14 Years - Girls	4	*		12 - 14 Years - Girls	65 *
12 - 14 Years - Boys	7	*		12 - 14 Years - Boys	84 *
15 - 19 Years - Girls	5	*		15 - 19 Years - Girls	67 *
15 - 19 Years - Boys	5	*		15 - 19 Years - Boys	53 *
Total	49	*		Total	755 16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	5,359	15.8	
5 - 8 Years	2,237	13.8	
9 - 11 Years	1,143	12.8	
12 - 14 Years - Girls	1,294	15.3	
12 - 14 Years - Boys	859	19.3	
15 - 19 Years - Girls	930	15.4	
15 - 19 Years - Boys	11,822	15.3	
Total			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.