

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tuolumne
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 055

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	60	*	6 - 11 Months	0	*
12 - 17 Months	51	*	12 - 17 Months	0	*
18 - 23 Months	20	*	18 - 23 Months	0	*
24 - 35 Months	53	*	24 - 35 Months	1	*
36 - 59 Months	92	*	36 - 59 Months	1	*
Total	276	15.9	Total	2	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
Total	4	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	5	*	6 - 11 Months	0	*
12 - 17 Months	9	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	11	*	24 - 35 Months	0	*
36 - 59 Months	22	*	36 - 59 Months	0	*
Total	49	*	Total	0	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	6	*
12 - 17 Months	0	*	12 - 17 Months	4	*
18 - 23 Months	0	*	18 - 23 Months	2	*
24 - 35 Months	0	*	24 - 35 Months	2	*
36 - 59 Months	1	*	36 - 59 Months	2	*
Total	1	*	Total	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tuolumne
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 055

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	71	*	
6 - 11 Months	65	*	
12 - 17 Months	24	*	
18 - 23 Months	68	*	
24 - 35 Months	120	15.0	
36 - 59 Months	348	15.2	
Total	348	15.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Tuolumne
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 055

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	84	*	5 - 8 Years	0	*
9 - 11 Years	33	*	9 - 11 Years	0	*
12 - 14 Years - Girls	18	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	15	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	15	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	8	*	15 - 19 Years - Boys	0	*
Total	173	11.0	Total	0	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
Total	1	*	Total	0	*
Hispanic			Filipino		
5 - 8 Years	18	*	5 - 8 Years	1	*
9 - 11 Years	8	*	9 - 11 Years	0	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	0	*
Total	34	*	Total	1	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	4	*
9 - 11 Years	0	*	9 - 11 Years	4	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
Total	0	*	Total	12	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	107	10.3	
5 - 8 Years	46	*	
9 - 11 Years	25	*	
12 - 14 Years - Girls	16	*	
12 - 14 Years - Boys	16	*	
15 - 19 Years - Girls	11	*	
15 - 19 Years - Boys	11	*	
Total	221	11.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.