

Table 17B
2005 Pediatric Nutrition Surveillance (1)
Yolo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 30 / 06

State: California

County: 057

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	64	*		6 - 11 Months	7	*
12 - 17 Months	63	*		12 - 17 Months	11	*
18 - 23 Months	40	*		18 - 23 Months	2	*
24 - 35 Months	73	*		24 - 35 Months	3	*
36 - 59 Months	160	8.1		36 - 59 Months	23	*
Total	400	12.8		Total	46	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	7	*		6 - 11 Months	0	*
12 - 17 Months	3	*		12 - 17 Months	1	*
18 - 23 Months	3	*		18 - 23 Months	2	*
24 - 35 Months	16	*		24 - 35 Months	0	*
36 - 59 Months	17	*		36 - 59 Months	6	*
Total	46	*		Total	9	*
Hispanic				Filipino		
6 - 11 Months	277	11.9		6 - 11 Months	0	*
12 - 17 Months	231	14.3		12 - 17 Months	0	*
18 - 23 Months	125	9.6		18 - 23 Months	0	*
24 - 35 Months	315	12.4		24 - 35 Months	1	*
36 - 59 Months	552	9.8		36 - 59 Months	1	*
Total	1,500	11.4		Total	2	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	110	11.8
12 - 17 Months	1	*		12 - 17 Months	60	*
18 - 23 Months	0	*		18 - 23 Months	27	*
24 - 35 Months	1	*		24 - 35 Months	57	*
36 - 59 Months	1	*		36 - 59 Months	119	17.6
Total	3	*		Total	373	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Yolo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

State: California

County: 057

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Number	Anemia Low Hb/Hct %	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	465	12.5	
6 - 11 Months	370	17.0	
12 - 17 Months	199	11.1	
18 - 23 Months	466	14.6	
24 - 35 Months	879	11.3	
36 - 59 Months	2,379	13.0	
Total	2,379	13.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2005 Pediatric Nutrition Surveillance (1)
Yolo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 057

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
White, Not Hispanic			Asian		
5 - 8 Years	103	18.4	5 - 8 Years	11	*
9 - 11 Years	57	*	9 - 11 Years	8	*
12 - 14 Years - Girls	33	*	12 - 14 Years - Girls	7	*
12 - 14 Years - Boys	24	*	12 - 14 Years - Boys	4	*
15 - 19 Years - Girls	29	*	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	31	*	15 - 19 Years - Boys	5	*
Total	277	17.3	Total	40	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	16	*	5 - 8 Years	3	*
9 - 11 Years	7	*	9 - 11 Years	4	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	5	*	15 - 19 Years - Boys	0	*
Total	40	*	Total	9	*
Hispanic			Filipino		
5 - 8 Years	328	12.8	5 - 8 Years	3	*
9 - 11 Years	171	12.3	9 - 11 Years	0	*
12 - 14 Years - Girls	74	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	66	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	42	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	35	*	15 - 19 Years - Boys	0	*
Total	716	13.0	Total	3	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	70	*
9 - 11 Years	0	*	9 - 11 Years	39	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	15	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	13	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	18	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	12	*
Total	4	*	Total	167	21.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17B
2005 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

Anemia Indicators by Race/Ethnicity and Age ^(3, 4)			
	Anemia Low Hb/Hct		Anemia Low Hb/Hct
	Number	%	Number %
Total All Race/Ethnic Groups	534	16.5	
5 - 8 Years	286	15.7	
9 - 11 Years	139	12.2	
12 - 14 Years - Girls	110	18.2	
12 - 14 Years - Boys	99	*	
15 - 19 Years - Girls	88	*	
15 - 19 Years - Boys	1,256	16.2	
Total			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.