

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	405	5.9	405	9.4	405	10.9	0	0.0	0.0
12 - 23 Months	156	3.8	156	3.2	156	13.5	0	0.0	0.0
24 - 59 Months	194	4.6	194	2.1	194	12.4	194	19.6	12.4
Total	755	5.2	755	6.2	755	11.8	194	19.6	12.4
Black, Not Hispanic									
0 - 11 Months	1,804	9.5	1,804	6.9	1,804	11.5	0	0.0	0.0
12 - 23 Months	750	4.9	750	6.7	750	15.3	0	0.0	0.0
24 - 59 Months	1,402	4.1	1,402	5.5	1,402	14.9	1,402	16.0	14.9
Total	3,956	6.7	3,956	6.4	3,956	13.4	1,402	16.0	14.9
Hispanic									
0 - 11 Months	5,754	4.3	5,754	6.3	5,754	11.7	0	0.0	0.0
12 - 23 Months	3,281	5.1	3,281	4.3	3,281	16.1	0	0.0	0.0
24 - 59 Months	4,446	2.9	4,446	3.0	4,446	19.2	4,446	17.0	19.2
Total	13,481	4.0	13,481	4.7	13,481	15.3	4,446	17.0	19.2
American Indian/Alaskan Native									
0 - 11 Months	31	*	31	*	31	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	56	*	56	*	56	*	15	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,266	5.2	1,266	6.5	1,266	8.2	0	0.0	0.0
12 - 23 Months	726	3.7	726	8.4	726	9.1	0	0.0	0.0
24 - 59 Months	1,009	4.3	1,009	6.0	1,009	10.7	1,009	10.6	10.7
Total	3,001	4.5	3,001	6.8	3,001	9.3	1,009	10.6	10.7
Pacific Islander									
0 - 11 Months	47	*	47	*	47	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	40	*	40	*	40	*	40	*	*
Total	108	7.4	108	2.8	108	15.7	40	*	*
Filipino									
0 - 11 Months	109	4.6	109	15.6	109	6.4	0	0.0	0.0
12 - 23 Months	58	*	58	*	58	*	0	*	*
24 - 59 Months	94	*	94	*	94	*	94	*	*
Total	261	5.7	261	8.8	261	9.6	94	*	*
All Other									
0 - 11 Months	4,676	5.4	4,676	11.4	4,676	7.6	0	0.0	0.0
12 - 23 Months	2,070	3.9	2,070	8.4	2,070	13.0	0	0.0	0.0
24 - 59 Months	2,564	3.7	2,564	5.1	2,564	16.2	2,564	15.7	16.2
Total	9,310	4.6	9,310	9.0	9,310	11.2	2,564	15.7	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	14,092	5.5	14,092	8.2	14,092	10.0	0	0.0	0.0
12 - 23 Months	7,072	4.6	7,072	6.1	7,072	14.3	0	0.0	0.0
24 - 59 Months	9,764	3.5	9,764	4.2	9,764	16.7	9,764	15.9	16.7
Total	30,928	4.6	30,928	6.5	30,928	13.1	9,764	15.9	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 10/23/2007

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	9	*	9	*	9	*	1	*	*
Black, Not Hispanic									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	16	*	16	*	16	*	2	*	*
Hispanic									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	22	*	22	*	22	*	22	*	*
Total	62	*	62	*	62	*	22	*	*
American Indian/Alaskan Native									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	18	*	18	*	18	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	10	*	10	*	10	*	5	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	5	*	5	*	5	*	2	*	*
All Other									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	20	*	20	*	20	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	69	*	69	*	69	*	0	*	*
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	41	*	41	*	41	*	41	*	*
Total	140	6.4	140	8.6	140	16.4	41	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	127	5.5	127	3.1	127	14.2	0	0.0	0.0
12 - 23 Months	61	*	61	*	61	*	0	*	*
24 - 59 Months	74	*	74	*	74	*	74	*	*
Total	262	3.4	262	3.4	262	14.5	74	*	*
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	26	*	26	*	26	*	15	*	*
Hispanic									
0 - 11 Months	114	3.5	114	7.9	114	8.8	0	0.0	0.0
12 - 23 Months	44	*	44	*	44	*	0	*	*
24 - 59 Months	80	*	80	*	80	*	80	*	*
Total	238	2.9	238	5.5	238	13.4	80	*	*
American Indian/Alaskan Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	3	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
All Other									
0 - 11 Months	60	*	60	*	60	*	0	*	*
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	43	*	43	*	43	*	43	*	*
Total	133	6.8	133	5.3	133	17.3	43	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	314	5.1	314	5.4	314	11.8	0	0.0	0.0
12 - 23 Months	140	5.0	140	4.3	140	16.4	0	0.0	0.0
24 - 59 Months	217	1.8	217	3.2	217	17.1	217	9.2	17.1
Total	671	4.0	671	4.5	671	14.5	217	9.2	17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,120	4.2	2,120	7.3	2,120	8.5	0	0.0	0.0
12 - 23 Months	998	3.1	998	5.6	998	10.8	0	0.0	0.0
24 - 59 Months	1,486	4.9	1,486	5.6	1,486	9.2	1,486	15.0	9.2
Total	4,604	4.2	4,604	6.4	4,604	9.2	1,486	15.0	9.2
Black, Not Hispanic									
0 - 11 Months	95	*	95	*	95	*	0	*	*
12 - 23 Months	47	*	47	*	47	*	0	*	*
24 - 59 Months	76	*	76	*	76	*	76	*	*
Total	218	4.6	218	4.1	218	10.6	76	*	*
Hispanic									
0 - 11 Months	1,188	8.3	1,188	4.4	1,188	16.2	0	0.0	0.0
12 - 23 Months	369	4.3	369	3.0	369	16.5	0	0.0	0.0
24 - 59 Months	527	2.7	527	5.1	527	14.8	527	16.9	14.8
Total	2,084	6.2	2,084	4.3	2,084	15.9	527	16.9	14.8
American Indian/Alaskan Native									
0 - 11 Months	84	*	84	*	84	*	0	*	*
12 - 23 Months	46	*	46	*	46	*	0	*	*
24 - 59 Months	48	*	48	*	48	*	48	*	*
Total	178	4.5	178	6.2	178	16.3	48	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	261	2.7	261	3.8	261	12.3	0	0.0	0.0
12 - 23 Months	93	*	93	*	93	*	0	*	*
24 - 59 Months	192	10.9	192	3.6	192	18.2	192	17.7	18.2
Total	546	6.8	546	3.5	546	16.1	192	17.7	18.2
Pacific Islander									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	16	*	16	*	16	*	7	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
All Other									
0 - 11 Months	524	4.2	524	5.7	524	9.5	0	0.0	0.0
12 - 23 Months	221	5.9	221	8.6	221	11.8	0	0.0	0.0
24 - 59 Months	355	2.8	355	5.9	355	13.0	355	12.7	13.0
Total	1,100	4.1	1,100	6.4	1,100	11.1	355	12.7	13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,281	5.3	4,281	6.0	4,281	11.2	0	0.0	0.0
12 - 23 Months	1,777	4.0	1,777	5.2	1,777	13.1	0	0.0	0.0
24 - 59 Months	2,692	4.5	2,692	5.4	2,692	11.4	2,692	15.5	11.4
Total	8,750	4.8	8,750	5.6	8,750	11.7	2,692	15.5	11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	198	5.1	198	10.6	198	5.1	0	0.0	0.0
12 - 23 Months	101	3.0	101	12.9	101	14.9	0	0.0	0.0
24 - 59 Months	120	2.5	120	5.0	120	8.3	120	20.0	8.3
Total	419	3.8	419	9.5	419	8.4	120	20.0	8.3
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	20	*	20	*	20	*	10	*	*
Hispanic									
0 - 11 Months	347	6.3	347	5.8	347	17.6	0	0.0	0.0
12 - 23 Months	176	5.7	176	2.3	176	23.9	0	0.0	0.0
24 - 59 Months	267	3.7	267	5.6	267	22.5	267	18.7	22.5
Total	790	5.3	790	4.9	790	20.6	267	18.7	22.5
American Indian/Alaskan Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	12	*	12	*	12	*	6	*	*
Pacific Islander									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Filipino									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*
All Other									
0 - 11 Months	101	4.0	101	13.9	101	5.0	0	0.0	0.0
12 - 23 Months	48	*	48	*	48	*	0	*	*
24 - 59 Months	93	*	93	*	93	*	93	*	*
Total	242	2.5	242	10.3	242	8.7	93	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	670	5.7	670	8.5	670	11.8	0	0.0	0.0
12 - 23 Months	331	4.5	331	5.4	331	19.3	0	0.0	0.0
24 - 59 Months	500	3.0	500	6.4	500	16.6	500	17.8	16.6
Total	1,501	4.5	1,501	7.1	1,501	15.1	500	17.8	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Black, Not Hispanic									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	13	*	13	*	13	*	3	*	*
Hispanic									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	25	*	25	*	25	*	9	*	*
American Indian/Alaskan Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	53	*	53	*	53	*	12	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	59	*	59	*	59	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	25	*	25	*	25	*	25	*	*
Total	93	*	93	*	93	*	25	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	126	1.6	126	13.5	126	8.7	0	0.0	0.0
12 - 23 Months	63	*	63	*	63	*	0	*	*
24 - 59 Months	51	*	51	*	51	*	51	*	*
Total	240	1.7	240	8.3	240	8.3	51	*	*
Black, Not Hispanic									
0 - 11 Months	15	*	15	*	15	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	25	*	25	*	25	*	6	*	*
Hispanic									
0 - 11 Months	605	3.0	605	6.9	605	8.8	0	0.0	0.0
12 - 23 Months	318	1.9	318	4.4	318	17.3	0	0.0	0.0
24 - 59 Months	383	2.9	383	6.5	383	16.7	383	13.3	16.7
Total	1,306	2.7	1,306	6.2	1,306	13.2	383	13.3	16.7
American Indian/Alaskan Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	10	*	10	*	10	*	5	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	21	*	21	*	21	*	8	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	5	*	5	*	5	*	2	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	5	*	5	*	5	*	2	*	*
All Other									
0 - 11 Months	84	*	84	*	84	*	0	*	*
12 - 23 Months	27	*	27	*	27	*	0	*	*
24 - 59 Months	38	*	38	*	38	*	38	*	*
Total	149	3.4	149	4.7	149	16.1	38	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	845	3.2	845	7.8	845	9.2	0	0.0	0.0
12 - 23 Months	421	1.9	421	3.8	421	15.4	0	0.0	0.0
24 - 59 Months	495	2.2	495	6.5	495	16.6	495	14.1	16.6
Total	1,761	2.6	1,761	6.5	1,761	12.8	495	14.1	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	845	3.3	845	10.3	845	7.8	0	0.0	0.0
12 - 23 Months	356	5.6	356	8.4	356	16.0	0	0.0	0.0
24 - 59 Months	376	4.5	376	5.3	376	12.0	376	17.3	12.0
Total	1,577	4.1	1,577	8.7	1,577	10.7	376	17.3	12.0
Black, Not Hispanic									
0 - 11 Months	957	7.6	957	9.7	957	12.3	0	0.0	0.0
12 - 23 Months	374	5.9	374	7.8	374	17.4	0	0.0	0.0
24 - 59 Months	575	3.5	575	7.0	575	14.1	575	13.7	14.1
Total	1,906	6.0	1,906	8.5	1,906	13.9	575	13.7	14.1
Hispanic									
0 - 11 Months	4,487	3.8	4,487	8.8	4,487	10.2	0	0.0	0.0
12 - 23 Months	2,074	4.8	2,074	7.6	2,074	15.7	0	0.0	0.0
24 - 59 Months	2,364	4.2	2,364	4.0	2,364	19.1	2,364	15.9	19.1
Total	8,925	4.2	8,925	7.2	8,925	13.8	2,364	15.9	19.1
American Indian/Alaskan Native									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	29	*	29	*	29	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 10/23/2007

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	85	*	85	*	85	*	0	*	*
12 - 23 Months	31	*	31	*	31	*	0	*	*
24 - 59 Months	60	*	60	*	60	*	60	*	*
Total	176	8.0	176	8.5	176	13.6	60	*	*
Pacific Islander									
0 - 11 Months	66	*	66	*	66	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	30	*	30	*	30	*	30	*	*
Total	113	1.8	113	8.8	113	15.9	30	*	*
Filipino									
0 - 11 Months	120	5.8	120	11.7	120	5.8	0	0.0	0.0
12 - 23 Months	36	*	36	*	36	*	0	*	*
24 - 59 Months	41	*	41	*	41	*	41	*	*
Total	197	7.6	197	11.2	197	9.6	41	*	*
All Other									
0 - 11 Months	1,739	6.5	1,739	10.6	1,739	9.8	0	0.0	0.0
12 - 23 Months	733	4.8	733	7.8	733	13.8	0	0.0	0.0
24 - 59 Months	937	4.5	937	5.4	937	16.3	937	17.2	16.3
Total	3,409	5.6	3,409	8.6	3,409	12.4	937	17.2	16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	8,317	4.8	8,317	9.5	8,317	10.0	0	0.0	0.0
12 - 23 Months	3,626	5.1	3,626	7.7	3,626	15.4	0	0.0	0.0
24 - 59 Months	4,389	4.2	4,389	4.9	4,389	17.3	4,389	16.0	17.3
Total	16,332	4.7	16,332	7.9	16,332	13.2	4,389	16.0	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	251	8.0	251	8.0	251	12.7	0	0.0	0.0
12 - 23 Months	97	*	97	*	97	*	0	*	*
24 - 59 Months	186	2.2	186	2.7	186	12.9	186	22.0	12.9
Total	534	4.9	534	4.7	534	14.2	186	22.0	12.9
Black, Not Hispanic									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	7	*	7	*	7	*	5	*	*
Hispanic									
0 - 11 Months	82	*	82	*	82	*	0	*	*
12 - 23 Months	45	*	45	*	45	*	0	*	*
24 - 59 Months	83	*	83	*	83	*	83	*	*
Total	210	5.7	210	1.9	210	15.7	83	*	*
American Indian/Alaskan Native									
0 - 11 Months	113	6.2	113	11.5	113	15.0	0	0.0	0.0
12 - 23 Months	50	*	50	*	50	*	0	*	*
24 - 59 Months	81	*	81	*	81	*	81	*	*
Total	244	5.7	244	6.1	244	20.9	81	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	19	*	19	*	19	*	0	*	*
12 - 23 Months	13	*	13	*	13	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	58	*	58	*	58	*	26	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	25	*	25	*	25	*	25	*	*
Total	68	*	68	*	68	*	25	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	494	7.1	494	7.1	494	13.2	0	0.0	0.0
12 - 23 Months	221	5.9	221	1.8	221	24.0	0	0.0	0.0
24 - 59 Months	406	3.0	406	2.5	406	15.5	406	20.2	15.5
Total	1,121	5.4	1,121	4.4	1,121	16.1	406	20.2	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	436	5.0	436	11.2	436	6.7	0	0.0	0.0
12 - 23 Months	151	6.0	151	7.9	151	9.9	0	0.0	0.0
24 - 59 Months	243	3.7	243	7.0	243	10.7	243	15.6	10.7
Total	830	4.8	830	9.4	830	8.4	243	15.6	10.7
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	22	*	22	*	22	*	11	*	*
Hispanic									
0 - 11 Months	413	3.1	413	9.0	413	9.7	0	0.0	0.0
12 - 23 Months	130	2.3	130	9.2	130	11.5	0	0.0	0.0
24 - 59 Months	280	3.9	280	7.5	280	18.6	280	12.9	18.6
Total	823	3.3	823	8.5	823	13.0	280	12.9	18.6
American Indian/Alaskan Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	8	*	8	*	8	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	11	*	11	*	11	*	6	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	3	*	3	*	3	*	2	*	*
All Other									
0 - 11 Months	571	4.4	571	17.3	571	5.6	0	0.0	0.0
12 - 23 Months	277	4.0	277	13.0	277	5.4	0	0.0	0.0
24 - 59 Months	261	4.2	261	7.3	261	10.7	261	12.3	10.7
Total	1,109	4.2	1,109	13.9	1,109	6.8	261	12.3	10.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,435	4.2	1,435	12.9	1,435	7.1	0	0.0	0.0
12 - 23 Months	568	4.2	568	10.9	568	8.3	0	0.0	0.0
24 - 59 Months	807	4.2	807	7.2	807	13.3	807	13.4	13.3
Total	2,810	4.2	2,810	10.9	2,810	9.1	807	13.4	13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,329	7.6	2,329	5.2	2,329	11.6	0	0.0	0.0
12 - 23 Months	961	4.6	961	2.8	961	16.1	0	0.0	0.0
24 - 59 Months	1,487	3.4	1,487	4.8	1,487	11.0	1,487	17.1	11.0
Total	4,777	5.7	4,777	4.6	4,777	12.3	1,487	17.1	11.0
Black, Not Hispanic									
0 - 11 Months	1,264	10.4	1,264	4.2	1,264	16.2	0	0.0	0.0
12 - 23 Months	570	9.1	570	5.4	570	16.8	0	0.0	0.0
24 - 59 Months	1,075	3.3	1,075	4.3	1,075	14.1	1,075	15.8	14.1
Total	2,909	7.5	2,909	4.5	2,909	15.6	1,075	15.8	14.1
Hispanic									
0 - 11 Months	18,239	6.1	18,239	3.9	18,239	16.0	0	0.0	0.0
12 - 23 Months	8,581	6.5	8,581	2.9	8,581	21.4	0	0.0	0.0
24 - 59 Months	14,310	4.0	14,310	3.9	14,310	18.5	14,310	17.2	18.5
Total	41,130	5.4	41,130	3.7	41,130	18.0	14,310	17.2	18.5
American Indian/Alaskan Native									
0 - 11 Months	97	*	97	*	97	*	0	*	*
12 - 23 Months	44	*	44	*	44	*	0	*	*
24 - 59 Months	89	*	89	*	89	*	89	*	*
Total	230	5.2	230	5.2	230	22.6	89	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,693	8.5	1,693	3.0	1,693	14.4	0	0.0	0.0
12 - 23 Months	767	14.7	767	4.4	767	16.2	0	0.0	0.0
24 - 59 Months	1,433	10.0	1,433	4.5	1,433	15.4	1,433	14.9	15.4
Total	3,893	10.3	3,893	3.9	3,893	15.1	1,433	14.9	15.4
Pacific Islander									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	18	*	18	*	18	*	5	*	*
Filipino									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	76	*	76	*	76	*	26	*	*
All Other									
0 - 11 Months	2,423	7.3	2,423	8.2	2,423	10.4	0	0.0	0.0
12 - 23 Months	862	6.0	862	4.3	862	17.4	0	0.0	0.0
24 - 59 Months	1,343	5.6	1,343	5.2	1,343	14.7	1,343	14.8	14.7
Total	4,628	6.6	4,628	6.6	4,628	12.9	1,343	14.8	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	26,088	6.7	26,088	4.4	26,088	15.0	0	0.0	0.0
12 - 23 Months	11,805	7.0	11,805	3.2	11,805	20.2	0	0.0	0.0
24 - 59 Months	19,768	4.5	19,768	4.1	19,768	17.2	19,768	16.8	17.2
Total	57,661	6.0	57,661	4.0	57,661	16.8	19,768	16.8	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	190	4.7	190	6.3	190	6.3	0	0.0	0.0
12 - 23 Months	106	3.8	106	4.7	106	17.0	0	0.0	0.0
24 - 59 Months	119	6.7	119	4.2	119	10.9	119	16.0	10.9
Total	415	5.1	415	5.3	415	10.4	119	16.0	10.9
Black, Not Hispanic									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	14	*	14	*	14	*	5	*	*
Hispanic									
0 - 11 Months	249	4.8	249	7.6	249	11.2	0	0.0	0.0
12 - 23 Months	176	11.4	176	6.3	176	19.9	0	0.0	0.0
24 - 59 Months	243	4.5	243	1.6	243	17.7	243	15.6	17.7
Total	668	6.4	668	5.1	668	15.9	243	15.6	17.7
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	8	*	8	*	8	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	29	*	29	*	29	*	12	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	114	4.4	114	5.3	114	12.3	0	0.0	0.0
12 - 23 Months	50	*	50	*	50	*	0	*	*
24 - 59 Months	64	*	64	*	64	*	64	*	*
Total	228	2.2	228	3.9	228	10.5	64	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	572	4.5	572	6.8	572	9.6	0	0.0	0.0
12 - 23 Months	344	7.3	344	4.7	344	16.9	0	0.0	0.0
24 - 59 Months	447	4.9	447	2.9	447	14.8	447	15.2	14.8
Total	1,363	5.4	1,363	5.0	1,363	13.1	447	15.2	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	831	5.9	831	7.7	831	9.7	0	0.0	0.0
12 - 23 Months	341	5.0	341	5.6	341	13.2	0	0.0	0.0
24 - 59 Months	386	4.4	386	2.3	386	16.8	386	17.1	16.8
Total	1,558	5.3	1,558	5.9	1,558	12.3	386	17.1	16.8
Black, Not Hispanic									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	25	*	25	*	25	*	10	*	*
Hispanic									
0 - 11 Months	243	4.5	243	2.9	243	13.2	0	0.0	0.0
12 - 23 Months	123	6.5	123	4.9	123	16.3	0	0.0	0.0
24 - 59 Months	163	3.1	163	1.2	163	18.4	163	11.7	18.4
Total	529	4.5	529	2.8	529	15.5	163	11.7	18.4
American Indian/Alaskan Native									
0 - 11 Months	84	*	84	*	84	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	66	*	66	*	66	*	66	*	*
Total	192	6.8	192	6.3	192	20.8	66	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	15	*	15	*	15	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	25	*	25	*	25	*	4	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	847	8.6	847	5.2	847	8.5	0	0.0	0.0
12 - 23 Months	450	4.9	450	4.9	450	12.9	0	0.0	0.0
24 - 59 Months	559	3.2	559	3.6	559	14.0	559	16.8	14.0
Total	1,856	6.1	1,856	4.6	1,856	11.2	559	16.8	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,030	6.8	2,030	6.1	2,030	10.0	0	0.0	0.0
12 - 23 Months	968	5.3	968	5.1	968	14.6	0	0.0	0.0
24 - 59 Months	1,188	3.8	1,188	3.0	1,188	15.6	1,188	17.1	15.6
Total	4,186	5.6	4,186	5.0	4,186	12.6	1,188	17.1	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	97	*	97	*	97	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	71	*	71	*	71	*	71	*	*
Total	210	3.3	210	4.8	210	7.6	71	*	*
Black, Not Hispanic									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	48	*	48	*	48	*	17	*	*
Hispanic									
0 - 11 Months	3,545	3.1	3,545	9.2	3,545	8.3	0	0.0	0.0
12 - 23 Months	1,692	2.5	1,692	5.9	1,692	17.5	0	0.0	0.0
24 - 59 Months	3,034	3.3	3,034	5.9	3,034	16.6	3,034	15.8	16.6
Total	8,271	3.1	8,271	7.3	8,271	13.2	3,034	15.8	16.6
American Indian/Alaskan Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	12	*	12	*	12	*	6	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
All Other									
0 - 11 Months	106	0.9	106	6.6	106	7.5	0	0.0	0.0
12 - 23 Months	37	*	37	*	37	*	0	*	*
24 - 59 Months	65	*	65	*	65	*	65	*	*
Total	208	1.4	208	4.8	208	14.4	65	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	3,781	3.1	3,781	9.1	3,781	8.3	0	0.0	0.0
12 - 23 Months	1,783	2.6	1,783	5.8	1,783	17.2	0	0.0	0.0
24 - 59 Months	3,195	3.3	3,195	5.7	3,195	16.6	3,195	15.7	16.6
Total	8,759	3.1	8,759	7.2	8,759	13.1	3,195	15.7	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	36	*	36	*	36	*	0	*	*
12 - 23 Months	23	*	23	*	23	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	86	*	86	*	86	*	27	*	*
Black, Not Hispanic									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	13	*	13	*	13	*	3	*	*
Hispanic									
0 - 11 Months	108	5.6	108	5.6	108	12.0	0	0.0	0.0
12 - 23 Months	64	*	64	*	64	*	0	*	*
24 - 59 Months	97	*	97	*	97	*	97	*	*
Total	269	4.8	269	4.5	269	13.0	97	*	*
American Indian/Alaskan Native									
0 - 11 Months	40	*	40	*	40	*	0	*	*
12 - 23 Months	31	*	31	*	31	*	0	*	*
24 - 59 Months	38	*	38	*	38	*	38	*	*
Total	109	4.6	109	1.8	109	17.4	38	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	0	*	*
All Other									
0 - 11 Months	12	*	12	*	12	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	24	*	24	*	24	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	204	6.4	204	4.9	204	10.8	0	0.0	0.0
12 - 23 Months	129	7.8	129	4.7	129	16.3	0	0.0	0.0
24 - 59 Months	171	3.5	171	0.6	171	14.6	171	18.1	14.6
Total	504	5.8	504	3.4	504	13.5	171	18.1	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,908	6.2	2,908	10.3	2,908	9.9	0	0.0	0.0
12 - 23 Months	1,128	5.0	1,128	4.5	1,128	18.0	0	0.0	0.0
24 - 59 Months	1,770	5.3	1,770	7.0	1,770	12.6	1,770	14.2	12.6
Total	5,806	5.7	5,806	8.2	5,806	12.3	1,770	14.2	12.6
Black, Not Hispanic									
0 - 11 Months	1,159	8.7	1,159	7.5	1,159	10.2	0	0.0	0.0
12 - 23 Months	487	3.9	487	6.0	487	15.6	0	0.0	0.0
24 - 59 Months	838	2.7	838	10.3	838	10.5	838	10.7	10.5
Total	2,484	5.8	2,484	8.1	2,484	11.4	838	10.7	10.5
Hispanic									
0 - 11 Months	14,307	5.8	14,307	5.5	14,307	13.7	0	0.0	0.0
12 - 23 Months	6,236	5.0	6,236	4.4	6,236	20.3	0	0.0	0.0
24 - 59 Months	10,910	3.2	10,910	5.5	10,910	17.4	10,910	15.1	17.4
Total	31,453	4.7	31,453	5.3	31,453	16.3	10,910	15.1	17.4
American Indian/Alaskan Native									
0 - 11 Months	32	*	32	*	32	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	19	*	19	*	19	*	19	*	*
Total	63	*	63	*	63	*	19	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	76	*	76	*	76	*	0	*	*
12 - 23 Months	31	*	31	*	31	*	0	*	*
24 - 59 Months	50	*	50	*	50	*	50	*	*
Total	157	3.8	157	11.5	157	9.6	50	*	*
Pacific Islander									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	15	*	15	*	15	*	3	*	*
Filipino									
0 - 11 Months	45	*	45	*	45	*	0	*	*
12 - 23 Months	37	*	37	*	37	*	0	*	*
24 - 59 Months	63	*	63	*	63	*	63	*	*
Total	145	8.3	145	11.0	145	13.1	63	*	*
All Other									
0 - 11 Months	1,659	7.5	1,659	7.7	1,659	13.0	0	0.0	0.0
12 - 23 Months	625	7.7	625	4.8	625	22.2	0	0.0	0.0
24 - 59 Months	1,019	5.1	1,019	5.4	1,019	16.6	1,019	15.5	16.6
Total	3,303	6.8	3,303	6.4	3,303	15.9	1,019	15.5	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	20,197	6.2	20,197	6.6	20,197	12.8	0	0.0	0.0
12 - 23 Months	8,557	5.2	8,557	4.6	8,557	19.9	0	0.0	0.0
24 - 59 Months	14,672	3.5	14,672	6.0	14,672	16.3	14,672	14.8	16.3
Total	43,426	5.1	43,426	6.0	43,426	15.4	14,672	14.8	16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	172	2.9	172	5.2	172	19.2	0	0.0	0.0
12 - 23 Months	108	10.2	108	2.8	108	25.9	0	0.0	0.0
24 - 59 Months	159	3.8	159	3.1	159	20.8	159	15.1	20.8
Total	439	5.0	439	3.9	439	21.4	159	15.1	20.8
Black, Not Hispanic									
0 - 11 Months	80	*	80	*	80	*	0	*	*
12 - 23 Months	54	*	54	*	54	*	0	*	*
24 - 59 Months	64	*	64	*	64	*	64	*	*
Total	198	7.6	198	4.5	198	17.2	64	*	*
Hispanic									
0 - 11 Months	1,533	4.2	1,533	4.5	1,533	15.4	0	0.0	0.0
12 - 23 Months	779	5.8	779	2.8	779	25.4	0	0.0	0.0
24 - 59 Months	1,279	4.4	1,279	3.0	1,279	21.3	1,279	18.1	21.3
Total	3,591	4.6	3,591	3.6	3,591	19.7	1,279	18.1	21.3
American Indian/Alaskan Native									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	11	*	11	*	11	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	16	*	16	*	16	*	3	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	20	*	20	*	20	*	7	*	*
All Other									
0 - 11 Months	402	6.7	402	6.5	402	13.9	0	0.0	0.0
12 - 23 Months	151	6.0	151	4.6	151	23.8	0	0.0	0.0
24 - 59 Months	242	4.1	242	5.0	242	20.7	242	17.8	20.7
Total	795	5.8	795	5.7	795	17.9	242	17.8	20.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,216	5.0	2,216	4.9	2,216	15.7	0	0.0	0.0
12 - 23 Months	1,100	5.9	1,100	3.0	1,100	24.9	0	0.0	0.0
24 - 59 Months	1,755	4.3	1,755	3.4	1,755	20.9	1,755	17.7	20.9
Total	5,071	4.9	5,071	3.9	5,071	19.5	1,755	17.7	20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	440	9.5	440	5.7	440	10.9	0	0.0	0.0
12 - 23 Months	88	*	88	*	88	*	0	*	*
24 - 59 Months	153	2.6	153	2.6	153	11.1	153	20.9	11.1
Total	681	7.8	681	4.8	681	12.3	153	20.9	11.1
Black, Not Hispanic									
0 - 11 Months	514	7.8	514	8.0	514	10.5	0	0.0	0.0
12 - 23 Months	73	*	73	*	73	*	0	*	*
24 - 59 Months	128	3.1	128	8.6	128	11.7	128	10.9	11.7
Total	715	7.4	715	7.6	715	11.7	128	10.9	11.7
Hispanic									
0 - 11 Months	28,933	6.2	28,933	4.8	28,933	16.5	0	0.0	0.0
12 - 23 Months	5,742	6.3	5,742	2.5	5,742	22.9	0	0.0	0.0
24 - 59 Months	10,192	4.0	10,192	4.0	10,192	17.9	10,192	17.6	17.9
Total	44,867	5.7	44,867	4.4	44,867	17.6	10,192	17.6	17.9
American Indian/Alaskan Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	7	*	7	*	7	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,181	4.9	1,181	5.2	1,181	10.4	0	0.0	0.0
12 - 23 Months	185	5.4	185	3.2	185	9.2	0	0.0	0.0
24 - 59 Months	271	1.5	271	5.2	271	10.0	271	11.8	10.0
Total	1,637	4.4	1,637	5.0	1,637	10.2	271	11.8	10.0
Pacific Islander									
0 - 11 Months	23	*	23	*	23	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	35	*	35	*	35	*	9	*	*
Filipino									
0 - 11 Months	122	9.0	122	2.5	122	18.0	0	0.0	0.0
12 - 23 Months	27	*	27	*	27	*	0	*	*
24 - 59 Months	40	*	40	*	40	*	40	*	*
Total	189	7.4	189	5.3	189	19.0	40	*	*
All Other									
0 - 11 Months	2,092	6.0	2,092	5.3	2,092	12.6	0	0.0	0.0
12 - 23 Months	306	3.9	306	5.2	306	17.0	0	0.0	0.0
24 - 59 Months	439	5.2	439	3.6	439	15.5	439	12.5	15.5
Total	2,837	5.6	2,837	5.0	2,837	13.5	439	12.5	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	33,311	6.2	33,311	4.9	33,311	15.9	0	0.0	0.0
12 - 23 Months	6,425	6.3	6,425	2.7	6,425	22.2	0	0.0	0.0
24 - 59 Months	11,232	4.0	11,232	4.1	11,232	17.4	11,232	17.2	17.4
Total	50,968	5.7	50,968	4.5	50,968	17.0	11,232	17.2	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,073	3.8	1,073	14.0	1,073	8.1	0	0.0	0.0
12 - 23 Months	208	5.3	208	8.2	208	14.4	0	0.0	0.0
24 - 59 Months	340	3.2	340	5.0	340	8.5	340	14.1	8.5
Total	1,621	3.9	1,621	11.4	1,621	9.0	340	14.1	8.5
Black, Not Hispanic									
0 - 11 Months	694	9.7	694	11.1	694	12.2	0	0.0	0.0
12 - 23 Months	152	7.2	152	6.6	152	16.4	0	0.0	0.0
24 - 59 Months	225	8.0	225	6.2	225	16.0	225	17.8	16.0
Total	1,071	9.0	1,071	9.4	1,071	13.6	225	17.8	16.0
Hispanic									
0 - 11 Months	10,547	6.4	10,547	5.0	10,547	16.9	0	0.0	0.0
12 - 23 Months	2,417	6.7	2,417	3.1	2,417	21.6	0	0.0	0.0
24 - 59 Months	4,634	3.6	4,634	4.2	4,634	17.5	4,634	16.1	17.5
Total	17,598	5.7	17,598	4.5	17,598	17.7	4,634	16.1	17.5
American Indian/Alaskan Native									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	14	*	14	*	14	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	446	3.4	446	4.3	446	11.7	0	0.0	0.0
12 - 23 Months	82	*	82	*	82	*	0	*	*
24 - 59 Months	153	2.0	153	5.2	153	9.2	153	7.8	9.2
Total	681	3.1	681	4.4	681	11.5	153	7.8	9.2
Pacific Islander									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	3	*	*
Filipino									
0 - 11 Months	113	7.1	113	8.8	113	7.1	0	0.0	0.0
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	41	*	41	*	41	*	41	*	*
Total	174	6.3	174	6.3	174	9.2	41	*	*
All Other									
0 - 11 Months	4,304	9.0	4,304	4.1	4,304	18.4	0	0.0	0.0
12 - 23 Months	437	7.8	437	4.1	437	20.8	0	0.0	0.0
24 - 59 Months	583	5.8	583	2.9	583	17.7	583	18.7	17.7
Total	5,324	8.6	5,324	3.9	5,324	18.5	583	18.7	17.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	17,189	7.0	17,189	5.6	17,189	16.3	0	0.0	0.0
12 - 23 Months	3,320	6.7	3,320	3.7	3,320	20.6	0	0.0	0.0
24 - 59 Months	5,982	3.9	5,982	4.2	5,982	16.7	5,982	16.1	16.7
Total	26,491	6.2	26,491	5.0	26,491	17.0	5,982	16.1	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,049	4.5	2,049	8.4	2,049	10.9	0	0.0	0.0
12 - 23 Months	1,534	3.3	1,534	5.2	1,534	16.2	0	0.0	0.0
24 - 59 Months	2,166	3.6	2,166	6.3	2,166	13.6	2,166	16.5	13.6
Total	5,749	3.8	5,749	6.7	5,749	13.3	2,166	16.5	13.6
Black, Not Hispanic									
0 - 11 Months	3,115	8.5	3,115	6.2	3,115	16.4	0	0.0	0.0
12 - 23 Months	2,757	6.2	2,757	4.4	2,757	17.4	0	0.0	0.0
24 - 59 Months	4,696	3.5	4,696	5.6	4,696	13.4	4,696	13.9	13.4
Total	10,568	5.7	10,568	5.5	10,568	15.3	4,696	13.9	13.4
Hispanic									
0 - 11 Months	45,455	5.2	45,455	4.1	45,455	17.1	0	0.0	0.0
12 - 23 Months	39,510	5.5	39,510	3.1	39,510	21.5	0	0.0	0.0
24 - 59 Months	66,252	3.0	66,252	3.8	66,252	19.7	66,252	16.8	19.7
Total	151,217	4.4	151,217	3.7	151,217	19.4	66,252	16.8	19.7
American Indian/Alaskan Native									
0 - 11 Months	31	*	31	*	31	*	0	*	*
12 - 23 Months	28	*	28	*	28	*	0	*	*
24 - 59 Months	52	*	52	*	52	*	52	*	*
Total	111	5.4	111	4.5	111	20.7	52	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,509	4.3	1,509	5.6	1,509	10.7	0	0.0	0.0
12 - 23 Months	1,474	5.0	1,474	5.0	1,474	9.6	0	0.0	0.0
24 - 59 Months	2,438	3.8	2,438	6.5	2,438	10.1	2,438	12.5	10.1
Total	5,421	4.3	5,421	5.8	5,421	10.1	2,438	12.5	10.1
Pacific Islander									
0 - 11 Months	99	*	99	*	99	*	0	*	*
12 - 23 Months	68	*	68	*	68	*	0	*	*
24 - 59 Months	113	5.3	113	2.7	113	26.5	113	19.5	26.5
Total	280	6.1	280	2.9	280	25.7	113	19.5	26.5
Filipino									
0 - 11 Months	350	8.3	350	6.0	350	10.3	0	0.0	0.0
12 - 23 Months	285	8.1	285	7.4	285	10.5	0	0.0	0.0
24 - 59 Months	377	6.4	377	5.6	377	14.9	377	11.9	14.9
Total	1,012	7.5	1,012	6.2	1,012	12.1	377	11.9	14.9
All Other									
0 - 11 Months	6,383	4.5	6,383	8.9	6,383	12.2	0	0.0	0.0
12 - 23 Months	4,323	4.9	4,323	5.2	4,323	17.0	0	0.0	0.0
24 - 59 Months	6,430	3.4	6,430	5.1	6,430	16.6	6,430	16.1	16.6
Total	17,136	4.2	17,136	6.5	17,136	15.1	6,430	16.1	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	58,991	5.3	58,991	4.9	58,991	16.1	0	0.0	0.0
12 - 23 Months	49,979	5.5	49,979	3.5	49,979	20.3	0	0.0	0.0
24 - 59 Months	82,524	3.2	82,524	4.1	82,524	18.6	82,524	16.4	18.6
Total	191,494	4.4	191,494	4.2	191,494	18.3	82,524	16.4	18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	354	6.5	354	7.3	354	12.7	0	0.0	0.0
12 - 23 Months	80	*	80	*	80	*	0	*	*
24 - 59 Months	87	*	87	*	87	*	87	*	*
Total	521	6.5	521	6.1	521	14.6	87	*	*
Black, Not Hispanic									
0 - 11 Months	2,651	10.9	2,651	6.0	2,651	14.6	0	0.0	0.0
12 - 23 Months	477	7.8	477	3.8	477	20.3	0	0.0	0.0
24 - 59 Months	741	5.9	741	6.6	741	13.6	741	15.8	13.6
Total	3,869	9.6	3,869	5.9	3,869	15.1	741	15.8	13.6
Hispanic									
0 - 11 Months	24,935	6.6	24,935	4.0	24,935	18.5	0	0.0	0.0
12 - 23 Months	4,843	6.5	4,843	2.6	4,843	23.6	0	0.0	0.0
24 - 59 Months	8,884	4.2	8,884	3.7	8,884	18.5	8,884	17.6	18.5
Total	38,662	6.0	38,662	3.8	38,662	19.1	8,884	17.6	18.5
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	11	*	11	*	11	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	416	2.6	416	5.5	416	13.9	0	0.0	0.0
12 - 23 Months	93	*	93	*	93	*	0	*	*
24 - 59 Months	164	3.7	164	3.7	164	11.6	164	11.6	11.6
Total	673	2.8	673	4.6	673	13.1	164	11.6	11.6
Pacific Islander									
0 - 11 Months	63	*	63	*	63	*	0	*	*
12 - 23 Months	13	*	13	*	13	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	94	*	94	*	94	*	18	*	*
Filipino									
0 - 11 Months	153	8.5	153	8.5	153	7.8	0	0.0	0.0
12 - 23 Months	40	*	40	*	40	*	0	*	*
24 - 59 Months	80	*	80	*	80	*	80	*	*
Total	273	6.6	273	6.6	273	12.5	80	*	*
All Other									
0 - 11 Months	2,821	7.7	2,821	4.0	2,821	17.1	0	0.0	0.0
12 - 23 Months	486	6.6	486	3.5	486	16.7	0	0.0	0.0
24 - 59 Months	830	3.6	830	9.0	830	11.6	830	14.0	11.6
Total	4,137	6.7	4,137	5.0	4,137	15.9	830	14.0	11.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	31,396	7.0	31,396	4.3	31,396	17.8	0	0.0	0.0
12 - 23 Months	6,034	6.6	6,034	2.8	6,034	22.6	0	0.0	0.0
24 - 59 Months	10,810	4.2	10,810	4.4	10,810	17.5	10,810	17.0	17.5
Total	48,240	6.3	48,240	4.1	48,240	18.3	10,810	17.0	17.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	203	6.4	203	6.4	203	8.9	0	0.0	0.0
12 - 23 Months	40	*	40	*	40	*	0	*	*
24 - 59 Months	63	*	63	*	63	*	63	*	*
Total	306	5.9	306	6.2	306	10.5	63	*	*
Black, Not Hispanic									
0 - 11 Months	1,102	17.2	1,102	6.0	1,102	21.2	0	0.0	0.0
12 - 23 Months	274	7.7	274	4.7	274	16.8	0	0.0	0.0
24 - 59 Months	460	3.5	460	4.8	460	13.5	460	12.2	13.5
Total	1,836	12.3	1,836	5.5	1,836	18.6	460	12.2	13.5
Hispanic									
0 - 11 Months	3,318	5.4	3,318	4.4	3,318	17.2	0	0.0	0.0
12 - 23 Months	783	7.8	783	2.4	783	23.6	0	0.0	0.0
24 - 59 Months	1,547	3.0	1,547	4.1	1,547	16.6	1,547	16.9	16.6
Total	5,648	5.0	5,648	4.0	5,648	18.0	1,547	16.9	16.6
American Indian/Alaskan Native									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	10	*	10	*	10	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	71	*	71	*	71	*	0	*	*
12 - 23 Months	25	*	25	*	25	*	0	*	*
24 - 59 Months	14	*	14	*	14	*	14	*	*
Total	110	10.9	110	6.4	110	22.7	14	*	*
Pacific Islander									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	20	*	20	*	20	*	8	*	*
Filipino									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	52	*	52	*	52	*	11	*	*
All Other									
0 - 11 Months	526	5.5	526	7.0	526	11.8	0	0.0	0.0
12 - 23 Months	81	*	81	*	81	*	0	*	*
24 - 59 Months	116	3.4	116	6.0	116	16.4	116	24.1	16.4
Total	723	5.1	723	6.2	723	13.4	116	24.1	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	5,273	8.1	5,273	5.1	5,273	17.3	0	0.0	0.0
12 - 23 Months	1,211	7.4	1,211	3.0	1,211	21.3	0	0.0	0.0
24 - 59 Months	2,221	3.2	2,221	4.4	2,221	15.8	2,221	15.9	15.8
Total	8,705	6.8	8,705	4.6	8,705	17.5	2,221	15.9	15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	215	5.6	215	10.7	215	6.5	0	0.0	0.0
12 - 23 Months	92	*	92	*	92	*	0	*	*
24 - 59 Months	123	3.3	123	2.4	123	14.6	123	13.0	14.6
Total	430	4.2	430	7.9	430	11.4	123	13.0	14.6
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	20	*	20	*	20	*	8	*	*
Hispanic									
0 - 11 Months	135	3.7	135	6.7	135	8.1	0	0.0	0.0
12 - 23 Months	54	*	54	*	54	*	0	*	*
24 - 59 Months	87	*	87	*	87	*	87	*	*
Total	276	6.2	276	4.7	276	11.2	87	*	*
American Indian/Alaskan Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	17	*	17	*	17	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	186	3.2	186	14.5	186	8.1	0	0.0	0.0
12 - 23 Months	88	*	88	*	88	*	0	*	*
24 - 59 Months	98	*	98	*	98	*	98	*	*
Total	372	4.0	372	11.0	372	10.5	98	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	551	4.5	551	10.9	551	7.6	0	0.0	0.0
12 - 23 Months	243	4.5	243	7.8	243	15.6	0	0.0	0.0
24 - 59 Months	324	5.6	324	3.7	324	13.9	324	13.6	13.9
Total	1,118	4.8	1,118	8.1	1,118	11.2	324	13.6	13.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	221	3.2	221	19.5	221	3.2	0	0.0	0.0
12 - 23 Months	83	*	83	*	83	*	0	*	*
24 - 59 Months	140	7.1	140	1.4	140	9.3	140	12.9	9.3
Total	444	5.2	444	11.7	444	6.5	140	12.9	9.3
Black, Not Hispanic									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	13	*	13	*	13	*	6	*	*
Hispanic									
0 - 11 Months	72	*	72	*	72	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	62	*	62	*	62	*	62	*	*
Total	176	3.4	176	4.0	176	15.9	62	*	*
American Indian/Alaskan Native									
0 - 11 Months	12	*	12	*	12	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	40	*	40	*	40	*	20	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	7	*	7	*	7	*	3	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	33	*	33	*	33	*	12	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	325	3.4	325	16.0	325	5.5	0	0.0	0.0
12 - 23 Months	148	6.8	148	4.7	148	13.5	0	0.0	0.0
24 - 59 Months	244	6.1	244	3.3	244	12.3	244	13.1	12.3
Total	717	5.0	717	9.3	717	9.5	244	13.1	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	121	9.1	121	7.4	121	14.9	0	0.0	0.0
12 - 23 Months	61	*	61	*	61	*	0	*	*
24 - 59 Months	85	*	85	*	85	*	85	*	*
Total	267	6.4	267	7.1	267	14.6	85	*	*
Black, Not Hispanic									
0 - 11 Months	509	9.2	509	8.1	509	12.2	0	0.0	0.0
12 - 23 Months	299	4.7	299	4.7	299	22.7	0	0.0	0.0
24 - 59 Months	556	2.0	556	4.9	556	15.5	556	17.8	15.5
Total	1,364	5.3	1,364	6.0	1,364	15.8	556	17.8	15.5
Hispanic									
0 - 11 Months	3,313	5.0	3,313	4.7	3,313	14.4	0	0.0	0.0
12 - 23 Months	1,658	6.0	1,658	3.0	1,658	23.6	0	0.0	0.0
24 - 59 Months	2,962	3.1	2,962	3.0	2,962	22.2	2,962	19.1	22.2
Total	7,933	4.5	7,933	3.7	7,933	19.2	2,962	19.1	22.2
American Indian/Alaskan Native									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	16	*	16	*	16	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	211	6.2	211	6.2	211	10.9	0	0.0	0.0
12 - 23 Months	125	9.6	125	6.4	125	13.6	0	0.0	0.0
24 - 59 Months	278	3.6	278	4.3	278	12.2	278	13.3	12.2
Total	614	5.7	614	5.4	614	12.1	278	13.3	12.2
Pacific Islander									
0 - 11 Months	33	*	33	*	33	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	93	*	93	*	93	*	39	*	*
Filipino									
0 - 11 Months	26	*	26	*	26	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	35	*	35	*	35	*	35	*	*
Total	73	*	73	*	73	*	35	*	*
All Other									
0 - 11 Months	1,125	3.0	1,125	16.9	1,125	8.5	0	0.0	0.0
12 - 23 Months	346	2.9	346	8.4	346	13.6	0	0.0	0.0
24 - 59 Months	327	3.1	327	5.8	327	15.0	327	16.5	15.0
Total	1,798	3.0	1,798	13.2	1,798	10.7	327	16.5	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	5,349	5.1	5,349	7.7	5,349	12.8	0	0.0	0.0
12 - 23 Months	2,523	5.6	2,523	4.2	2,523	21.5	0	0.0	0.0
24 - 59 Months	4,286	3.0	4,286	3.6	4,286	20.0	4,286	18.4	20.0
Total	12,158	4.4	12,158	5.5	12,158	17.2	4,286	18.4	20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	299	6.7	299	6.0	299	12.0	0	0.0	0.0
12 - 23 Months	132	9.8	132	5.3	132	14.4	0	0.0	0.0
24 - 59 Months	213	7.0	213	3.3	213	11.3	213	18.3	11.3
Total	644	7.5	644	5.0	644	12.3	213	18.3	11.3
Black, Not Hispanic									
0 - 11 Months	29	*	29	*	29	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	62	*	62	*	62	*	23	*	*
Hispanic									
0 - 11 Months	3,250	3.8	3,250	8.1	3,250	12.4	0	0.0	0.0
12 - 23 Months	1,384	5.9	1,384	3.7	1,384	18.1	0	0.0	0.0
24 - 59 Months	2,305	4.2	2,305	3.5	2,305	16.0	2,305	16.1	16.0
Total	6,939	4.4	6,939	5.7	6,939	14.7	2,305	16.1	16.0
American Indian/Alaskan Native									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	60	*	60	*	60	*	20	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 10/23/2007

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	12	*	12	*	12	*	5	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	0	*	*
All Other									
0 - 11 Months	176	3.4	176	9.1	176	14.8	0	0.0	0.0
12 - 23 Months	86	*	86	*	86	*	0	*	*
24 - 59 Months	142	9.9	142	3.5	142	13.4	142	19.0	13.4
Total	404	6.7	404	5.7	404	15.1	142	19.0	13.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	3,784	4.0	3,784	8.1	3,784	12.4	0	0.0	0.0
12 - 23 Months	1,632	6.4	1,632	3.7	1,632	17.8	0	0.0	0.0
24 - 59 Months	2,709	4.7	2,709	3.5	2,709	15.5	2,709	16.2	15.5
Total	8,125	4.7	8,125	5.7	8,125	14.5	2,709	16.2	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	140	3.6	140	7.1	140	6.4	0	0.0	0.0
12 - 23 Months	64	*	64	*	64	*	0	*	*
24 - 59 Months	79	*	79	*	79	*	79	*	*
Total	283	2.8	283	7.4	283	10.2	79	*	*
Black, Not Hispanic									
0 - 11 Months	23	*	23	*	23	*	0	*	*
12 - 23 Months	13	*	13	*	13	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	52	*	52	*	52	*	16	*	*
Hispanic									
0 - 11 Months	604	2.3	604	9.4	604	10.1	0	0.0	0.0
12 - 23 Months	316	3.5	316	9.2	316	10.8	0	0.0	0.0
24 - 59 Months	409	5.6	409	5.4	409	18.8	409	17.4	18.8
Total	1,329	3.6	1,329	8.1	1,329	12.9	409	17.4	18.8
American Indian/Alaskan Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	12	*	12	*	12	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	29	*	29	*	29	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	61	*	61	*	61	*	15	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	134	7.5	134	8.2	134	15.7	0	0.0	0.0
12 - 23 Months	66	*	66	*	66	*	0	*	*
24 - 59 Months	75	*	75	*	75	*	75	*	*
Total	275	5.5	275	5.5	275	16.0	75	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	934	3.1	934	8.4	934	10.4	0	0.0	0.0
12 - 23 Months	480	3.8	480	9.4	480	10.6	0	0.0	0.0
24 - 59 Months	600	5.0	600	4.7	600	18.7	600	17.5	18.7
Total	2,014	3.8	2,014	7.5	2,014	12.9	600	17.5	18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	45	*	45	*	45	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	76	*	76	*	76	*	20	*	*
Black, Not Hispanic									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
Hispanic									
0 - 11 Months	16	*	16	*	16	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	37	*	37	*	37	*	17	*	*
American Indian/Alaskan Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	2	*	2	*	2	*	2	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	5	*	5	*	5	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	65	*	65	*	65	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	44	*	44	*	44	*	44	*	*
Total	125	4.0	125	6.4	125	7.2	44	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	200	4.0	200	16.0	200	8.0	0	0.0	0.0
12 - 23 Months	82	*	82	*	82	*	0	*	*
24 - 59 Months	113	3.5	113	0.9	113	17.7	113	16.8	17.7
Total	395	3.0	395	9.9	395	12.2	113	16.8	17.7
Black, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	8	*	8	*	8	*	4	*	*
Hispanic									
0 - 11 Months	260	3.8	260	11.5	260	6.5	0	0.0	0.0
12 - 23 Months	147	4.1	147	10.2	147	17.7	0	0.0	0.0
24 - 59 Months	187	2.1	187	1.1	187	19.8	187	17.1	19.8
Total	594	3.4	594	7.9	594	13.5	187	17.1	19.8
American Indian/Alaskan Native									
0 - 11 Months	23	*	23	*	23	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	37	*	37	*	37	*	37	*	*
Total	76	*	76	*	76	*	37	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	12	*	12	*	12	*	4	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	784	3.8	784	13.6	784	6.5	0	0.0	0.0
12 - 23 Months	284	1.8	284	10.6	284	10.9	0	0.0	0.0
24 - 59 Months	314	5.1	314	2.9	314	14.6	314	17.5	14.6
Total	1,382	3.7	1,382	10.6	1,382	9.3	314	17.5	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,276	4.1	1,276	13.7	1,276	7.3	0	0.0	0.0
12 - 23 Months	533	2.1	533	9.6	533	14.1	0	0.0	0.0
24 - 59 Months	659	3.8	659	1.8	659	18.1	659	17.3	18.1
Total	2,468	3.6	2,468	9.6	2,468	11.6	659	17.3	18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	843	6.4	843	7.8	843	10.4	0	0.0	0.0
12 - 23 Months	317	7.3	317	6.3	317	10.7	0	0.0	0.0
24 - 59 Months	508	6.1	508	4.1	508	15.2	508	13.4	15.2
Total	1,668	6.5	1,668	6.4	1,668	11.9	508	13.4	15.2
Black, Not Hispanic									
0 - 11 Months	206	10.2	206	5.8	206	14.6	0	0.0	0.0
12 - 23 Months	58	*	58	*	58	*	0	*	*
24 - 59 Months	149	4.7	149	2.7	149	14.1	149	13.4	14.1
Total	413	7.5	413	4.6	413	14.3	149	13.4	14.1
Hispanic									
0 - 11 Months	3,303	4.9	3,303	5.8	3,303	13.3	0	0.0	0.0
12 - 23 Months	1,599	5.3	1,599	3.8	1,599	21.0	0	0.0	0.0
24 - 59 Months	2,847	3.8	2,847	3.4	2,847	18.2	2,847	17.0	18.2
Total	7,749	4.6	7,749	4.5	7,749	16.7	2,847	17.0	18.2
American Indian/Alaskan Native									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	15	*	15	*	15	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	302	6.3	302	5.3	302	11.6	0	0.0	0.0
12 - 23 Months	184	13.0	184	2.2	184	16.8	0	0.0	0.0
24 - 59 Months	307	15.3	307	2.6	307	18.2	307	16.0	18.2
Total	793	11.3	793	3.5	793	15.4	307	16.0	18.2
Pacific Islander									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	10	*	10	*	10	*	2	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
All Other									
0 - 11 Months	804	6.3	804	4.7	804	14.4	0	0.0	0.0
12 - 23 Months	304	3.9	304	2.3	304	16.8	0	0.0	0.0
24 - 59 Months	520	5.6	520	2.7	520	15.2	520	17.5	15.2
Total	1,628	5.7	1,628	3.6	1,628	15.1	520	17.5	15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	5,471	5.6	5,471	6.0	5,471	13.0	0	0.0	0.0
12 - 23 Months	2,466	6.0	2,466	3.9	2,466	18.7	0	0.0	0.0
24 - 59 Months	4,340	5.2	4,340	3.3	4,340	17.4	4,340	16.4	17.4
Total	12,277	5.5	12,277	4.6	12,277	15.7	4,340	16.4	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	44	*	44	*	44	*	0	*	*
12 - 23 Months	18	*	18	*	18	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	93	*	93	*	93	*	31	*	*
Black, Not Hispanic									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Hispanic									
0 - 11 Months	43	*	43	*	43	*	0	*	*
12 - 23 Months	22	*	22	*	22	*	0	*	*
24 - 59 Months	34	*	34	*	34	*	34	*	*
Total	99	*	99	*	99	*	34	*	*
American Indian/Alaskan Native									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	15	*	15	*	15	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
All Other									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	6	*	6	*	6	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	99	*	99	*	99	*	0	*	*
12 - 23 Months	47	*	47	*	47	*	0	*	*
24 - 59 Months	72	*	72	*	72	*	72	*	*
Total	218	6.4	218	7.8	218	8.7	72	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	23	*	23	*	23	*	0	*	*
24 - 59 Months	19	*	19	*	19	*	19	*	*
Total	69	*	69	*	69	*	19	*	*
Black, Not Hispanic									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
Hispanic									
0 - 11 Months	173	9.8	173	9.8	173	5.2	0	0.0	0.0
12 - 23 Months	101	7.9	101	15.8	101	8.9	0	0.0	0.0
24 - 59 Months	95	*	95	*	95	*	95	*	*
Total	369	8.4	369	11.1	369	7.6	95	*	*
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	7	*	7	*	7	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	12	*	12	*	12	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	22	*	22	*	22	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	218	8.3	218	11.5	218	5.5	0	0.0	0.0
12 - 23 Months	132	6.1	132	14.4	132	7.6	0	0.0	0.0
24 - 59 Months	122	5.7	122	6.6	122	9.0	122	16.4	9.0
Total	472	7.0	472	11.0	472	7.0	122	16.4	9.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	112	6.3	112	6.3	112	11.6	0	0.0	0.0
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	51	*	51	*	51	*	51	*	*
Total	192	4.7	192	5.2	192	13.0	51	*	*
Black, Not Hispanic									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	40	*	40	*	40	*	10	*	*
Hispanic									
0 - 11 Months	3,276	5.9	3,276	4.0	3,276	12.7	0	0.0	0.0
12 - 23 Months	1,140	6.7	1,140	3.2	1,140	19.4	0	0.0	0.0
24 - 59 Months	1,688	3.8	1,688	2.5	1,688	17.5	1,688	18.2	17.5
Total	6,104	5.4	6,104	3.4	6,104	15.3	1,688	18.2	17.5
American Indian/Alaskan Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	33	*	33	*	33	*	6	*	*
Pacific Islander									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	6	*	6	*	6	*	1	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	5	*	5	*	5	*	0	*	*
All Other									
0 - 11 Months	186	9.1	186	12.4	186	11.3	0	0.0	0.0
12 - 23 Months	28	*	28	*	28	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	231	8.2	231	10.4	231	11.7	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	3,629	6.1	3,629	4.5	3,629	12.6	0	0.0	0.0
12 - 23 Months	1,209	6.6	1,209	3.3	1,209	18.8	0	0.0	0.0
24 - 59 Months	1,774	3.7	1,774	2.5	1,774	17.5	1,774	18.4	17.5
Total	6,612	5.5	6,612	3.7	6,612	15.1	1,774	18.4	17.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	167	3.0	167	18.6	167	4.2	0	0.0	0.0
12 - 23 Months	45	*	45	*	45	*	0	*	*
24 - 59 Months	80	*	80	*	80	*	80	*	*
Total	292	3.8	292	15.1	292	7.9	80	*	*
Black, Not Hispanic									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	22	*	22	*	22	*	7	*	*
Hispanic									
0 - 11 Months	1,115	2.3	1,115	16.2	1,115	5.1	0	0.0	0.0
12 - 23 Months	466	2.8	466	10.1	466	10.9	0	0.0	0.0
24 - 59 Months	577	3.3	577	4.2	577	18.0	577	15.8	18.0
Total	2,158	2.7	2,158	11.7	2,158	9.8	577	15.8	18.0
American Indian/Alaskan Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	6	*	6	*	6	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	9	*	9	*	9	*	4	*	*
All Other									
0 - 11 Months	650	5.1	650	11.5	650	6.2	0	0.0	0.0
12 - 23 Months	221	0.5	221	9.0	221	10.4	0	0.0	0.0
24 - 59 Months	218	2.8	218	6.4	218	17.9	218	16.5	17.9
Total	1,089	3.7	1,089	10.0	1,089	9.4	218	16.5	17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,951	3.3	1,951	14.9	1,951	5.3	0	0.0	0.0
12 - 23 Months	739	2.3	739	10.4	739	10.6	0	0.0	0.0
24 - 59 Months	888	3.4	888	4.8	888	18.0	888	15.2	18.0
Total	3,578	3.1	3,578	11.5	3,578	9.6	888	15.2	18.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	450	5.8	450	14.7	450	7.8	0	0.0	0.0
12 - 23 Months	187	5.9	187	6.4	187	8.6	0	0.0	0.0
24 - 59 Months	229	8.3	229	2.6	229	15.3	229	21.8	15.3
Total	866	6.5	866	9.7	866	9.9	229	21.8	15.3
Black, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Hispanic									
0 - 11 Months	113	3.5	113	14.2	113	8.0	0	0.0	0.0
12 - 23 Months	62	*	62	*	62	*	0	*	*
24 - 59 Months	57	*	57	*	57	*	57	*	*
Total	232	6.5	232	11.2	232	12.9	57	*	*
American Indian/Alaskan Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	98	*	98	*	98	*	0	*	*
12 - 23 Months	56	*	56	*	56	*	0	*	*
24 - 59 Months	41	*	41	*	41	*	41	*	*
Total	195	7.2	195	8.7	195	10.8	41	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	666	5.4	666	14.3	666	7.8	0	0.0	0.0
12 - 23 Months	306	8.2	306	7.5	306	11.1	0	0.0	0.0
24 - 59 Months	328	7.3	328	3.0	328	15.5	328	18.6	15.5
Total	1,300	6.5	1,300	9.8	1,300	10.5	328	18.6	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	616	5.5	616	12.8	616	7.0	0	0.0	0.0
12 - 23 Months	168	4.8	168	6.5	168	10.1	0	0.0	0.0
24 - 59 Months	242	2.9	242	5.4	242	13.6	242	14.9	13.6
Total	1,026	4.8	1,026	10.0	1,026	9.1	242	14.9	13.6
Black, Not Hispanic									
0 - 11 Months	73	*	73	*	73	*	0	*	*
12 - 23 Months	27	*	27	*	27	*	0	*	*
24 - 59 Months	50	*	50	*	50	*	50	*	*
Total	150	2.7	150	8.0	150	12.0	50	*	*
Hispanic									
0 - 11 Months	14,780	4.0	14,780	7.3	14,780	11.8	0	0.0	0.0
12 - 23 Months	4,153	5.2	4,153	3.4	4,153	19.3	0	0.0	0.0
24 - 59 Months	7,596	3.1	7,596	3.9	7,596	16.4	7,596	16.2	16.4
Total	26,529	3.9	26,529	5.7	26,529	14.3	7,596	16.2	16.4
American Indian/Alaskan Native									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	15	*	15	*	15	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	539	7.8	539	7.8	539	11.7	0	0.0	0.0
12 - 23 Months	111	5.4	111	2.7	111	15.3	0	0.0	0.0
24 - 59 Months	234	3.0	234	6.4	234	12.0	234	9.8	12.0
Total	884	6.2	884	6.8	884	12.2	234	9.8	12.0
Pacific Islander									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	43	*	43	*	43	*	7	*	*
Filipino									
0 - 11 Months	54	*	54	*	54	*	0	*	*
12 - 23 Months	15	*	15	*	15	*	0	*	*
24 - 59 Months	33	*	33	*	33	*	33	*	*
Total	102	6.9	102	5.9	102	8.8	33	*	*
All Other									
0 - 11 Months	1,339	5.7	1,339	8.2	1,339	10.1	0	0.0	0.0
12 - 23 Months	327	4.3	327	6.4	327	15.3	0	0.0	0.0
24 - 59 Months	416	2.9	416	4.6	416	14.2	416	15.9	14.2
Total	2,082	4.9	2,082	7.2	2,082	11.7	416	15.9	14.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	17,443	4.3	17,443	7.6	17,443	11.5	0	0.0	0.0
12 - 23 Months	4,807	5.1	4,807	3.7	4,807	18.6	0	0.0	0.0
24 - 59 Months	8,581	3.1	8,581	4.1	8,581	16.1	8,581	16.0	16.1
Total	30,831	4.1	30,831	6.0	30,831	13.9	8,581	16.0	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 10/23/2007

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	29	*	29	*	29	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	66	*	66	*	66	*	23	*	*
Black, Not Hispanic									
0 - 11 Months	136	11.8	136	4.4	136	17.6	0	0.0	0.0
12 - 23 Months	71	*	71	*	71	*	0	*	*
24 - 59 Months	124	3.2	124	5.6	124	16.9	124	14.5	16.9
Total	331	7.9	331	4.2	331	18.7	124	14.5	16.9
Hispanic									
0 - 11 Months	377	8.5	377	4.0	377	13.5	0	0.0	0.0
12 - 23 Months	249	6.4	249	2.0	249	24.1	0	0.0	0.0
24 - 59 Months	450	4.9	450	2.4	450	19.3	450	18.0	19.3
Total	1,076	6.5	1,076	2.9	1,076	18.4	450	18.0	19.3
American Indian/Alaskan Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	11	*	11	*	11	*	8	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	16	*	16	*	16	*	7	*	*
All Other									
0 - 11 Months	356	5.3	356	15.2	356	6.7	0	0.0	0.0
12 - 23 Months	188	2.1	188	10.6	188	17.0	0	0.0	0.0
24 - 59 Months	260	3.5	260	1.9	260	19.6	260	15.8	19.6
Total	804	4.0	804	9.8	804	13.3	260	15.8	19.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 10/23/2007

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	910	7.4	910	8.8	910	11.4	0	0.0	0.0
12 - 23 Months	524	5.0	524	5.0	524	21.0	0	0.0	0.0
24 - 59 Months	874	4.1	874	2.6	874	18.5	874	16.6	18.5
Total	2,308	5.6	2,308	5.6	2,308	16.3	874	16.6	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	453	6.4	453	7.7	453	11.3	0	0.0	0.0
12 - 23 Months	209	8.6	209	4.8	209	11.5	0	0.0	0.0
24 - 59 Months	270	5.9	270	4.8	270	13.0	270	18.1	13.0
Total	932	6.8	932	6.2	932	11.8	270	18.1	13.0
Black, Not Hispanic									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	23	*	23	*	23	*	5	*	*
Hispanic									
0 - 11 Months	624	4.0	624	7.9	624	7.2	0	0.0	0.0
12 - 23 Months	306	7.5	306	3.6	306	8.2	0	0.0	0.0
24 - 59 Months	373	7.0	373	2.4	373	17.4	373	13.4	17.4
Total	1,303	5.7	1,303	5.3	1,303	10.4	373	13.4	17.4
American Indian/Alaskan Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	28	*	28	*	28	*	12	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
All Other									
0 - 11 Months	1,017	5.1	1,017	10.0	1,017	9.3	0	0.0	0.0
12 - 23 Months	310	3.2	310	7.4	310	5.8	0	0.0	0.0
24 - 59 Months	413	5.6	413	4.8	413	12.6	413	13.6	12.6
Total	1,740	4.9	1,740	8.3	1,740	9.5	413	13.6	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,117	5.0	2,117	8.9	2,117	9.4	0	0.0	0.0
12 - 23 Months	840	6.1	840	5.5	840	8.0	0	0.0	0.0
24 - 59 Months	1,076	6.2	1,076	4.0	1,076	14.3	1,076	14.6	14.3
Total	4,033	5.6	4,033	6.9	4,033	10.4	1,076	14.6	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	100	7.0	100	16.0	100	9.0	0	0.0	0.0
12 - 23 Months	40	*	40	*	40	*	0	*	*
24 - 59 Months	45	*	45	*	45	*	45	*	*
Total	185	7.0	185	10.8	185	9.2	45	*	*
Black, Not Hispanic									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	16	*	16	*	16	*	6	*	*
Hispanic									
0 - 11 Months	61	*	61	*	61	*	0	*	*
12 - 23 Months	26	*	26	*	26	*	0	*	*
24 - 59 Months	34	*	34	*	34	*	34	*	*
Total	121	8.3	121	8.3	121	13.2	34	*	*
American Indian/Alaskan Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	9	*	9	*	9	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	0	*	*
All Other									
0 - 11 Months	46	*	46	*	46	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	75	*	75	*	75	*	13	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	224	7.1	224	14.3	224	8.5	0	0.0	0.0
12 - 23 Months	88	*	88	*	88	*	0	*	*
24 - 59 Months	100	8.0	100	4.0	100	11.0	100	15.0	11.0
Total	412	7.3	412	10.2	412	11.4	100	15.0	11.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	3,884	7.3	3,884	7.9	3,884	10.5	0	0.0	0.0
12 - 23 Months	801	7.4	801	6.0	801	15.1	0	0.0	0.0
24 - 59 Months	1,162	5.7	1,162	5.3	1,162	12.0	1,162	14.3	12.0
Total	5,847	7.0	5,847	7.1	5,847	11.4	1,162	14.3	12.0
Black, Not Hispanic									
0 - 11 Months	1,157	10.3	1,157	6.5	1,157	14.9	0	0.0	0.0
12 - 23 Months	303	8.3	303	5.9	303	19.1	0	0.0	0.0
24 - 59 Months	528	5.9	528	5.1	528	11.4	528	14.0	11.4
Total	1,988	8.8	1,988	6.0	1,988	14.6	528	14.0	11.4
Hispanic									
0 - 11 Months	20,561	6.3	20,561	5.4	20,561	15.5	0	0.0	0.0
12 - 23 Months	6,737	6.0	6,737	3.7	6,737	19.3	0	0.0	0.0
24 - 59 Months	10,855	3.3	10,855	4.6	10,855	16.1	10,855	15.1	16.1
Total	38,153	5.4	38,153	4.9	38,153	16.3	10,855	15.1	16.1
American Indian/Alaskan Native									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	33	*	33	*	33	*	9	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	135	6.7	135	10.4	135	8.9	0	0.0	0.0
12 - 23 Months	48	*	48	*	48	*	0	*	*
24 - 59 Months	72	*	72	*	72	*	72	*	*
Total	255	7.1	255	7.8	255	13.3	72	*	*
Pacific Islander									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	39	*	39	*	39	*	11	*	*
Filipino									
0 - 11 Months	50	*	50	*	50	*	0	*	*
12 - 23 Months	15	*	15	*	15	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	92	*	92	*	92	*	27	*	*
All Other									
0 - 11 Months	2,069	7.2	2,069	8.0	2,069	13.5	0	0.0	0.0
12 - 23 Months	509	8.3	509	4.5	509	16.9	0	0.0	0.0
24 - 59 Months	717	4.3	717	6.3	717	14.4	717	14.9	14.4
Total	3,295	6.8	3,295	7.1	3,295	14.2	717	14.9	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	27,896	6.7	27,896	6.0	27,896	14.6	0	0.0	0.0
12 - 23 Months	8,425	6.4	8,425	4.1	8,425	18.7	0	0.0	0.0
24 - 59 Months	13,381	3.7	13,381	4.8	13,381	15.5	13,381	15.0	15.5
Total	49,702	5.8	49,702	5.4	49,702	15.5	13,381	15.0	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,182	4.7	2,182	9.8	2,182	8.8	0	0.0	0.0
12 - 23 Months	1,059	5.7	1,059	5.9	1,059	15.4	0	0.0	0.0
24 - 59 Months	1,804	4.7	1,804	6.1	1,804	11.9	1,804	13.7	11.9
Total	5,045	4.9	5,045	7.7	5,045	11.3	1,804	13.7	11.9
Black, Not Hispanic									
0 - 11 Months	1,783	8.0	1,783	6.5	1,783	13.5	0	0.0	0.0
12 - 23 Months	843	5.1	843	6.9	843	16.5	0	0.0	0.0
24 - 59 Months	1,373	3.7	1,373	4.7	1,373	14.6	1,373	16.2	14.6
Total	3,999	5.9	3,999	6.0	3,999	14.5	1,373	16.2	14.6
Hispanic									
0 - 11 Months	5,242	4.8	5,242	7.2	5,242	10.9	0	0.0	0.0
12 - 23 Months	2,804	4.5	2,804	4.4	2,804	17.0	0	0.0	0.0
24 - 59 Months	4,386	3.4	4,386	3.9	4,386	18.3	4,386	16.6	18.3
Total	12,432	4.2	12,432	5.4	12,432	14.9	4,386	16.6	18.3
American Indian/Alaskan Native									
0 - 11 Months	12	*	12	*	12	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	24	*	24	*	24	*	10	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,752	7.2	1,752	5.8	1,752	13.4	0	0.0	0.0
12 - 23 Months	828	10.1	828	6.5	828	15.6	0	0.0	0.0
24 - 59 Months	1,447	12.1	1,447	3.9	1,447	19.7	1,447	16.4	19.7
Total	4,027	9.6	4,027	5.2	4,027	16.1	1,447	16.4	19.7
Pacific Islander									
0 - 11 Months	36	*	36	*	36	*	0	*	*
12 - 23 Months	23	*	23	*	23	*	0	*	*
24 - 59 Months	42	*	42	*	42	*	42	*	*
Total	101	8.9	101	3.0	101	30.7	42	*	*
Filipino									
0 - 11 Months	38	*	38	*	38	*	0	*	*
12 - 23 Months	34	*	34	*	34	*	0	*	*
24 - 59 Months	37	*	37	*	37	*	37	*	*
Total	109	11.0	109	9.2	109	13.8	37	*	*
All Other									
0 - 11 Months	10,976	5.2	10,976	11.3	10,976	8.7	0	0.0	0.0
12 - 23 Months	4,483	4.6	4,483	7.6	4,483	15.2	0	0.0	0.0
24 - 59 Months	6,273	4.8	6,273	4.8	6,273	13.9	6,273	16.0	13.9
Total	21,732	5.0	21,732	8.6	21,732	11.5	6,273	16.0	13.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	22,021	5.5	22,021	9.4	22,021	10.0	0	0.0	0.0
12 - 23 Months	10,076	5.2	10,076	6.3	10,076	15.9	0	0.0	0.0
24 - 59 Months	15,372	5.0	15,372	4.6	15,372	15.6	15,372	16.0	15.6
Total	47,469	5.3	47,469	7.2	47,469	13.1	15,372	16.0	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	41	*	41	*	41	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	32	*	32	*	32	*	32	*	*
Total	92	*	92	*	92	*	32	*	*
Black, Not Hispanic									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	5	*	5	*	5	*	1	*	*
Hispanic									
0 - 11 Months	358	3.6	358	8.9	358	10.1	0	0.0	0.0
12 - 23 Months	204	2.9	204	9.3	204	19.6	0	0.0	0.0
24 - 59 Months	250	2.4	250	2.4	250	22.0	250	19.2	22.0
Total	812	3.1	812	7.0	812	16.1	250	19.2	22.0
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
All Other									
0 - 11 Months	56	*	56	*	56	*	0	*	*
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	35	*	35	*	35	*	35	*	*
Total	121	5.8	121	9.1	121	17.4	35	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	464	4.7	464	9.5	464	10.6	0	0.0	0.0
12 - 23 Months	255	3.5	255	9.8	255	18.4	0	0.0	0.0
24 - 59 Months	321	2.2	321	2.8	321	20.6	321	19.0	20.6
Total	1,040	3.7	1,040	7.5	1,040	15.6	321	19.0	20.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,864	8.0	2,864	10.5	2,864	9.5	0	0.0	0.0
12 - 23 Months	869	6.6	869	8.5	869	15.1	0	0.0	0.0
24 - 59 Months	1,306	6.4	1,306	6.9	1,306	13.0	1,306	12.9	13.0
Total	5,039	7.3	5,039	9.2	5,039	11.4	1,306	12.9	13.0
Black, Not Hispanic									
0 - 11 Months	2,053	12.5	2,053	7.0	2,053	14.8	0	0.0	0.0
12 - 23 Months	684	7.2	684	5.1	684	16.5	0	0.0	0.0
24 - 59 Months	1,141	4.7	1,141	6.5	1,141	12.3	1,141	13.2	12.3
Total	3,878	9.3	3,878	6.5	3,878	14.4	1,141	13.2	12.3
Hispanic									
0 - 11 Months	20,039	6.9	20,039	5.4	20,039	15.6	0	0.0	0.0
12 - 23 Months	6,974	7.2	6,974	3.4	6,974	20.5	0	0.0	0.0
24 - 59 Months	11,513	4.2	11,513	4.6	11,513	16.9	11,513	16.0	16.9
Total	38,526	6.1	38,526	4.8	38,526	16.9	11,513	16.0	16.9
American Indian/Alaskan Native									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	54	*	54	*	54	*	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	339	7.4	339	6.5	339	18.6	0	0.0	0.0
12 - 23 Months	116	9.5	116	5.2	116	12.1	0	0.0	0.0
24 - 59 Months	171	2.9	171	8.8	171	11.1	171	9.9	11.1
Total	626	6.5	626	6.9	626	15.3	171	9.9	11.1
Pacific Islander									
0 - 11 Months	31	*	31	*	31	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	35	*	35	*	35	*	35	*	*
Total	80	*	80	*	80	*	35	*	*
Filipino									
0 - 11 Months	69	*	69	*	69	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	102	6.9	102	2.9	102	12.7	23	*	*
All Other									
0 - 11 Months	4,107	8.4	4,107	6.2	4,107	14.4	0	0.0	0.0
12 - 23 Months	1,396	7.2	1,396	3.9	1,396	19.2	0	0.0	0.0
24 - 59 Months	2,133	5.3	2,133	3.7	2,133	16.2	2,133	17.5	16.2
Total	7,636	7.3	7,636	5.1	7,636	15.8	2,133	17.5	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	29,527	7.6	29,527	6.2	29,527	14.9	0	0.0	0.0
12 - 23 Months	10,075	7.2	10,075	4.0	10,075	19.5	0	0.0	0.0
24 - 59 Months	16,339	4.5	16,339	4.8	16,339	16.1	16,339	15.7	16.1
Total	55,941	6.6	55,941	5.4	55,941	16.1	16,339	15.7	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 10/23/2007

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,787	4.3	2,787	8.5	2,787	9.5	0	0.0	0.0
12 - 23 Months	1,443	5.6	1,443	5.6	1,443	15.5	0	0.0	0.0
24 - 59 Months	1,848	5.6	1,848	3.8	1,848	15.8	1,848	16.2	15.8
Total	6,078	5.0	6,078	6.4	6,078	12.8	1,848	16.2	15.8
Black, Not Hispanic									
0 - 11 Months	1,391	6.1	1,391	10.6	1,391	9.7	0	0.0	0.0
12 - 23 Months	678	5.5	678	7.8	678	15.2	0	0.0	0.0
24 - 59 Months	1,089	3.3	1,089	6.1	1,089	11.9	1,089	15.2	11.9
Total	3,158	5.0	3,158	8.4	3,158	11.7	1,089	15.2	11.9
Hispanic									
0 - 11 Months	19,534	4.7	19,534	7.5	19,534	11.9	0	0.0	0.0
12 - 23 Months	9,167	5.3	9,167	5.3	9,167	16.4	0	0.0	0.0
24 - 59 Months	14,283	4.1	14,283	3.9	14,283	16.3	14,283	17.0	16.3
Total	42,984	4.6	42,984	5.8	42,984	14.3	14,283	17.0	16.3
American Indian/Alaskan Native									
0 - 11 Months	97	*	97	*	97	*	0	*	*
12 - 23 Months	48	*	48	*	48	*	0	*	*
24 - 59 Months	70	*	70	*	70	*	70	*	*
Total	215	7.4	215	5.6	215	19.1	70	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	644	5.6	644	8.4	644	12.3	0	0.0	0.0
12 - 23 Months	327	6.1	327	6.4	327	11.3	0	0.0	0.0
24 - 59 Months	422	4.5	422	10.4	422	11.8	422	9.5	11.8
Total	1,393	5.4	1,393	8.5	1,393	11.9	422	9.5	11.8
Pacific Islander									
0 - 11 Months	47	*	47	*	47	*	0	*	*
12 - 23 Months	18	*	18	*	18	*	0	*	*
24 - 59 Months	33	*	33	*	33	*	33	*	*
Total	98	*	98	*	98	*	33	*	*
Filipino									
0 - 11 Months	346	8.1	346	5.2	346	17.3	0	0.0	0.0
12 - 23 Months	157	8.3	157	10.2	157	5.7	0	0.0	0.0
24 - 59 Months	223	7.6	223	8.5	223	13.5	223	12.6	13.5
Total	726	8.0	726	7.3	726	13.6	223	12.6	13.5
All Other									
0 - 11 Months	9,525	5.2	9,525	8.7	9,525	9.9	0	0.0	0.0
12 - 23 Months	3,636	3.7	3,636	8.2	3,636	11.1	0	0.0	0.0
24 - 59 Months	4,518	3.8	4,518	4.8	4,518	14.2	4,518	15.8	14.2
Total	17,679	4.5	17,679	7.6	17,679	11.2	4,518	15.8	14.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	34,371	4.9	34,371	8.0	34,371	11.1	0	0.0	0.0
12 - 23 Months	15,474	5.0	15,474	6.2	15,474	14.8	0	0.0	0.0
24 - 59 Months	22,486	4.2	22,486	4.3	22,486	15.5	22,486	16.4	15.5
Total	72,331	4.7	72,331	6.5	72,331	13.3	22,486	16.4	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	200	6.0	200	11.0	200	7.0	0	0.0	0.0
12 - 23 Months	68	*	68	*	68	*	0	*	*
24 - 59 Months	93	*	93	*	93	*	93	*	*
Total	361	5.8	361	8.3	361	10.0	93	*	*
Black, Not Hispanic									
0 - 11 Months	364	9.6	364	11.5	364	9.9	0	0.0	0.0
12 - 23 Months	160	6.3	160	6.3	160	16.9	0	0.0	0.0
24 - 59 Months	262	5.7	262	3.8	262	16.8	262	22.1	16.8
Total	786	7.6	786	7.9	786	13.6	262	22.1	16.8
Hispanic									
0 - 11 Months	2,398	4.4	2,398	9.1	2,398	9.9	0	0.0	0.0
12 - 23 Months	1,001	3.8	1,001	5.5	1,001	13.4	0	0.0	0.0
24 - 59 Months	1,326	5.7	1,326	2.6	1,326	23.2	1,326	18.5	23.2
Total	4,725	4.6	4,725	6.5	4,725	14.4	1,326	18.5	23.2
American Indian/Alaskan Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	10	*	10	*	10	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,218	3.9	1,218	8.5	1,218	8.5	0	0.0	0.0
12 - 23 Months	770	2.9	770	10.1	770	6.0	0	0.0	0.0
24 - 59 Months	1,071	4.4	1,071	6.1	1,071	10.1	1,071	14.6	10.1
Total	3,059	3.8	3,059	8.1	3,059	8.4	1,071	14.6	10.1
Pacific Islander									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	59	*	59	*	59	*	16	*	*
Filipino									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	23	*	23	*	23	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	84	*	84	*	84	*	26	*	*
All Other									
0 - 11 Months	409	3.9	409	9.5	409	9.8	0	0.0	0.0
12 - 23 Months	226	4.4	226	7.1	226	13.3	0	0.0	0.0
24 - 59 Months	316	4.7	316	4.7	316	15.2	316	17.7	15.2
Total	951	4.3	951	7.4	951	12.4	316	17.7	15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,657	4.7	4,657	9.3	4,657	9.5	0	0.0	0.0
12 - 23 Months	2,266	3.7	2,266	7.3	2,266	10.9	0	0.0	0.0
24 - 59 Months	3,112	5.1	3,112	4.1	3,112	17.0	3,112	17.5	17.0
Total	10,035	4.6	10,035	7.2	10,035	12.1	3,112	17.5	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,496	7.3	1,496	8.7	1,496	11.6	0	0.0	0.0
12 - 23 Months	562	6.2	562	4.8	562	19.9	0	0.0	0.0
24 - 59 Months	938	4.9	938	4.9	938	14.9	938	16.2	14.9
Total	2,996	6.3	2,996	6.8	2,996	14.2	938	16.2	14.9
Black, Not Hispanic									
0 - 11 Months	1,117	8.9	1,117	9.5	1,117	11.5	0	0.0	0.0
12 - 23 Months	503	5.2	503	6.4	503	22.3	0	0.0	0.0
24 - 59 Months	896	3.5	896	9.5	896	11.3	896	12.1	11.3
Total	2,516	6.2	2,516	8.9	2,516	13.6	896	12.1	11.3
Hispanic									
0 - 11 Months	7,908	5.0	7,908	8.1	7,908	11.9	0	0.0	0.0
12 - 23 Months	3,475	4.8	3,475	4.1	3,475	17.7	0	0.0	0.0
24 - 59 Months	5,506	3.3	5,506	5.4	5,506	17.4	5,506	16.3	17.4
Total	16,889	4.4	16,889	6.4	16,889	14.9	5,506	16.3	17.4
American Indian/Alaskan Native									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	25	*	25	*	25	*	9	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	685	12.3	685	6.6	685	16.1	0	0.0	0.0
12 - 23 Months	340	13.2	340	7.1	340	18.5	0	0.0	0.0
24 - 59 Months	634	13.1	634	4.7	634	15.6	634	16.9	15.6
Total	1,659	12.8	1,659	6.0	1,659	16.4	634	16.9	15.6
Pacific Islander									
0 - 11 Months	17	*	17	*	17	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	14	*	14	*	14	*	14	*	*
Total	37	*	37	*	37	*	14	*	*
Filipino									
0 - 11 Months	122	9.0	122	8.2	122	9.0	0	0.0	0.0
12 - 23 Months	60	*	60	*	60	*	0	*	*
24 - 59 Months	107	6.5	107	4.7	107	12.1	107	14.0	12.1
Total	289	8.0	289	6.6	289	11.1	107	14.0	12.1
All Other									
0 - 11 Months	3,363	5.7	3,363	8.5	3,363	11.3	0	0.0	0.0
12 - 23 Months	1,460	5.9	1,460	4.7	1,460	16.4	0	0.0	0.0
24 - 59 Months	2,214	4.0	2,214	5.4	2,214	15.1	2,214	16.2	15.1
Total	7,037	5.2	7,037	6.8	7,037	13.5	2,214	16.2	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	14,722	6.0	14,722	8.3	14,722	11.9	0	0.0	0.0
12 - 23 Months	6,408	5.7	6,408	4.6	6,408	18.0	0	0.0	0.0
24 - 59 Months	10,318	4.3	10,318	5.6	10,318	16.0	10,318	15.9	16.0
Total	31,448	5.4	31,448	6.7	31,448	14.5	10,318	15.9	16.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	996	2.5	996	13.5	996	6.3	0	0.0	0.0
12 - 23 Months	472	3.6	472	13.1	472	8.3	0	0.0	0.0
24 - 59 Months	523	3.1	523	5.0	523	9.6	523	11.3	9.6
Total	1,991	2.9	1,991	11.2	1,991	7.6	523	11.3	9.6
Black, Not Hispanic									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	50	*	50	*	50	*	16	*	*
Hispanic									
0 - 11 Months	1,398	3.3	1,398	8.7	1,398	7.7	0	0.0	0.0
12 - 23 Months	737	3.3	737	7.1	737	12.8	0	0.0	0.0
24 - 59 Months	967	4.7	967	4.9	967	15.4	967	15.4	15.4
Total	3,102	3.7	3,102	7.1	3,102	11.3	967	15.4	15.4
American Indian/Alaskan Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	23	*	23	*	23	*	8	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	19	*	19	*	19	*	8	*	*
All Other									
0 - 11 Months	335	8.4	335	5.1	335	13.7	0	0.0	0.0
12 - 23 Months	164	3.7	164	3.7	164	17.1	0	0.0	0.0
24 - 59 Months	205	3.4	205	7.8	205	12.7	205	18.0	12.7
Total	704	5.8	704	5.5	704	14.2	205	18.0	12.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,770	3.7	2,770	10.2	2,770	7.9	0	0.0	0.0
12 - 23 Months	1,394	3.4	1,394	8.8	1,394	11.8	0	0.0	0.0
24 - 59 Months	1,728	4.0	1,728	5.3	1,728	13.1	1,728	14.5	13.1
Total	5,892	3.7	5,892	8.4	5,892	10.3	1,728	14.5	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	108	2.8	108	8.3	108	7.4	0	0.0	0.0
12 - 23 Months	45	*	45	*	45	*	0	*	*
24 - 59 Months	48	*	48	*	48	*	48	*	*
Total	201	4.5	201	7.0	201	9.5	48	*	*
Black, Not Hispanic									
0 - 11 Months	77	*	77	*	77	*	0	*	*
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	61	*	61	*	61	*	61	*	*
Total	168	7.7	168	4.8	168	15.5	61	*	*
Hispanic									
0 - 11 Months	2,665	4.5	2,665	8.7	2,665	9.1	0	0.0	0.0
12 - 23 Months	1,369	2.8	1,369	6.1	1,369	12.7	0	0.0	0.0
24 - 59 Months	1,505	3.9	1,505	3.5	1,505	21.4	1,505	18.3	21.4
Total	5,539	3.9	5,539	6.6	5,539	13.3	1,505	18.3	21.4
American Indian/Alaskan Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	5	*	5	*	5	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	37	*	37	*	37	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	85	*	85	*	85	*	27	*	*
Pacific Islander									
0 - 11 Months	70	*	70	*	70	*	0	*	*
12 - 23 Months	35	*	35	*	35	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	144	1.4	144	0.7	144	25.0	39	*	*
Filipino									
0 - 11 Months	63	*	63	*	63	*	0	*	*
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	46	*	46	*	46	*	46	*	*
Total	150	7.3	150	9.3	150	8.0	46	*	*
All Other									
0 - 11 Months	1,957	3.5	1,957	10.3	1,957	8.3	0	0.0	0.0
12 - 23 Months	880	2.5	880	9.3	880	11.5	0	0.0	0.0
24 - 59 Months	1,177	4.1	1,177	5.1	1,177	16.8	1,177	13.3	16.8
Total	4,014	3.5	4,014	8.5	4,014	11.5	1,177	13.3	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,978	4.1	4,978	9.1	4,978	8.9	0	0.0	0.0
12 - 23 Months	2,424	3.0	2,424	7.3	2,424	12.3	0	0.0	0.0
24 - 59 Months	2,904	3.9	2,904	4.3	2,904	19.4	2,904	16.0	19.4
Total	10,306	3.8	10,306	7.3	10,306	12.6	2,904	16.0	19.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	375	4.8	375	8.5	375	7.2	0	0.0	0.0
12 - 23 Months	189	4.8	189	3.2	189	12.7	0	0.0	0.0
24 - 59 Months	252	5.6	252	3.6	252	12.7	252	19.8	12.7
Total	816	5.0	816	5.8	816	10.2	252	19.8	12.7
Black, Not Hispanic									
0 - 11 Months	63	*	63	*	63	*	0	*	*
12 - 23 Months	32	*	32	*	32	*	0	*	*
24 - 59 Months	63	*	63	*	63	*	63	*	*
Total	158	5.7	158	7.6	158	10.8	63	*	*
Hispanic									
0 - 11 Months	7,373	3.4	7,373	8.3	7,373	8.8	0	0.0	0.0
12 - 23 Months	3,514	4.8	3,514	5.5	3,514	14.0	0	0.0	0.0
24 - 59 Months	4,633	5.7	4,633	4.0	4,633	19.9	4,633	17.4	19.9
Total	15,520	4.4	15,520	6.4	15,520	13.3	4,633	17.4	19.9
American Indian/Alaskan Native									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	41	*	41	*	41	*	13	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	30	*	30	*	30	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	51	*	51	*	51	*	13	*	*
Pacific Islander									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*
Filipino									
0 - 11 Months	16	*	16	*	16	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	26	*	26	*	26	*	6	*	*
All Other									
0 - 11 Months	1,312	6.0	1,312	4.5	1,312	9.8	0	0.0	0.0
12 - 23 Months	752	6.5	752	3.6	752	14.8	0	0.0	0.0
24 - 59 Months	831	5.1	831	3.2	831	17.3	831	16.0	17.3
Total	2,895	5.9	2,895	3.9	2,895	13.3	831	16.0	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	9,187	3.9	9,187	7.8	9,187	8.9	0	0.0	0.0
12 - 23 Months	4,514	5.1	4,514	5.3	4,514	14.0	0	0.0	0.0
24 - 59 Months	5,813	5.7	5,813	3.9	5,813	19.1	5,813	17.3	19.1
Total	19,514	4.7	19,514	6.0	19,514	13.1	5,813	17.3	19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	541	7.0	541	10.2	541	9.1	0	0.0	0.0
12 - 23 Months	229	3.5	229	3.9	229	14.4	0	0.0	0.0
24 - 59 Months	275	3.6	275	6.5	275	10.9	275	17.5	10.9
Total	1,045	5.4	1,045	7.8	1,045	10.7	275	17.5	10.9
Black, Not Hispanic									
0 - 11 Months	179	7.8	179	12.3	179	12.3	0	0.0	0.0
12 - 23 Months	77	*	77	*	77	*	0	*	*
24 - 59 Months	115	4.3	115	3.5	115	18.3	115	11.3	18.3
Total	371	5.7	371	8.9	371	16.2	115	11.3	18.3
Hispanic									
0 - 11 Months	9,812	4.7	9,812	6.1	9,812	11.1	0	0.0	0.0
12 - 23 Months	5,431	3.7	5,431	5.2	5,431	14.5	0	0.0	0.0
24 - 59 Months	6,637	3.0	6,637	4.7	6,637	16.2	6,637	16.3	16.2
Total	21,880	3.9	21,880	5.5	21,880	13.5	6,637	16.3	16.2
American Indian/Alaskan Native									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	56	*	56	*	56	*	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,310	8.4	1,310	7.1	1,310	11.5	0	0.0	0.0
12 - 23 Months	810	6.9	810	6.4	810	8.6	0	0.0	0.0
24 - 59 Months	1,347	3.9	1,347	5.5	1,347	11.6	1,347	12.0	11.6
Total	3,467	6.3	3,467	6.3	3,467	10.9	1,347	12.0	11.6
Pacific Islander									
0 - 11 Months	30	*	30	*	30	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	49	*	49	*	49	*	8	*	*
Filipino									
0 - 11 Months	105	4.8	105	5.7	105	8.6	0	0.0	0.0
12 - 23 Months	62	*	62	*	62	*	0	*	*
24 - 59 Months	105	9.5	105	6.7	105	21.0	105	9.5	21.0
Total	272	8.1	272	5.9	272	13.6	105	9.5	21.0
All Other									
0 - 11 Months	3,069	4.5	3,069	8.7	3,069	10.3	0	0.0	0.0
12 - 23 Months	1,691	4.9	1,691	6.7	1,691	14.2	0	0.0	0.0
24 - 59 Months	2,165	3.5	2,165	5.5	2,165	16.9	2,165	15.3	16.9
Total	6,925	4.3	6,925	7.2	6,925	13.3	2,165	15.3	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	15,080	5.1	15,080	7.0	15,080	10.8	0	0.0	0.0
12 - 23 Months	8,316	4.3	8,316	5.6	8,316	13.9	0	0.0	0.0
24 - 59 Months	10,669	3.3	10,669	5.0	10,669	15.7	10,669	15.5	15.7
Total	34,065	4.3	34,065	6.0	34,065	13.1	10,669	15.5	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	113	4.4	113	18.6	113	8.0	0	0.0	0.0
12 - 23 Months	25	*	25	*	25	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	158	3.2	158	13.9	158	7.0	20	*	*
Black, Not Hispanic									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	10	*	10	*	10	*	2	*	*
Hispanic									
0 - 11 Months	1,137	5.2	1,137	9.0	1,137	12.8	0	0.0	0.0
12 - 23 Months	292	7.9	292	2.4	292	20.9	0	0.0	0.0
24 - 59 Months	411	4.4	411	1.5	411	23.6	411	19.5	23.6
Total	1,840	5.4	1,840	6.3	1,840	16.5	411	19.5	23.6
American Indian/Alaskan Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	3	*	3	*	3	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	128	5.5	128	8.6	128	11.7	0	0.0	0.0
12 - 23 Months	24	*	24	*	24	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	179	5.6	179	7.8	179	15.1	27	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,389	5.2	1,389	9.8	1,389	12.2	0	0.0	0.0
12 - 23 Months	343	7.6	343	3.2	343	19.8	0	0.0	0.0
24 - 59 Months	464	4.1	464	1.7	464	22.6	464	19.0	22.6
Total	2,196	5.3	2,196	7.1	2,196	15.6	464	19.0	22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,011	7.3	2,011	7.5	2,011	9.6	0	0.0	0.0
12 - 23 Months	846	6.5	846	3.9	846	17.0	0	0.0	0.0
24 - 59 Months	1,284	5.3	1,284	2.6	1,284	15.5	1,284	17.8	15.5
Total	4,141	6.5	4,141	5.3	4,141	12.9	1,284	17.8	15.5
Black, Not Hispanic									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	37	*	37	*	37	*	37	*	*
Total	92	*	92	*	92	*	37	*	*
Hispanic									
0 - 11 Months	283	5.7	283	6.4	283	13.4	0	0.0	0.0
12 - 23 Months	136	5.9	136	5.9	136	16.2	0	0.0	0.0
24 - 59 Months	195	4.6	195	4.6	195	19.0	195	18.5	19.0
Total	614	5.4	614	5.7	614	15.8	195	18.5	19.0
American Indian/Alaskan Native									
0 - 11 Months	117	3.4	117	7.7	117	6.0	0	0.0	0.0
12 - 23 Months	39	*	39	*	39	*	0	*	*
24 - 59 Months	65	*	65	*	65	*	65	*	*
Total	221	3.6	221	6.3	221	14.9	65	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	78	*	78	*	78	*	0	*	*
12 - 23 Months	36	*	36	*	36	*	0	*	*
24 - 59 Months	45	*	45	*	45	*	45	*	*
Total	159	9.4	159	5.0	159	10.1	45	*	*
Pacific Islander									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	9	*	9	*	9	*	2	*	*
Filipino									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	9	*	9	*	9	*	4	*	*
All Other									
0 - 11 Months	288	5.6	288	5.9	288	8.3	0	0.0	0.0
12 - 23 Months	113	2.7	113	1.8	113	16.8	0	0.0	0.0
24 - 59 Months	222	5.4	222	4.5	222	12.6	222	18.9	12.6
Total	623	5.0	623	4.7	623	11.4	222	18.9	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,822	6.9	2,822	7.2	2,822	9.7	0	0.0	0.0
12 - 23 Months	1,192	5.8	1,192	4.0	1,192	17.3	0	0.0	0.0
24 - 59 Months	1,854	5.3	1,854	3.2	1,854	15.3	1,854	18.4	15.3
Total	5,868	6.2	5,868	5.3	5,868	13.0	1,854	18.4	15.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	28	*	28	*	28	*	12	*	*
Black, Not Hispanic									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Hispanic									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	20	*	20	*	20	*	6	*	*
American Indian/Alaskan Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	7	*	7	*	7	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	21	*	21	*	21	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	19	*	19	*	19	*	19	*	*
Total	59	*	59	*	59	*	19	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	353	5.7	353	16.7	353	5.7	0	0.0	0.0
12 - 23 Months	160	3.1	160	11.3	160	13.8	0	0.0	0.0
24 - 59 Months	229	6.6	229	3.1	229	10.0	229	18.8	10.0
Total	742	5.4	742	11.3	742	8.8	229	18.8	10.0
Black, Not Hispanic									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	26	*	26	*	26	*	12	*	*
Hispanic									
0 - 11 Months	83	*	83	*	83	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	69	*	69	*	69	*	69	*	*
Total	194	2.1	194	9.8	194	10.8	69	*	*
American Indian/Alaskan Native									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	29	*	29	*	29	*	29	*	*
Total	63	*	63	*	63	*	29	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	12	*	12	*	12	*	1	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
All Other									
0 - 11 Months	159	7.5	159	8.8	159	10.7	0	0.0	0.0
12 - 23 Months	104	5.8	104	2.9	104	11.5	0	0.0	0.0
24 - 59 Months	111	4.5	111	3.6	111	19.8	111	14.4	19.8
Total	374	6.1	374	5.6	374	13.6	111	14.4	19.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	638	5.6	638	12.4	638	7.4	0	0.0	0.0
12 - 23 Months	328	4.6	328	8.2	328	13.1	0	0.0	0.0
24 - 59 Months	452	4.6	452	5.1	452	15.0	452	17.3	15.0
Total	1,418	5.1	1,418	9.1	1,418	11.1	452	17.3	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	713	5.9	713	8.0	713	9.0	0	0.0	0.0
12 - 23 Months	304	4.9	304	6.3	304	12.8	0	0.0	0.0
24 - 59 Months	396	4.8	396	5.3	396	11.6	396	17.2	11.6
Total	1,413	5.4	1,413	6.9	1,413	10.5	396	17.2	11.6
Black, Not Hispanic									
0 - 11 Months	610	5.6	610	12.3	610	8.2	0	0.0	0.0
12 - 23 Months	271	5.5	271	7.0	271	14.4	0	0.0	0.0
24 - 59 Months	485	2.9	485	2.5	485	15.3	485	12.0	15.3
Total	1,366	4.6	1,366	7.8	1,366	11.9	485	12.0	15.3
Hispanic									
0 - 11 Months	1,972	3.4	1,972	10.2	1,972	8.2	0	0.0	0.0
12 - 23 Months	1,091	3.0	1,091	6.5	1,091	12.8	0	0.0	0.0
24 - 59 Months	1,294	3.6	1,294	3.3	1,294	20.4	1,294	18.6	20.4
Total	4,357	3.4	4,357	7.2	4,357	13.0	1,294	18.6	20.4
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	11	*	11	*	11	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	109	5.5	109	14.7	109	7.3	0	0.0	0.0
12 - 23 Months	36	*	36	*	36	*	0	*	*
24 - 59 Months	43	*	43	*	43	*	43	*	*
Total	188	7.4	188	10.6	188	10.6	43	*	*
Pacific Islander									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	43	*	43	*	43	*	6	*	*
Filipino									
0 - 11 Months	70	*	70	*	70	*	0	*	*
12 - 23 Months	35	*	35	*	35	*	0	*	*
24 - 59 Months	50	*	50	*	50	*	50	*	*
Total	155	7.7	155	11.6	155	7.7	50	*	*
All Other									
0 - 11 Months	971	6.5	971	10.8	971	12.5	0	0.0	0.0
12 - 23 Months	444	5.0	444	8.3	444	18.2	0	0.0	0.0
24 - 59 Months	622	5.0	622	5.8	622	17.4	622	15.9	17.4
Total	2,037	5.7	2,037	8.7	2,037	15.2	622	15.9	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,476	4.9	4,476	10.5	4,476	9.2	0	0.0	0.0
12 - 23 Months	2,195	4.1	2,195	7.1	2,195	14.2	0	0.0	0.0
24 - 59 Months	2,899	4.2	2,899	4.0	2,899	17.3	2,899	16.6	17.3
Total	9,570	4.5	9,570	7.7	9,570	12.8	2,899	16.6	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	547	2.6	547	11.7	547	10.2	0	0.0	0.0
12 - 23 Months	210	4.8	210	5.7	210	16.7	0	0.0	0.0
24 - 59 Months	272	4.0	272	1.8	272	13.6	272	20.6	13.6
Total	1,029	3.4	1,029	7.9	1,029	12.4	272	20.6	13.6
Black, Not Hispanic									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	62	*	62	*	62	*	27	*	*
Hispanic									
0 - 11 Months	2,918	3.3	2,918	9.2	2,918	10.9	0	0.0	0.0
12 - 23 Months	1,425	4.3	1,425	5.3	1,425	13.9	0	0.0	0.0
24 - 59 Months	1,717	2.6	1,717	5.4	1,717	15.9	1,717	16.2	15.9
Total	6,060	3.3	6,060	7.2	6,060	13.0	1,717	16.2	15.9
American Indian/Alaskan Native									
0 - 11 Months	89	*	89	*	89	*	0	*	*
12 - 23 Months	62	*	62	*	62	*	0	*	*
24 - 59 Months	75	*	75	*	75	*	75	*	*
Total	226	3.1	226	7.1	226	19.0	75	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	33	*	33	*	33	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	60	*	60	*	60	*	17	*	*
Pacific Islander									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	10	*	10	*	10	*	2	*	*
Filipino									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	9	*	9	*	9	*	3	*	*
All Other									
0 - 11 Months	886	4.1	886	8.1	886	7.7	0	0.0	0.0
12 - 23 Months	489	2.5	489	6.7	489	12.9	0	0.0	0.0
24 - 59 Months	486	2.5	486	3.1	486	16.3	486	16.0	16.3
Total	1,861	3.2	1,861	6.4	1,861	11.3	486	16.0	16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,510	3.4	4,510	9.5	4,510	10.2	0	0.0	0.0
12 - 23 Months	2,208	3.9	2,208	5.6	2,208	14.1	0	0.0	0.0
24 - 59 Months	2,599	2.7	2,599	4.6	2,599	16.1	2,599	16.7	16.1
Total	9,317	3.3	9,317	7.2	9,317	12.8	2,599	16.7	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,738	4.7	1,738	11.0	1,738	8.4	0	0.0	0.0
12 - 23 Months	765	4.7	765	5.4	765	17.0	0	0.0	0.0
24 - 59 Months	1,141	3.6	1,141	5.4	1,141	14.6	1,141	16.3	14.6
Total	3,644	4.4	3,644	8.1	3,644	12.2	1,141	16.3	14.6
Black, Not Hispanic									
0 - 11 Months	218	7.3	218	8.7	218	13.8	0	0.0	0.0
12 - 23 Months	80	*	80	*	80	*	0	*	*
24 - 59 Months	181	2.8	181	5.0	181	14.4	181	16.0	14.4
Total	479	4.4	479	6.9	479	15.7	181	16.0	14.4
Hispanic									
0 - 11 Months	5,540	3.8	5,540	9.5	5,540	9.3	0	0.0	0.0
12 - 23 Months	2,817	2.9	2,817	5.3	2,817	16.7	0	0.0	0.0
24 - 59 Months	4,308	2.9	4,308	4.6	4,308	17.7	4,308	14.9	17.7
Total	12,665	3.3	12,665	6.9	12,665	13.8	4,308	14.9	17.7
American Indian/Alaskan Native									
0 - 11 Months	21	*	21	*	21	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	45	*	45	*	45	*	16	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	154	11.7	154	10.4	154	10.4	0	0.0	0.0
12 - 23 Months	62	*	62	*	62	*	0	*	*
24 - 59 Months	99	*	99	*	99	*	99	*	*
Total	315	10.8	315	9.2	315	11.4	99	*	*
Pacific Islander									
0 - 11 Months	26	*	26	*	26	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	53	*	53	*	53	*	17	*	*
Filipino									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	17	*	17	*	17	*	6	*	*
All Other									
0 - 11 Months	1,436	5.1	1,436	9.1	1,436	9.3	0	0.0	0.0
12 - 23 Months	502	5.0	502	4.6	502	17.7	0	0.0	0.0
24 - 59 Months	726	2.2	726	6.6	726	13.9	726	16.1	13.9
Total	2,664	4.3	2,664	7.5	2,664	12.1	726	16.1	13.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	9,139	4.4	9,139	9.7	9,139	9.2	0	0.0	0.0
12 - 23 Months	4,249	3.5	4,249	5.2	4,249	16.9	0	0.0	0.0
24 - 59 Months	6,494	3.1	6,494	5.1	6,494	16.6	6,494	15.3	16.6
Total	19,882	3.8	19,882	7.2	19,882	13.3	6,494	15.3	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	477	3.8	477	6.3	477	9.0	0	0.0	0.0
12 - 23 Months	246	5.3	246	4.5	246	13.8	0	0.0	0.0
24 - 59 Months	263	4.6	263	6.1	263	16.3	263	13.3	16.3
Total	986	4.4	986	5.8	986	12.2	263	13.3	16.3
Black, Not Hispanic									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	15	*	15	*	15	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	61	*	61	*	61	*	18	*	*
Hispanic									
0 - 11 Months	741	5.3	741	4.3	741	11.7	0	0.0	0.0
12 - 23 Months	357	4.2	357	2.2	357	16.8	0	0.0	0.0
24 - 59 Months	490	3.1	490	4.9	490	15.9	490	14.9	15.9
Total	1,588	4.3	1,588	4.0	1,588	14.2	490	14.9	15.9
American Indian/Alaskan Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	12	*	12	*	12	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	147	4.1	147	8.8	147	8.8	0	0.0	0.0
12 - 23 Months	77	*	77	*	77	*	0	*	*
24 - 59 Months	75	*	75	*	75	*	75	*	*
Total	299	3.3	299	9.0	299	8.0	75	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
All Other									
0 - 11 Months	326	3.7	326	13.2	326	7.1	0	0.0	0.0
12 - 23 Months	144	2.1	144	6.9	144	11.1	0	0.0	0.0
24 - 59 Months	193	1.6	193	8.8	193	13.5	193	14.5	13.5
Total	663	2.7	663	10.6	663	9.8	193	14.5	13.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,726	4.4	1,726	7.0	1,726	9.7	0	0.0	0.0
12 - 23 Months	842	4.3	842	4.0	842	13.8	0	0.0	0.0
24 - 59 Months	1,044	2.9	1,044	6.5	1,044	15.2	1,044	14.0	15.2
Total	3,612	3.9	3,612	6.2	3,612	12.3	1,044	14.0	15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	282	6.4	282	8.9	282	6.0	0	0.0	0.0
12 - 23 Months	137	5.8	137	8.8	137	15.3	0	0.0	0.0
24 - 59 Months	249	4.4	249	6.0	249	15.3	249	13.3	15.3
Total	668	5.5	668	7.8	668	11.4	249	13.3	15.3
Black, Not Hispanic									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	9	*	9	*	9	*	4	*	*
Hispanic									
0 - 11 Months	378	2.9	378	6.9	378	11.4	0	0.0	0.0
12 - 23 Months	237	2.1	237	8.9	237	14.8	0	0.0	0.0
24 - 59 Months	324	3.1	324	3.4	324	13.6	324	15.4	13.6
Total	939	2.8	939	6.2	939	13.0	324	15.4	13.6
American Indian/Alaskan Native									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	24	*	24	*	24	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	5	*	5	*	5	*	1	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	5	*	5	*	5	*	1	*	*
All Other									
0 - 11 Months	880	2.8	880	9.5	880	5.8	0	0.0	0.0
12 - 23 Months	321	2.8	321	8.7	321	13.1	0	0.0	0.0
24 - 59 Months	324	2.5	324	5.6	324	11.1	324	15.4	11.1
Total	1,525	2.8	1,525	8.5	1,525	8.5	324	15.4	11.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,563	3.5	1,563	8.7	1,563	7.3	0	0.0	0.0
12 - 23 Months	704	3.1	704	8.7	704	13.9	0	0.0	0.0
24 - 59 Months	909	3.2	909	5.0	909	13.1	909	14.6	13.1
Total	3,176	3.3	3,176	7.6	3,176	10.4	909	14.6	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 10/23/2007

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	119	2.5	119	16.0	119	5.0	0	0.0	0.0
12 - 23 Months	50	*	50	*	50	*	0	*	*
24 - 59 Months	88	*	88	*	88	*	88	*	*
Total	257	6.2	257	9.7	257	12.1	88	*	*
Black, Not Hispanic									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Hispanic									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	53	*	53	*	53	*	15	*	*
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	11	*	11	*	11	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	24	*	24	*	24	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	166	2.4	166	14.5	166	7.8	0	0.0	0.0
12 - 23 Months	67	*	67	*	67	*	0	*	*
24 - 59 Months	117	9.4	117	2.6	117	21.4	117	12.0	21.4
Total	350	4.9	350	9.4	350	13.4	117	12.0	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 10/23/2007

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,310	5.7	1,310	5.9	1,310	11.1	0	0.0	0.0
12 - 23 Months	650	5.8	650	3.1	650	14.2	0	0.0	0.0
24 - 59 Months	838	4.1	838	5.3	838	11.8	838	15.3	11.8
Total	2,798	5.3	2,798	5.0	2,798	12.0	838	15.3	11.8
Black, Not Hispanic									
0 - 11 Months	112	4.5	112	3.6	112	15.2	0	0.0	0.0
12 - 23 Months	55	*	55	*	55	*	0	*	*
24 - 59 Months	96	*	96	*	96	*	96	*	*
Total	263	3.0	263	4.2	263	13.7	96	*	*
Hispanic									
0 - 11 Months	10,306	6.2	10,306	4.4	10,306	15.6	0	0.0	0.0
12 - 23 Months	5,089	6.8	5,089	2.8	5,089	21.8	0	0.0	0.0
24 - 59 Months	8,256	3.8	8,256	4.0	8,256	17.5	8,256	16.8	17.5
Total	23,651	5.5	23,651	3.9	23,651	17.6	8,256	16.8	17.5
American Indian/Alaskan Native									
0 - 11 Months	32	*	32	*	32	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	66	*	66	*	66	*	26	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 10/23/2007

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	225	8.0	225	3.1	225	17.3	0	0.0	0.0
12 - 23 Months	87	*	87	*	87	*	0	*	*
24 - 59 Months	129	10.9	129	5.4	129	23.3	129	16.3	23.3
Total	441	10.7	441	3.9	441	19.5	129	16.3	23.3
Pacific Islander									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	17	*	17	*	17	*	9	*	*
Filipino									
0 - 11 Months	39	*	39	*	39	*	0	*	*
12 - 23 Months	26	*	26	*	26	*	0	*	*
24 - 59 Months	35	*	35	*	35	*	35	*	*
Total	100	8.0	100	7.0	100	11.0	35	*	*
All Other									
0 - 11 Months	1,283	8.0	1,283	4.8	1,283	14.5	0	0.0	0.0
12 - 23 Months	581	6.4	581	5.7	581	16.9	0	0.0	0.0
24 - 59 Months	684	3.9	684	4.2	684	14.8	684	15.2	14.8
Total	2,548	6.5	2,548	4.9	2,548	15.1	684	15.2	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	13,312	6.4	13,312	4.5	13,312	15.0	0	0.0	0.0
12 - 23 Months	6,499	6.9	6,499	3.2	6,499	20.5	0	0.0	0.0
24 - 59 Months	10,073	3.9	10,073	4.2	10,073	16.8	10,073	16.5	16.8
Total	29,884	5.6	29,884	4.1	29,884	16.8	10,073	16.5	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	240	3.3	240	10.8	240	4.2	0	0.0	0.0
12 - 23 Months	107	1.9	107	2.8	107	9.3	0	0.0	0.0
24 - 59 Months	134	5.2	134	1.5	134	12.7	134	18.7	12.7
Total	481	3.5	481	6.4	481	7.7	134	18.7	12.7
Black, Not Hispanic									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	6	*	6	*	6	*	2	*	*
Hispanic									
0 - 11 Months	37	*	37	*	37	*	0	*	*
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	32	*	32	*	32	*	32	*	*
Total	98	*	98	*	98	*	32	*	*
American Indian/Alaskan Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	10	*	10	*	10	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	2	*	2	*	2	*	2	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	84	*	84	*	84	*	0	*	*
12 - 23 Months	15	*	15	*	15	*	0	*	*
24 - 59 Months	19	*	19	*	19	*	19	*	*
Total	118	5.1	118	7.6	118	6.8	19	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	365	4.7	365	10.4	365	5.5	0	0.0	0.0
12 - 23 Months	155	3.9	155	2.6	155	10.3	0	0.0	0.0
24 - 59 Months	195	4.1	195	3.6	195	12.8	195	19.5	12.8
Total	715	4.3	715	6.9	715	8.5	195	19.5	12.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	763	3.9	763	9.3	763	6.6	0	0.0	0.0
12 - 23 Months	343	4.1	343	2.9	343	15.7	0	0.0	0.0
24 - 59 Months	489	2.7	489	4.1	489	12.9	489	16.6	12.9
Total	1,595	3.6	1,595	6.3	1,595	10.5	489	16.6	12.9
Black, Not Hispanic									
0 - 11 Months	80	*	80	*	80	*	0	*	*
12 - 23 Months	37	*	37	*	37	*	0	*	*
24 - 59 Months	56	*	56	*	56	*	56	*	*
Total	173	2.3	173	5.8	173	12.7	56	*	*
Hispanic									
0 - 11 Months	9,927	4.7	9,927	6.5	9,927	11.4	0	0.0	0.0
12 - 23 Months	4,533	5.8	4,533	3.6	4,533	19.7	0	0.0	0.0
24 - 59 Months	6,416	3.6	6,416	3.9	6,416	18.6	6,416	16.9	18.6
Total	20,876	4.6	20,876	5.1	20,876	15.4	6,416	16.9	18.6
American Indian/Alaskan Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	8	*	8	*	8	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	33	*	33	*	33	*	0	*	*
12 - 23 Months	18	*	18	*	18	*	0	*	*
24 - 59 Months	33	*	33	*	33	*	33	*	*
Total	84	*	84	*	84	*	33	*	*
Pacific Islander									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	24	*	24	*	24	*	6	*	*
Filipino									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	34	*	34	*	34	*	17	*	*
All Other									
0 - 11 Months	586	4.4	586	10.1	586	7.7	0	0.0	0.0
12 - 23 Months	295	5.8	295	5.8	295	13.2	0	0.0	0.0
24 - 59 Months	325	4.0	325	4.9	325	16.3	325	20.0	16.3
Total	1,206	4.6	1,206	7.6	1,206	11.4	325	20.0	16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	11,412	4.6	11,412	6.9	11,412	10.9	0	0.0	0.0
12 - 23 Months	5,244	5.6	5,244	3.7	5,244	18.9	0	0.0	0.0
24 - 59 Months	7,344	3.6	7,344	3.9	7,344	18.1	7,344	16.9	18.1
Total	24,000	4.5	24,000	5.3	24,000	14.9	7,344	16.9	18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	472	6.1	472	13.1	472	5.7	0	0.0	0.0
12 - 23 Months	178	2.8	178	7.9	178	15.7	0	0.0	0.0
24 - 59 Months	273	2.2	273	5.5	273	13.6	273	20.5	13.6
Total	923	4.3	923	9.9	923	10.0	273	20.5	13.6
Black, Not Hispanic									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	85	*	85	*	85	*	39	*	*
Hispanic									
0 - 11 Months	1,714	3.0	1,714	8.0	1,714	9.9	0	0.0	0.0
12 - 23 Months	750	4.0	750	6.0	750	15.1	0	0.0	0.0
24 - 59 Months	1,030	1.9	1,030	3.4	1,030	18.0	1,030	15.6	18.0
Total	3,494	2.9	3,494	6.2	3,494	13.4	1,030	15.6	18.0
American Indian/Alaskan Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	7	*	7	*	7	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	56	*	56	*	56	*	0	*	*
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	37	*	37	*	37	*	37	*	*
Total	122	6.6	122	7.4	122	13.1	37	*	*
Pacific Islander									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	17	*	17	*	17	*	8	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
All Other									
0 - 11 Months	538	4.6	538	17.1	538	10.0	0	0.0	0.0
12 - 23 Months	260	3.8	260	11.5	260	11.5	0	0.0	0.0
24 - 59 Months	355	2.8	355	7.6	355	11.0	355	11.8	11.0
Total	1,153	3.9	1,153	12.9	1,153	10.7	355	11.8	11.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,823	4.1	2,823	10.7	2,823	9.2	0	0.0	0.0
12 - 23 Months	1,236	4.0	1,236	7.4	1,236	14.6	0	0.0	0.0
24 - 59 Months	1,744	2.3	1,744	4.8	1,744	15.7	1,744	15.3	15.7
Total	5,803	3.5	5,803	8.2	5,803	12.3	1,744	15.3	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	514	5.1	514	8.8	514	9.3	0	0.0	0.0
12 - 23 Months	238	6.3	238	6.7	238	13.4	0	0.0	0.0
24 - 59 Months	361	4.4	361	4.4	361	17.5	361	17.5	17.5
Total	1,113	5.1	1,113	6.9	1,113	12.8	361	17.5	17.5
Black, Not Hispanic									
0 - 11 Months	38	*	38	*	38	*	0	*	*
12 - 23 Months	18	*	18	*	18	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	87	*	87	*	87	*	31	*	*
Hispanic									
0 - 11 Months	534	3.2	534	7.1	534	11.0	0	0.0	0.0
12 - 23 Months	294	3.4	294	3.1	294	17.0	0	0.0	0.0
24 - 59 Months	387	2.3	387	5.7	387	19.4	387	15.5	19.4
Total	1,215	3.0	1,215	5.7	1,215	15.1	387	15.5	19.4
American Indian/Alaskan Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	12	*	12	*	12	*	5	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	86	*	86	*	86	*	0	*	*
12 - 23 Months	47	*	47	*	47	*	0	*	*
24 - 59 Months	53	*	53	*	53	*	53	*	*
Total	186	4.8	186	2.7	186	13.4	53	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	9	*	9	*	9	*	5	*	*
Filipino									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	9	*	9	*	9	*	1	*	*
All Other									
0 - 11 Months	202	4.5	202	11.9	202	12.9	0	0.0	0.0
12 - 23 Months	84	*	84	*	84	*	0	*	*
24 - 59 Months	146	8.2	146	4.8	146	21.9	146	21.9	21.9
Total	432	5.8	432	8.1	432	16.2	146	21.9	21.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,389	4.2	1,389	8.0	1,389	10.6	0	0.0	0.0
12 - 23 Months	685	4.5	685	4.4	685	15.5	0	0.0	0.0
24 - 59 Months	989	4.2	989	5.1	989	18.9	989	17.2	18.9
Total	3,063	4.3	3,063	6.2	3,063	14.4	989	17.2	18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.