

Table 18C
2006 Pediatric Nutrition Surveillance ⁽¹⁾
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁷⁾	
		Low	High		Short Stature ⁽⁵⁾	Under- weight ⁽⁶⁾	Over- weight ⁽⁶⁾		≥ 2 Yrs Overweight ⁽⁶⁾				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
White, Not Hispanic	2006	21,767	6.6	8.9	88,815	5.3	7.2	11.6	26,160	15.8	13.0	39,145	12.8
	2005	17,202	7.4	9.1	74,617	5.1	7.1	12.1	26,238	15.5	13.4	37,153	12.1
	2004	17,570	8.2	9.8	78,801	5.2	6.9	12.7	28,066	15.6	13.5	39,334	12.1
	2003	16,347	7.8	10.2	77,990	4.8	7.2	12.3	27,919	15.3	13.1	37,832	12.2
	2002	15,825	7.0	10.4	79,702	4.8	7.0	12.3	28,704	15.2	13.4	38,533	11.7
	2001	13,214	6.8	10.7	74,176	5.1	7.5	11.9	26,702	15.5	12.3	35,973	12.6
	2000	17,421	7.6	11.0	90,070	5.0	7.3	12.1	34,273	14.9	12.8	46,577	11.8
	1999	19,395	8.4	11.1	95,308	5.1	7.4	11.7	36,095	14.8	12.0	51,674	11.6
	1998	21,696	7.9	11.1	109,489	4.9	7.3	11.4	42,390	15.3	11.5	60,197	12.1
	1997	23,690	8.3	10.3	119,187	5.1	7.7	10.8	45,172	14.5	10.7	64,147	12.3
Black, Not Hispanic	2006	10,670	11.8	5.3	52,281	6.9	6.5	14.3	17,869	14.5	13.4	22,049	18.2
	2005	8,227	11.9	6.0	45,325	6.7	6.4	14.4	18,290	14.8	13.2	21,494	16.5
	2004	8,651	12.3	5.9	47,514	6.5	6.4	14.7	19,570	14.2	13.3	23,837	16.8
	2003	8,401	12.1	5.4	47,529	6.4	6.6	14.3	19,609	14.4	12.9	23,882	17.7
	2002	8,217	12.2	6.3	47,190	6.6	6.4	14.3	19,215	14.2	13.0	22,962	16.5
	2001	6,704	11.6	6.3	44,539	6.8	6.6	14.2	18,073	14.3	12.2	21,801	18.3
	2000	9,584	11.6	5.9	56,062	7.0	6.4	14.4	23,531	14.1	12.5	29,602	17.8
	1999	10,304	11.7	5.9	59,230	7.0	6.5	13.8	25,036	14.6	11.5	32,659	17.7
	1998	11,241	12.0	5.9	66,764	6.8	6.6	13.3	28,511	14.1	11.1	36,849	18.1
	1997	12,662	11.7	5.9	75,850	7.0	6.9	12.6	32,966	13.2	10.2	42,148	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance (1)
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Hispanic	2006	159,477	5.9	7.8	713,097	4.8	4.8	16.7	236,597	16.6	18.2	393,813	13.7
	2005	124,020	6.8	8.2	585,247	4.7	4.6	17.2	230,859	16.7	18.8	367,681	13.2
	2004	123,984	7.0	8.4	591,529	4.8	4.6	17.6	237,147	16.7	18.8	378,307	14.0
	2003	115,362	6.6	8.7	588,054	4.7	4.7	17.7	242,274	16.7	19.0	374,196	13.6
	2002	112,084	6.1	9.3	583,889	4.7	4.7	17.5	237,783	16.9	18.6	363,388	13.0
	2001	93,404	6.1	9.4	546,974	4.7	4.7	17.0	221,484	16.7	17.7	340,440	13.4
	2000	114,019	6.2	9.7	616,504	4.8	4.6	17.3	258,491	16.7	17.8	412,834	13.1
	1999	112,491	6.1	9.9	616,024	4.7	4.5	16.9	264,862	16.8	17.1	429,996	12.6
	1998	114,612	6.0	9.7	648,721	4.5	4.5	16.7	275,060	16.9	16.8	450,480	12.6
	1997	123,572	6.1	9.6	678,216	4.5	4.8	16.0	285,600	16.2	16.1	469,530	13.1
American Indian/Alaskan Native	2006	559	5.4	10.4	2,806	5.2	6.5	17.7	960	18.5	21.4	1,503	13.6
	2005	433	6.2	10.2	2,190	5.3	5.4	17.2	824	20.1	19.4	1,274	14.2
	2004	407	7.6	8.8	2,199	5.1	6.3	17.8	876	17.2	19.7	1,304	12.6
	2003	381	8.4	13.6	2,231	6.3	5.8	18.1	872	15.7	21.8	1,324	11.9
	2002	362	6.1	11.0	2,340	5.0	5.6	19.3	959	19.5	20.8	1,341	12.5
	2001	384	4.7	8.9	2,521	6.9	5.1	18.6	1,007	20.2	19.7	1,489	15.2
	2000	484	5.6	10.3	3,062	4.9	6.0	17.0	1,282	16.4	17.5	1,963	13.9
	1999	603	6.5	10.8	3,413	5.7	5.0	16.4	1,387	17.9	17.5	2,208	15.4
	1998	532	3.9	15.8	3,147	4.7	5.3	16.7	1,370	19.6	18.2	2,101	17.1
	1997	535	7.1	11.2	3,222	5.2	5.1	17.0	1,403	18.5	17.7	2,071	16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance (1)
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Asian	2006	5,685	7.1	4.3	35,496	6.7	6.0	12.3	12,490	13.4	13.2	12,964	16.1
	2005	4,717	7.3	4.7	30,504	6.9	6.1	12.0	12,665	13.8	12.5	13,238	14.6
	2004	5,410	6.8	5.1	31,355	6.8	5.8	13.6	12,431	14.6	15.3	13,468	15.2
	2003	8,736	6.7	6.5	54,114	4.9	6.1	13.4	18,282	14.3	15.2	22,761	14.3
	2002	6,637	7.4	5.4	43,633	5.6	5.9	13.6	14,676	14.5	15.0	19,224	13.5
	2001	5,920	7.7	5.5	34,663	6.1	6.3	12.8	11,996	14.5	14.7	13,620	13.9
	2000	5,373	8.2	5.5	35,708	6.3	6.4	13.6	15,210	14.5	15.2	17,204	14.4
	1999	5,362	7.4	5.5	36,906	6.7	5.9	13.3	16,320	14.5	14.2	19,330	13.9
	1998	5,854	7.3	5.7	42,543	6.8	5.3	13.6	19,043	15.1	14.6	23,685	14.2
	1997	6,937	8.4	5.5	48,585	6.8	5.9	12.9	21,493	14.3	13.9	27,725	14.6
Pacific Islander	2006	379	7.1	10.3	1,698	4.1	5.2	20.6	550	18.2	25.6	737	13.0
	2005	296	5.1	14.2	1,466	3.1	4.9	23.1	530	21.9	25.8	698	10.2
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	0	*	*	0	*	*	*	0	*	*	0	*
	1997	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2006 Pediatric Nutrition Surveillance (1)
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Filipino	2006	1,015	10.2	3.9	4,868	7.5	7.0	12.0	1,600	13.1	14.4	1,953	11.1
	2005	885	8.6	4.3	4,306	6.9	6.6	12.6	1,583	13.8	14.7	1,837	10.9
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	0	*	*	0	*	*	*	0	*	*	0	*
	1997	0	*	*	0	*	*	*	0	*	*	0	*
All Other	2006	19,288	6.7	7.9	98,468	5.4	7.3	13.0	26,713	15.8	15.2	35,183	15.7
	2005	13,873	8.1	8.4	73,349	5.2	7.1	13.1	24,450	16.0	15.2	31,746	14.2
	2004	20,475	7.8	8.7	114,725	5.4	6.9	13.6	39,398	15.9	15.8	47,262	14.5
	2003	17,403	7.7	8.7	101,767	5.3	7.2	13.3	35,428	15.3	15.5	40,513	13.4
	2002	14,551	7.7	9.1	94,002	5.3	7.0	13.7	32,981	15.6	15.2	37,634	13.4
	2001	11,867	7.5	8.8	79,049	5.6	6.9	13.9	26,822	15.7	14.9	32,470	14.5
	2000	14,803	8.7	8.9	89,194	5.5	7.0	13.7	31,178	15.4	15.2	42,587	13.5
	1999	14,145	7.4	9.6	87,023	5.4	6.8	13.2	31,798	15.7	14.4	46,346	14.1
	1998	14,242	7.4	9.3	88,767	5.4	6.8	13.3	31,848	15.5	14.3	48,824	13.4
	1997	14,590	7.6	8.9	88,904	5.3	7.0	12.8	31,564	14.8	13.7	46,460	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance (1)
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Total All Race/Ethnic Groups	2006	218,840	6.4	7.7	997,529	5.1	5.4	15.6	322,939	16.2	17.1	507,347	14.0
	2005	169,653	7.2	8.1	817,004	5.0	5.2	16.0	315,439	16.4	17.5	475,121	13.4
	2004	176,497	7.4	8.3	866,123	5.1	5.3	16.3	337,488	16.3	17.5	503,512	14.0
	2003	166,630	7.1	8.6	871,685	4.9	5.4	16.2	344,384	16.2	17.6	500,508	13.7
	2002	157,676	6.7	9.1	850,756	4.9	5.3	16.2	334,318	16.3	17.3	483,082	13.1
	2001	131,493	6.6	9.1	781,922	5.0	5.3	15.9	306,084	16.3	16.5	445,793	13.7
	2000	161,684	6.9	9.4	890,600	5.1	5.3	16.1	363,965	16.2	16.7	550,767	13.3
	1999	162,300	6.9	9.6	897,904	5.0	5.2	15.6	375,498	16.3	15.9	582,213	13.0
	1998	168,177	6.8	9.4	959,431	4.9	5.2	15.4	398,222	16.4	15.5	622,136	13.0
	1997	181,986	7.0	9.2	1,013,964	4.9	5.5	14.7	418,198	15.6	14.8	652,081	13.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance ⁽¹⁾
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged 5 to <20 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾								
Race/Ethnicity and Year		Height and Weight					Anemia Low Hb/Hct (6)	
		Short Stature (4)	Under- weight (5)	Over- weight (5)				
		Number	% <5th	% <5th	% 85th- <95th	% ≥95th	Number	%
White, Not Hispanic	2006	35,696	5.8	2.8	17.2	19.2	27,675	12.8
	2005	37,470	6.3	3.1	17.2	19.4	27,756	12.8
	2004	40,186	6.0	3.1	17.0	18.7	30,027	12.3
	2003	44,445	5.7	3.1	17.3	18.2	33,380	12.8
	2002	46,664	6.0	3.1	16.7	17.7	34,688	12.4
	2001	42,827	5.9	3.2	16.7	16.8	31,892	12.3
	2000	57,387	6.0	3.2	16.2	16.4	40,809	11.7
	1999	61,869	5.9	3.0	16.0	15.4	45,794	10.8
	1998	62,261	5.6	3.0	16.2	14.1	46,901	10.8
	1997	60,022	5.8	3.4	15.1	13.1	45,163	11.1
Black, Not Hispanic	2006	35,772	4.1	2.5	17.3	21.1	27,331	23.2
	2005	37,337	4.1	2.5	17.7	20.7	27,644	21.7
	2004	40,157	3.9	2.5	17.8	20.2	30,593	21.5
	2003	40,349	4.3	2.7	16.8	19.3	30,544	22.3
	2002	38,428	4.1	2.6	17.2	18.8	28,859	21.0
	2001	35,294	4.0	2.8	16.5	17.5	26,428	21.1
	2000	47,248	4.1	2.9	16.4	16.6	33,569	21.5
	1999	49,495	4.2	3.1	16.1	16.2	35,394	20.1
	1998	47,538	4.1	3.4	15.4	14.8	35,232	19.9
	1997	47,805	4.2	3.9	15.1	13.8	35,527	21.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

(6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance ⁽¹⁾
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged 5 to <20 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾								
Race/Ethnicity and Year		Height and Weight					Anemia Low Hb/Hct (6)	
		Short Stature (4)	Under- weight (5)	Over- weight (5)				
		Number	% <5th	% <5th	% 85th- <95th	% ≥95th		
Hispanic	2006	320,961	6.1	2.2	19.2	24.8	308,834	11.5
	2005	322,941	6.5	2.2	19.0	24.1	308,698	11.1
	2004	330,393	6.2	2.3	18.9	23.8	312,758	11.5
	2003	337,291	6.1	2.3	19.4	23.2	331,214	11.5
	2002	342,337	6.5	2.4	18.8	22.2	326,786	10.8
	2001	326,131	6.7	2.4	18.5	21.2	304,949	11.4
	2000	384,954	6.8	2.4	18.7	21.3	355,925	11.7
	1999	400,540	6.6	2.4	18.5	20.6	371,107	10.9
	1998	355,388	6.6	2.3	18.3	19.4	331,814	11.1
	1997	325,912	6.8	2.6	17.7	18.2	307,259	12.0
American Indian/Alaskan Native	2006	1,272	5.0	2.6	19.7	27.2	1,035	12.5
	2005	1,144	6.0	1.5	21.2	28.8	962	12.7
	2004	1,283	5.4	1.9	20.3	26.2	1,038	12.5
	2003	1,340	6.9	2.5	18.3	27.0	1,141	10.4
	2002	1,455	4.9	2.1	20.5	24.8	1,239	11.3
	2001	1,406	6.0	2.3	18.7	24.7	1,154	13.0
	2000	1,968	5.5	1.8	20.5	25.9	1,622	12.7
	1999	2,212	6.3	2.3	19.3	21.9	1,725	12.2
	1998	1,917	5.9	2.9	19.5	22.2	1,554	10.4
	1997	1,805	4.9	2.4	19.4	19.4	1,391	12.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

(6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance ⁽¹⁾
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged 5 to <20 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾								
Race/Ethnicity and Year		Height and Weight					Anemia Low Hb/Hct (6)	
		Short Stature (4)	Under- weight (5)	Over- weight (5)				
		Number	% <5th	% <5th	% 85th- <95th	% ≥95th		
Asian	2006	29,719	13.5	4.9	13.5	13.8	17,828	15.5
	2005	31,420	14.8	5.2	13.3	13.4	18,514	15.4
	2004	27,600	13.8	5.0	14.1	15.2	17,252	14.1
	2003	36,958	11.4	4.8	14.0	15.2	20,517	14.4
	2002	32,276	12.3	5.0	13.8	14.2	19,110	14.0
	2001	27,026	12.6	5.1	13.7	13.2	16,326	15.1
	2000	37,206	13.7	5.3	13.0	12.9	21,827	13.3
	1999	38,569	13.2	5.4	12.6	11.6	23,711	14.1
	1998	36,892	14.5	5.7	12.1	10.6	24,786	14.7
	1997	33,631	14.6	6.3	11.1	9.9	24,067	14.6
Pacific Islander	2006	884	4.4	1.6	19.7	38.0	755	14.3
	2005	885	3.6	2.5	21.2	36.6	728	11.4
	2004	0	*	*	*	*	0	*
	2003	0	*	*	*	*	0	*
	2002	0	*	*	*	*	0	*
	2001	0	*	*	*	*	0	*
	2000	0	*	*	*	*	0	*
	1999	0	*	*	*	*	0	*
	1998	0	*	*	*	*	0	*
	1997	0	*	*	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

(6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance ⁽¹⁾
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged 5 to <20 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾								
Race/Ethnicity and Year		Height and Weight					Anemia Low Hb/Hct (6)	
		Short Stature (4)	Under- weight (5)	Over- weight (5)				
		Number	% <5th	% <5th	% 85th- <95th	% ≥95th		
Filipino	2006	2,722	9.8	4.7	15.4	18.0	2,076	10.9
	2005	2,675	10.7	3.7	15.9	20.0	2,076	12.0
	2004	0	*	*	*	*	0	*
	2003	0	*	*	*	*	0	*
	2002	0	*	*	*	*	0	*
	2001	0	*	*	*	*	0	*
	2000	0	*	*	*	*	0	*
	1999	0	*	*	*	*	0	*
	1998	0	*	*	*	*	0	*
	1997	0	*	*	*	*	0	*
All Other	2006	36,440	6.8	2.9	17.9	21.7	25,268	16.9
	2005	33,780	6.7	3.1	17.5	22.1	23,606	15.9
	2004	54,821	6.8	2.9	17.9	21.5	35,157	15.4
	2003	51,821	7.1	2.9	17.4	21.4	31,641	14.5
	2002	50,983	7.5	3.0	17.5	20.0	29,557	13.7
	2001	41,809	7.3	3.0	17.0	18.9	25,884	14.7
	2000	46,057	6.9	3.3	16.8	18.8	32,313	14.4
	1999	47,420	7.4	3.4	16.6	18.0	34,876	14.4
	1998	41,459	7.5	3.4	16.2	16.2	32,731	14.3
	1997	37,874	7.7	4.1	15.5	14.9	29,816	14.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

(6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2006 Pediatric Nutrition Surveillance ⁽¹⁾
California

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged 5 to <20 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾								
Race/Ethnicity and Year		Height and Weight					Anemia Low Hb/Hct (6)	
		Short Stature (4)	Under- weight (5)	Over- weight (5)				
		Number	% <5th	% <5th	% 85th- <95th	% ≥95th		
Total All Race/Ethnic Groups	2006	463,466	6.4	2.5	18.4	23.1	410,802	12.8
	2005	467,652	6.9	2.5	18.3	22.6	409,984	12.4
	2004	494,440	6.5	2.6	18.3	22.4	426,825	12.7
	2003	512,204	6.4	2.6	18.4	21.7	448,437	12.7
	2002	512,143	6.7	2.7	18.1	20.8	440,239	12.0
	2001	474,493	6.8	2.7	17.8	19.9	406,633	12.4
	2000	574,820	6.9	2.8	17.7	19.7	486,065	12.6
	1999	600,105	6.8	2.8	17.5	18.9	512,607	11.9
	1998	545,455	6.9	2.8	17.2	17.6	473,018	12.1
	1997	507,049	7.0	3.2	16.5	16.4	443,223	12.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

(6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.