

Table 6G
2006 Pediatric Nutrition Surveillance (1)
California
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)													
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
All Other	157,976	6.3 (1)	8.0 (2)	730,499	5.0 (1)	6.1 (2)	14.3 (1)	227,192	16.1 (1)	16.4 (1)		366,586	14.2 (2)
LA	71,880	6.5 (2)	7.0 (1)	325,898	5.1 (2)	4.3 (1)	18.0 (2)	112,769	16.5 (2)	18.2 (2)		161,282	13.5 (1)
California	229,856	6.4	7.7	1,056,397	5.1	5.5	15.4	339,961	16.2	17.0		527,868	14.0
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7		4,381,087	13.6

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2006 Pediatric Nutrition Surveillance (1)
California
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged 5 to <20 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)							
Metro Area	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
All Other	309,499	6.9 (2)	2.6 (2)	18.1 (1)	22.7 (1)	264,810	13.9 (2)
LA	176,813	5.8 (1)	2.3 (1)	19.0 (2)	23.7 (2)	160,076	11.3 (1)
California	486,312	6.5	2.5	18.4	23.1	424,886	12.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G
2004 - 2006 Pediatric Nutrition Surveillance (1)
California
Comparison of Growth and Anemia Indicators by Metro Area
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Metro Area (3,4)												
Metro Area	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
All Other	397,294	7.0 (2)	8.3 (2)	1,884,915	5.1 (3)	5.9 (2)	14.8 (1)	661,304	16.1 (1)	16.8 (1)	1,039,373	14.0 (3)
LA	185,232	7.0 (2)	7.3 (1)	893,352	5.0 (2)	4.3 (1)	18.0 (3)	344,986	16.5 (2)	18.3 (2)	481,281	13.5 (2)
Unknown Metro A.	1,992	5.6 (1)	9.4 (3)	8,257	4.3 (1)	6.1 (3)	15.1 (2)	3,134	16.5 (2)	18.7 (3)	4,012	12.9 (1)
California	584,518	7.0	8.0	2,786,524	5.0	5.4	15.8	1,009,424	16.3	17.3	1,524,666	13.8

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.