

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 195 | 6.2 | 195 | 2.1 | 195 | 15.9 | 21.5 |
| 9 - 11 Years | 106 | 4.7 | 106 | 0.0 | 106 | 15.1 | 24.5 |
| 12 - 14 years | 100 | 8.0 | 100 | 2.0 | 100 | 13.0 | 27.0 |
| 15 - 19 Years | 127 | 4.7 | 127 | 3.1 | 127 | 15.7 | 18.9 |
| Total | 528 | 5.9 | 528 | 1.9 | 528 | 15.2 | 22.5 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 991 | 2.8 | 991 | 2.3 | 991 | 19.4 | 17.5 |
| 9 - 11 Years | 610 | 1.8 | 610 | 1.3 | 610 | 19.3 | 26.7 |
| 12 - 14 years | 668 | 5.4 | 668 | 1.8 | 668 | 17.4 | 25.1 |
| 15 - 19 Years | 666 | 4.5 | 666 | 0.8 | 666 | 18.0 | 25.8 |
| Total | 2,935 | 3.6 | 2,935 | 1.6 | 2,935 | 18.6 | 23.0 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 2,402 | 4.8 | 2,402 | 1.4 | 2,402 | 19.3 | 23.9 |
| 9 - 11 Years | 1,141 | 6.1 | 1,141 | 1.7 | 1,141 | 21.1 | 32.3 |
| 12 - 14 years | 903 | 7.0 | 903 | 1.1 | 903 | 19.4 | 31.3 |
| 15 - 19 Years | 691 | 16.1 | 691 | 1.9 | 691 | 21.3 | 25.3 |
| Total | 5,137 | 7.0 | 5,137 | 1.5 | 5,137 | 20.0 | 27.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 15 | * | 15 | * | 15 | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 36 | * | 36 | * | 36 | * |
| Asian | | | | | | |
| 5 - 8 Years | 991 | 8.0 | 991 | 4.5 | 991 | 10.3 |
| 9 - 11 Years | 762 | 7.1 | 762 | 4.6 | 762 | 17.2 |
| 12 - 14 years | 853 | 9.8 | 853 | 4.9 | 853 | 15.5 |
| 15 - 19 Years | 1,070 | 15.4 | 1,070 | 7.3 | 1,070 | 10.4 |
| Total | 3,676 | 10.4 | 3,676 | 5.4 | 3,676 | 12.9 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 21 | * | 21 | * | 21 | * |
| 9 - 11 Years | 17 | * | 17 | * | 17 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * |
| Total | 58 | * | 58 | * | 58 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 64 | * | 64 | * | 64 | * |
| 9 - 11 Years | 47 | * | 47 | * | 47 | * |
| 12 - 14 years | 53 | * | 53 | * | 53 | * |
| 15 - 19 Years | 34 | * | 34 | * | 34 | * |
| Total | 198 | 8.6 | 198 | 4.5 | 198 | 16.7 18.7 |
| All Other | | | | | | |
| 5 - 8 Years | 1,835 | 5.3 | 1,835 | 2.6 | 1,835 | 17.3 20.5 |
| 9 - 11 Years | 1,068 | 4.1 | 1,068 | 3.5 | 1,068 | 19.0 26.2 |
| 12 - 14 years | 1,056 | 6.9 | 1,056 | 2.0 | 1,056 | 18.6 25.0 |
| 15 - 19 Years | 961 | 8.8 | 961 | 3.1 | 961 | 17.3 21.5 |
| Total | 4,920 | 6.1 | 4,920 | 2.8 | 4,920 | 17.9 22.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 6,514 | 5.2 | 6,514 | 2.4 | 6,514 | 17.3 | 20.1 |
| 9 - 11 Years | 3,759 | 5.0 | 3,759 | 2.7 | 3,759 | 19.3 | 25.6 |
| 12 - 14 years | 3,648 | 7.3 | 3,648 | 2.5 | 3,648 | 17.7 | 23.5 |
| 15 - 19 Years | 3,567 | 11.3 | 3,567 | 3.7 | 3,567 | 16.1 | 19.0 |
| Total | 17,488 | 6.9 | 17,488 | 2.7 | 17,488 | 17.5 | 21.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 5 | * | 5 | * | 5 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 12 | * | 12 | * | 12 | * | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * | * |
| Total | 29 | * | 29 | * | 29 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 8 | * | 8 | * | 8 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 5 | * | 5 | * | 5 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 28 | * | 28 | * | 28 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 14 | * | 14 | * | 14 | * |
| Total | 61 | * | 61 | * | 61 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance (1)
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 003

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 39 | * | 39 | * | 39 | * |
| 9 - 11 Years | 22 | * | 22 | * | 22 | * |
| 12 - 14 years | 20 | * | 20 | * | 20 | * |
| 15 - 19 Years | 21 | * | 21 | * | 21 | * |
| Total | 102 | 3.9 | 102 | 1.0 | 102 | 12.7 17.6 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 16 | * | 16 | * | 16 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 54 | * | 54 | * | 54 | * |
| 9 - 11 Years | 19 | * | 19 | * | 19 | * |
| 12 - 14 years | 16 | * | 16 | * | 16 | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * |
| Total | 108 | 5.6 | 108 | 2.8 | 108 | 16.7 19.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 003

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 12 | * | 12 | * | 12 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 003

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|---|-------------------|--------|-----------------|--------|----------------|----------------|---------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 12 | * | 12 | * | 12 | * | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * | * |
| Total | 37 | * | 37 | * | 37 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 003

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 113 | 5.3 | 113 | 0.9 | 113 | 11.5 | 17.7 |
| 9 - 11 Years | 56 | * | 56 | * | 56 | * | * |
| 12 - 14 years | 50 | * | 50 | * | 50 | * | * |
| 15 - 19 Years | 59 | * | 59 | * | 59 | * | * |
| Total | 278 | 6.8 | 278 | 1.8 | 278 | 14.7 | 19.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 582 | 6.7 | 582 | 1.5 | 582 | 18.0 | 13.6 |
| 9 - 11 Years | 323 | 5.6 | 323 | 0.9 | 323 | 17.0 | 24.5 |
| 12 - 14 years | 315 | 6.7 | 315 | 1.6 | 315 | 22.5 | 21.3 |
| 15 - 19 Years | 272 | 7.7 | 272 | 1.5 | 272 | 22.4 | 21.3 |
| Total | 1,492 | 6.6 | 1,492 | 1.4 | 1,492 | 19.6 | 19.0 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 34 | * | 34 | * | 34 | * | * |
| 9 - 11 Years | 23 | * | 23 | * | 23 | * | * |
| 12 - 14 years | 25 | * | 25 | * | 25 | * | * |
| 15 - 19 Years | 23 | * | 23 | * | 23 | * | * |
| Total | 105 | 6.7 | 105 | 1.0 | 105 | 16.2 | 22.9 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 215 | 5.6 | 215 | 1.4 | 215 | 18.1 | 21.9 |
| 9 - 11 Years | 108 | 3.7 | 108 | 0.9 | 108 | 21.3 | 32.4 |
| 12 - 14 years | 101 | 6.9 | 101 | 1.0 | 101 | 19.8 | 32.7 |
| 15 - 19 Years | 74 | * | 74 | * | 74 | * | * |
| Total | 498 | 6.2 | 498 | 1.4 | 498 | 20.1 | 26.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 004

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | |
|--|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 22 | * | 22 | * | 22 | * |
| 9 - 11 Years | 15 | * | 15 | * | 15 | * |
| 12 - 14 years | 18 | * | 18 | * | 18 | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * |
| Total | 62 | * | 62 | * | 62 | * |
| Asian | | | | | | |
| 5 - 8 Years | 75 | * | 75 | * | 75 | * |
| 9 - 11 Years | 33 | * | 33 | * | 33 | * |
| 12 - 14 years | 43 | * | 43 | * | 43 | * |
| 15 - 19 Years | 46 | * | 46 | * | 46 | * |
| Total | 197 | 29.9 | 197 | 2.5 | 197 | 15.7 11.2 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 5 | * | 5 | * | 5 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 140 | 2.9 | 140 | 3.6 | 140 | 17.9 | 21.4 |
| 9 - 11 Years | 71 | * | 71 | * | 71 | * | * |
| 12 - 14 years | 55 | * | 55 | * | 55 | * | * |
| 15 - 19 Years | 44 | * | 44 | * | 44 | * | * |
| Total | 310 | 4.5 | 310 | 3.9 | 310 | 14.5 | 25.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,071 | 6.9 | 1,071 | 2.1 | 1,071 | 17.3 | 16.8 |
| 9 - 11 Years | 573 | 6.1 | 573 | 1.7 | 573 | 19.5 | 26.5 |
| 12 - 14 years | 557 | 7.9 | 557 | 1.3 | 557 | 21.4 | 23.2 |
| 15 - 19 Years | 468 | 12.4 | 468 | 1.5 | 468 | 18.8 | 21.4 |
| Total | 2,669 | 7.9 | 2,669 | 1.7 | 2,669 | 18.9 | 21.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 59 | * | 59 | * | 59 | * |
| 9 - 11 Years | 23 | * | 23 | * | 23 | * |
| 12 - 14 years | 31 | * | 31 | * | 31 | * |
| 15 - 19 Years | 22 | * | 22 | * | 22 | * |
| Total | 135 | 11.1 | 135 | 3.0 | 135 | 15.6 18.5 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 11 | * | 11 | * | 11 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 154 | 5.8 | 154 | 1.3 | 154 | 29.9 20.8 |
| 9 - 11 Years | 78 | * | 78 | * | 78 | * |
| 12 - 14 years | 101 | 7.9 | 101 | 4.0 | 101 | 21.8 26.7 |
| 15 - 19 Years | 85 | * | 85 | * | 85 | * |
| Total | 418 | 6.0 | 418 | 2.4 | 418 | 25.6 26.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 6 | * | 6 | * | 6 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 1 | * | 1 | * | 1 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 70 | * | 70 | * | 70 | * | * |
| 9 - 11 Years | 34 | * | 34 | * | 34 | * | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * | * |
| 15 - 19 Years | 20 | * | 20 | * | 20 | * | * |
| Total | 148 | 6.1 | 148 | 3.4 | 148 | 19.6 | 25.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 290 | 5.9 | 290 | 1.7 | 290 | 21.4 | 20.0 |
| 9 - 11 Years | 137 | 2.2 | 137 | 2.2 | 137 | 19.0 | 33.6 |
| 12 - 14 years | 161 | 9.3 | 161 | 3.7 | 161 | 23.6 | 25.5 |
| 15 - 19 Years | 138 | 10.1 | 138 | 3.6 | 138 | 26.1 | 23.2 |
| Total | 726 | 6.7 | 726 | 2.6 | 726 | 22.3 | 24.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 14 | * | 14 | * | 14 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * | * |
| Total | 17 | * | 17 | * | 17 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 16 | * | 16 | * | 16 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * | * |
| Total | 36 | * | 36 | * | 36 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 18 | * | 18 | * | 18 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 13 | * | 13 | * | 13 | * |
| Total | 50 | * | 50 | * | 50 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 23 | * | 23 | * | 23 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 186 | 3.2 | 186 | 1.6 | 186 | 18.8 |
| 9 - 11 Years | 62 | * | 62 | * | 62 | * |
| 12 - 14 years | 97 | * | 97 | * | 97 | * |
| 15 - 19 Years | 75 | * | 75 | * | 75 | * |
| Total | 420 | 4.0 | 420 | 1.4 | 420 | 19.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 25 | * | 25 | * | 25 | * | * |
| 9 - 11 Years | 16 | * | 16 | * | 16 | * | * |
| 12 - 14 years | 18 | * | 18 | * | 18 | * | * |
| 15 - 19 Years | 15 | * | 15 | * | 15 | * | * |
| Total | 74 | * | 74 | * | 74 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 241 | 2.9 | 241 | 2.1 | 241 | 18.3 | 19.9 |
| 9 - 11 Years | 92 | * | 92 | * | 92 | * | * |
| 12 - 14 years | 133 | 6.8 | 133 | 0.8 | 133 | 23.3 | 25.6 |
| 15 - 19 Years | 108 | 3.7 | 108 | 2.8 | 108 | 16.7 | 19.4 |
| Total | 574 | 4.0 | 574 | 1.6 | 574 | 18.3 | 23.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 211 | 5.7 | 211 | 0.5 | 211 | 16.6 | 19.9 |
| 9 - 11 Years | 127 | 3.9 | 127 | 0.0 | 127 | 17.3 | 26.8 |
| 12 - 14 years | 126 | 8.7 | 126 | 1.6 | 126 | 19.0 | 23.8 |
| 15 - 19 Years | 133 | 7.5 | 133 | 4.5 | 133 | 18.8 | 23.3 |
| Total | 597 | 6.4 | 597 | 1.5 | 597 | 17.8 | 22.9 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 384 | 4.2 | 384 | 2.6 | 384 | 19.3 | 18.0 |
| 9 - 11 Years | 227 | 3.1 | 227 | 0.9 | 227 | 19.4 | 23.3 |
| 12 - 14 years | 246 | 6.9 | 246 | 1.2 | 246 | 18.7 | 23.6 |
| 15 - 19 Years | 309 | 9.7 | 309 | 1.9 | 309 | 19.1 | 29.4 |
| Total | 1,166 | 6.0 | 1,166 | 1.8 | 1,166 | 19.1 | 23.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 1,054 | 6.6 | 1,054 | 2.3 | 1,054 | 17.3 | 26.9 |
| 9 - 11 Years | 401 | 6.0 | 401 | 0.5 | 401 | 22.7 | 33.2 |
| 12 - 14 years | 398 | 10.3 | 398 | 0.5 | 398 | 20.1 | 32.2 |
| 15 - 19 Years | 287 | 14.3 | 287 | 1.0 | 287 | 23.0 | 28.9 |
| Total | 2,140 | 8.2 | 2,140 | 1.4 | 2,140 | 19.6 | 29.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 10 | * | 10 | * | 10 | * |
| Asian | | | | | | |
| 5 - 8 Years | 44 | * | 44 | * | 44 | * |
| 9 - 11 Years | 20 | * | 20 | * | 20 | * |
| 12 - 14 years | 25 | * | 25 | * | 25 | * |
| 15 - 19 Years | 27 | * | 27 | * | 27 | * |
| Total | 116 | 4.3 | 116 | 4.3 | 116 | 12.1 24.1 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 10 | * | 10 | * | 10 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 10 | * | 10 | * | 10 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 26 | * | 26 | * | 26 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 30 | * | 30 | * | 30 | * | * |
| 9 - 11 Years | 18 | * | 18 | * | 18 | * | * |
| 12 - 14 years | 13 | * | 13 | * | 13 | * | * |
| 15 - 19 Years | 10 | * | 10 | * | 10 | * | * |
| Total | 71 | * | 71 | * | 71 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 804 | 5.7 | 804 | 3.6 | 804 | 16.3 | 21.4 |
| 9 - 11 Years | 385 | 6.5 | 385 | 1.3 | 385 | 19.2 | 25.2 |
| 12 - 14 years | 366 | 10.4 | 366 | 2.2 | 366 | 18.9 | 26.2 |
| 15 - 19 Years | 335 | 18.5 | 335 | 2.7 | 335 | 13.7 | 22.7 |
| Total | 1,890 | 9.0 | 1,890 | 2.7 | 1,890 | 16.9 | 23.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 2,543 | 5.8 | 2,543 | 2.6 | 2,543 | 16.9 | 23.2 |
| 9 - 11 Years | 1,182 | 5.4 | 1,182 | 1.0 | 1,182 | 20.1 | 27.2 |
| 12 - 14 years | 1,185 | 9.3 | 1,185 | 1.3 | 1,185 | 19.2 | 27.6 |
| 15 - 19 Years | 1,106 | 13.7 | 1,106 | 2.5 | 1,106 | 18.4 | 25.9 |
| Total | 6,016 | 7.9 | 6,016 | 2.0 | 6,016 | 18.3 | 25.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance (1)
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 008

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 65 | * | 65 | * | 65 | * |
| 9 - 11 Years | 24 | * | 24 | * | 24 | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * |
| 15 - 19 Years | 22 | * | 22 | * | 22 | * |
| Total | 135 | 0.7 | 135 | 2.2 | 135 | 21.5 25.2 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 25 | * | 25 | * | 25 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 40 | * | 40 | * | 40 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 008

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 25 | * | 25 | * | 25 | * | * |
| 9 - 11 Years | 7 | * | 7 | * | 7 | * | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * | * |
| Total | 43 | * | 43 | * | 43 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 14 | * | 14 | * | 14 | * | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * | * |
| Total | 33 | * | 33 | * | 33 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 008

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 20 | * | 20 | * | 20 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 008

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 138 | 6.5 | 138 | 1.4 | 138 | 24.6 | 20.3 |
| 9 - 11 Years | 45 | * | 45 | * | 45 | * | * |
| 12 - 14 years | 49 | * | 49 | * | 49 | * | * |
| 15 - 19 Years | 42 | * | 42 | * | 42 | * | * |
| Total | 274 | 7.7 | 274 | 1.8 | 274 | 21.2 | 21.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 144 | 9.7 | 144 | 4.2 | 144 | 10.4 | 11.1 |
| 9 - 11 Years | 53 | * | 53 | * | 53 | * | * |
| 12 - 14 years | 68 | * | 68 | * | 68 | * | * |
| 15 - 19 Years | 88 | * | 88 | * | 88 | * | * |
| Total | 353 | 7.6 | 353 | 4.0 | 353 | 11.3 | 13.9 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 9 | * | 9 | * | 9 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 21 | * | 21 | * | 21 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 130 | 1.5 | 130 | 3.1 | 130 | 16.9 | 20.0 |
| 9 - 11 Years | 51 | * | 51 | * | 51 | * | * |
| 12 - 14 years | 63 | * | 63 | * | 63 | * | * |
| 15 - 19 Years | 53 | * | 53 | * | 53 | * | * |
| Total | 297 | 5.1 | 297 | 2.4 | 297 | 16.2 | 19.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 5 | * | 5 | * | 5 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 85 | * | 85 | * | 85 | * | * |
| 9 - 11 Years | 37 | * | 37 | * | 37 | * | * |
| 12 - 14 years | 39 | * | 39 | * | 39 | * | * |
| 15 - 19 Years | 56 | * | 56 | * | 56 | * | * |
| Total | 217 | 4.6 | 217 | 2.3 | 217 | 15.2 | 16.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 374 | 5.3 | 374 | 3.7 | 374 | 13.6 | 15.5 |
| 9 - 11 Years | 147 | 6.1 | 147 | 3.4 | 147 | 12.2 | 16.3 |
| 12 - 14 years | 184 | 4.9 | 184 | 2.7 | 184 | 16.8 | 21.2 |
| 15 - 19 Years | 201 | 8.5 | 201 | 2.0 | 201 | 14.4 | 15.4 |
| Total | 906 | 6.1 | 906 | 3.1 | 906 | 14.2 | 16.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 889 | 4.0 | 889 | 2.7 | 889 | 15.2 | 15.4 |
| 9 - 11 Years | 484 | 3.5 | 484 | 2.3 | 484 | 17.6 | 22.5 |
| 12 - 14 years | 507 | 5.1 | 507 | 2.2 | 507 | 16.2 | 22.7 |
| 15 - 19 Years | 459 | 5.0 | 459 | 2.6 | 459 | 17.9 | 24.2 |
| Total | 2,339 | 4.4 | 2,339 | 2.5 | 2,339 | 16.4 | 20.2 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 867 | 1.8 | 867 | 4.0 | 867 | 16.4 | 16.1 |
| 9 - 11 Years | 487 | 2.3 | 487 | 2.7 | 487 | 15.6 | 24.4 |
| 12 - 14 years | 567 | 4.6 | 567 | 2.5 | 567 | 20.3 | 22.4 |
| 15 - 19 Years | 543 | 5.5 | 543 | 2.0 | 543 | 19.9 | 21.7 |
| Total | 2,464 | 3.4 | 2,464 | 3.0 | 2,464 | 17.9 | 20.5 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 10,037 | 5.7 | 10,037 | 2.4 | 10,037 | 18.3 | 24.0 |
| 9 - 11 Years | 5,134 | 4.2 | 5,134 | 1.6 | 5,134 | 20.7 | 30.0 |
| 12 - 14 years | 4,975 | 6.4 | 4,975 | 1.7 | 4,975 | 19.7 | 29.9 |
| 15 - 19 Years | 3,939 | 11.0 | 3,939 | 1.6 | 3,939 | 18.3 | 25.5 |
| Total | 24,085 | 6.4 | 24,085 | 1.9 | 24,085 | 19.1 | 26.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 44 | * | 44 | * | 44 | * |
| 9 - 11 Years | 28 | * | 28 | * | 28 | * |
| 12 - 14 years | 28 | * | 28 | * | 28 | * |
| 15 - 19 Years | 24 | * | 24 | * | 24 | * |
| Total | 124 | 5.6 | 124 | 0.8 | 124 | 16.9 37.1 |
| Asian | | | | | | |
| 5 - 8 Years | 1,049 | 17.7 | 1,049 | 3.8 | 1,049 | 12.3 14.6 |
| 9 - 11 Years | 724 | 16.3 | 724 | 3.7 | 724 | 15.7 20.6 |
| 12 - 14 years | 1,044 | 16.6 | 1,044 | 2.3 | 1,044 | 15.5 17.5 |
| 15 - 19 Years | 1,394 | 29.2 | 1,394 | 2.3 | 1,394 | 15.9 17.1 |
| Total | 4,211 | 21.0 | 4,211 | 2.9 | 4,211 | 14.9 17.2 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 17 | * | 17 | * | 17 | * * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 23 | * | 23 | * | 23 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 10 | * | 10 | * | 10 | * | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * | * |
| Total | 44 | * | 44 | * | 44 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 1,131 | 8.2 | 1,131 | 3.3 | 1,131 | 16.8 | 18.3 |
| 9 - 11 Years | 527 | 7.6 | 527 | 5.3 | 527 | 17.8 | 23.9 |
| 12 - 14 years | 501 | 7.4 | 501 | 2.8 | 501 | 19.6 | 26.9 |
| 15 - 19 Years | 530 | 10.9 | 530 | 3.4 | 530 | 18.1 | 19.1 |
| Total | 2,689 | 8.5 | 2,689 | 3.6 | 2,689 | 17.8 | 21.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 14,046 | 6.4 | 14,046 | 2.7 | 14,046 | 17.4 | 21.8 |
| 9 - 11 Years | 7,391 | 5.4 | 7,391 | 2.2 | 7,391 | 19.5 | 27.9 |
| 12 - 14 years | 7,636 | 7.6 | 7,636 | 2.0 | 7,636 | 19.0 | 27.0 |
| 15 - 19 Years | 6,900 | 13.9 | 6,900 | 2.0 | 6,900 | 17.8 | 22.9 |
| Total | 35,973 | 7.9 | 35,973 | 2.3 | 35,973 | 18.2 | 24.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 42 | * | 42 | * | 42 | * |
| 9 - 11 Years | 15 | * | 15 | * | 15 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 11 | * | 11 | * | 11 | * |
| Total | 76 | * | 76 | * | 76 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 8 | * | 8 | * | 8 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 93 | * | 93 | * | 93 | * |
| 9 - 11 Years | 42 | * | 42 | * | 42 | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * |
| 15 - 19 Years | 32 | * | 32 | * | 32 | * |
| Total | 191 | 8.9 | 191 | 1.0 | 191 | 23.0 23.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 5 | * | 5 | * | 5 | * |
| Asian | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 5 | * | 5 | * | 5 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 011

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 22 | * | 22 | * | 22 | * | * |
| 9 - 11 Years | 15 | * | 15 | * | 15 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 46 | * | 46 | * | 46 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 166 | 7.8 | 166 | 0.6 | 166 | 16.3 | 26.5 |
| 9 - 11 Years | 75 | * | 75 | * | 75 | * | * |
| 12 - 14 years | 42 | * | 42 | * | 42 | * | * |
| 15 - 19 Years | 48 | * | 48 | * | 48 | * | * |
| Total | 331 | 7.9 | 331 | 1.8 | 331 | 19.3 | 25.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 158 | 6.3 | 158 | 2.5 | 158 | 13.9 | 13.9 |
| 9 - 11 Years | 65 | * | 65 | * | 65 | * | * |
| 12 - 14 years | 65 | * | 65 | * | 65 | * | * |
| 15 - 19 Years | 54 | * | 54 | * | 54 | * | * |
| Total | 342 | 6.1 | 342 | 2.3 | 342 | 13.7 | 21.6 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * | * |
| Total | 19 | * | 19 | * | 19 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 69 | * | 69 | * | 69 | * | * |
| 9 - 11 Years | 26 | * | 26 | * | 26 | * | * |
| 12 - 14 years | 26 | * | 26 | * | 26 | * | * |
| 15 - 19 Years | 21 | * | 21 | * | 21 | * | * |
| Total | 142 | 7.7 | 142 | 0.7 | 142 | 20.4 | 20.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 40 | * | 40 | * | 40 | * |
| 9 - 11 Years | 17 | * | 17 | * | 17 | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * |
| 15 - 19 Years | 17 | * | 17 | * | 17 | * |
| Total | 98 | * | 98 | * | 98 | * |
| Asian | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 11 | * | 11 | * | 11 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| All Other | | | | | | |
| 5 - 8 Years | 137 | 4.4 | 137 | 2.2 | 137 | 19.7 21.9 |
| 9 - 11 Years | 78 | * | 78 | * | 78 | * |
| 12 - 14 years | 66 | * | 66 | * | 66 | * |
| 15 - 19 Years | 51 | * | 51 | * | 51 | * |
| Total | 332 | 5.7 | 332 | 3.0 | 332 | 18.1 25.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 412 | 5.6 | 412 | 1.7 | 412 | 17.5 | 18.9 |
| 9 - 11 Years | 197 | 6.1 | 197 | 3.0 | 197 | 19.8 | 27.4 |
| 12 - 14 years | 188 | 6.9 | 188 | 1.6 | 188 | 16.5 | 28.2 |
| 15 - 19 Years | 149 | 9.4 | 149 | 2.0 | 149 | 16.8 | 25.5 |
| Total | 946 | 6.6 | 946 | 2.0 | 946 | 17.7 | 23.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 29 | * | 29 | * | 29 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 12 | * | 12 | * | 12 | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * |
| Total | 57 | * | 57 | * | 57 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 13 | * | 13 | * | 13 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 1,189 | 3.5 | 1,189 | 3.8 | 1,189 | 16.7 21.2 |
| 9 - 11 Years | 494 | 1.6 | 494 | 3.0 | 494 | 18.4 31.4 |
| 12 - 14 years | 530 | 5.7 | 530 | 2.1 | 530 | 20.9 29.1 |
| 15 - 19 Years | 450 | 8.0 | 450 | 4.4 | 450 | 16.4 22.7 |
| Total | 2,663 | 4.4 | 2,663 | 3.4 | 2,663 | 17.8 24.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Asian | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 9 | * | 9 | * | 9 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 3 | * | 3 | * | 3 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 35 | * | 35 | * | 35 | * | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * | * |
| 12 - 14 years | 19 | * | 19 | * | 19 | * | * |
| 15 - 19 Years | 8 | * | 8 | * | 8 | * | * |
| Total | 72 | * | 72 | * | 72 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,263 | 3.7 | 1,263 | 3.8 | 1,263 | 16.5 | 20.9 |
| 9 - 11 Years | 517 | 1.7 | 517 | 3.1 | 517 | 18.8 | 31.1 |
| 12 - 14 years | 567 | 6.0 | 567 | 1.9 | 567 | 20.8 | 29.3 |
| 15 - 19 Years | 471 | 7.9 | 471 | 4.2 | 471 | 16.1 | 22.7 |
| Total | 2,818 | 4.5 | 2,818 | 3.4 | 2,818 | 17.7 | 24.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 13 | * | 13 | * | 13 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 8 | * | 8 | * | 8 | * |
| Total | 35 | * | 35 | * | 35 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 10 | * | 10 | * | 10 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 49 | * | 49 | * | 49 | * |
| 9 - 11 Years | 21 | * | 21 | * | 21 | * |
| 12 - 14 years | 30 | * | 30 | * | 30 | * |
| 15 - 19 Years | 25 | * | 25 | * | 25 | * |
| Total | 125 | 11.2 | 125 | 0.8 | 125 | 16.8 19.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 20 | * | 20 | * | 20 | * |
| 9 - 11 Years | 13 | * | 13 | * | 13 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 47 | * | 47 | * | 47 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 4 | * | 4 | * | 4 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 11 | * | 11 | * | 11 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 90 | * | 90 | * | 90 | * | * |
| 9 - 11 Years | 45 | * | 45 | * | 45 | * | * |
| 12 - 14 years | 56 | * | 56 | * | 56 | * | * |
| 15 - 19 Years | 41 | * | 41 | * | 41 | * | * |
| Total | 232 | 9.1 | 232 | 1.7 | 232 | 18.1 | 21.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 911 | 5.2 | 911 | 4.7 | 911 | 12.7 | 16.2 |
| 9 - 11 Years | 472 | 6.1 | 472 | 3.0 | 472 | 18.4 | 17.6 |
| 12 - 14 years | 477 | 6.9 | 477 | 2.7 | 477 | 18.4 | 20.5 |
| 15 - 19 Years | 399 | 5.5 | 399 | 2.5 | 399 | 18.3 | 21.1 |
| Total | 2,259 | 5.8 | 2,259 | 3.5 | 2,259 | 16.1 | 18.3 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 494 | 2.8 | 494 | 8.7 | 494 | 13.2 | 13.6 |
| 9 - 11 Years | 220 | 2.3 | 220 | 2.7 | 220 | 17.7 | 17.3 |
| 12 - 14 years | 358 | 4.5 | 358 | 1.7 | 358 | 20.9 | 24.6 |
| 15 - 19 Years | 272 | 3.7 | 272 | 1.1 | 272 | 21.7 | 18.8 |
| Total | 1,344 | 3.3 | 1,344 | 4.3 | 1,344 | 17.7 | 18.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 5,332 | 3.9 | 5,332 | 3.8 | 5,332 | 15.6 | 22.7 |
| 9 - 11 Years | 2,607 | 3.8 | 2,607 | 2.5 | 2,607 | 18.8 | 30.5 |
| 12 - 14 years | 2,660 | 5.7 | 2,660 | 1.9 | 2,660 | 20.3 | 28.6 |
| 15 - 19 Years | 2,016 | 9.4 | 2,016 | 1.9 | 2,016 | 19.8 | 23.9 |
| Total | 12,615 | 5.1 | 12,615 | 2.8 | 12,615 | 17.9 | 25.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 16 | * | 16 | * | 16 | * |
| Asian | | | | | | |
| 5 - 8 Years | 36 | * | 36 | * | 36 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 12 | * | 12 | * | 12 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 67 | * | 67 | * | 67 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 15 | * | 15 | * | 15 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|-------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 46 | * | 46 | * | 46 | * |
| 9 - 11 Years | 23 | * | 23 | * | 23 | * |
| 12 - 14 years | 21 | * | 21 | * | 21 | * |
| 15 - 19 Years | 29 | * | 29 | * | 29 | * |
| Total | 119 | 7.6 | 119 | 11.8 | 119 | 15.1 21.0 |
| All Other | | | | | | |
| 5 - 8 Years | 790 | 5.9 | 790 | 3.2 | 790 | 14.9 21.8 |
| 9 - 11 Years | 337 | 3.0 | 337 | 2.4 | 337 | 16.6 29.4 |
| 12 - 14 years | 343 | 5.5 | 343 | 2.0 | 343 | 18.7 26.8 |
| 15 - 19 Years | 233 | 8.6 | 233 | 3.4 | 233 | 18.5 21.5 |
| Total | 1,703 | 5.6 | 1,703 | 2.8 | 1,703 | 16.5 24.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 7,622 | 4.2 | 7,622 | 4.3 | 7,622 | 14.9 | 21.1 |
| 9 - 11 Years | 3,674 | 3.9 | 3,674 | 2.5 | 3,674 | 18.5 | 28.0 |
| 12 - 14 years | 3,875 | 5.7 | 3,875 | 2.0 | 3,875 | 20.1 | 27.0 |
| 15 - 19 Years | 2,967 | 8.4 | 2,967 | 2.1 | 2,967 | 19.6 | 22.9 |
| Total | 18,138 | 5.2 | 18,138 | 3.1 | 18,138 | 17.5 | 24.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 52 | * | 52 | * | 52 | * |
| 9 - 11 Years | 22 | * | 22 | * | 22 | * |
| 12 - 14 years | 37 | * | 37 | * | 37 | * |
| 15 - 19 Years | 20 | * | 20 | * | 20 | * |
| Total | 131 | 5.3 | 131 | 5.3 | 131 | 11.5 26.0 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 22 | * | 22 | * | 22 | * |
| 9 - 11 Years | 12 | * | 12 | * | 12 | * |
| 12 - 14 years | 18 | * | 18 | * | 18 | * |
| 15 - 19 Years | 14 | * | 14 | * | 14 | * |
| Total | 66 | * | 66 | * | 66 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 460 | 5.0 | 460 | 3.5 | 460 | 14.8 23.7 |
| 9 - 11 Years | 225 | 4.4 | 225 | 2.2 | 225 | 19.6 27.6 |
| 12 - 14 years | 220 | 4.1 | 220 | 1.8 | 220 | 22.3 25.9 |
| 15 - 19 Years | 178 | 9.6 | 178 | 2.8 | 178 | 19.7 25.8 |
| Total | 1,083 | 5.4 | 1,083 | 2.8 | 1,083 | 18.1 25.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 3 | * | 3 | * | 3 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 9 | * | 9 | * | 9 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 76 | * | 76 | * | 76 | * | * |
| 9 - 11 Years | 25 | * | 25 | * | 25 | * | * |
| 12 - 14 years | 42 | * | 42 | * | 42 | * | * |
| 15 - 19 Years | 38 | * | 38 | * | 38 | * | * |
| Total | 181 | 7.2 | 181 | 2.2 | 181 | 17.1 | 25.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 615 | 5.2 | 615 | 3.7 | 615 | 14.6 | 22.8 |
| 9 - 11 Years | 292 | 4.1 | 292 | 3.1 | 292 | 18.8 | 27.1 |
| 12 - 14 years | 325 | 4.9 | 325 | 1.8 | 325 | 21.2 | 26.8 |
| 15 - 19 Years | 255 | 9.0 | 255 | 3.1 | 255 | 18.0 | 26.7 |
| Total | 1,487 | 5.6 | 1,487 | 3.1 | 1,487 | 17.5 | 25.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 112 | 3.6 | 112 | 1.8 | 112 | 14.3 | 9.8 |
| 9 - 11 Years | 50 | * | 50 | * | 50 | * | * |
| 12 - 14 years | 66 | * | 66 | * | 66 | * | * |
| 15 - 19 Years | 86 | * | 86 | * | 86 | * | * |
| Total | 314 | 8.6 | 314 | 3.5 | 314 | 17.5 | 19.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 98 | * | 98 | * | 98 | * | * |
| 9 - 11 Years | 62 | * | 62 | * | 62 | * | * |
| 12 - 14 years | 118 | 2.5 | 118 | 2.5 | 118 | 14.4 | 35.6 |
| 15 - 19 Years | 164 | 6.1 | 164 | 1.2 | 164 | 19.5 | 26.2 |
| Total | 442 | 4.5 | 442 | 2.5 | 442 | 16.7 | 26.5 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 6,734 | 4.8 | 6,734 | 3.1 | 6,734 | 17.4 | 20.1 |
| 9 - 11 Years | 3,704 | 4.1 | 3,704 | 2.3 | 3,704 | 18.4 | 24.6 |
| 12 - 14 years | 4,132 | 6.0 | 4,132 | 1.7 | 4,132 | 20.1 | 22.4 |
| 15 - 19 Years | 4,708 | 9.9 | 4,708 | 2.2 | 4,708 | 17.6 | 19.0 |
| Total | 19,278 | 6.2 | 19,278 | 2.4 | 19,278 | 18.2 | 21.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Asian | | | | | | |
| 5 - 8 Years | 186 | 5.9 | 186 | 7.0 | 186 | 15.1 13.4 |
| 9 - 11 Years | 103 | 8.7 | 103 | 6.8 | 103 | 13.6 12.6 |
| 12 - 14 years | 105 | 12.4 | 105 | 7.6 | 105 | 13.3 6.7 |
| 15 - 19 Years | 129 | 15.5 | 129 | 7.8 | 129 | 12.4 10.9 |
| Total | 523 | 10.1 | 523 | 7.3 | 523 | 13.8 11.3 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 9 | * | 9 | * | 9 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 43 | * | 43 | * | 43 | * |
| 9 - 11 Years | 19 | * | 19 | * | 19 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 10 | * | 10 | * | 10 | * |
| Total | 87 | * | 87 | * | 87 | * |
| All Other | | | | | | |
| 5 - 8 Years | 271 | 6.6 | 271 | 5.9 | 271 | 17.7 |
| 9 - 11 Years | 159 | 6.3 | 159 | 1.3 | 159 | 18.2 |
| 12 - 14 years | 197 | 7.1 | 197 | 3.0 | 197 | 15.7 |
| 15 - 19 Years | 194 | 11.3 | 194 | 1.0 | 194 | 18.6 |
| Total | 821 | 7.8 | 821 | 3.2 | 821 | 17.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 7,452 | 4.9 | 7,452 | 3.3 | 7,452 | 17.3 | 19.8 |
| 9 - 11 Years | 4,097 | 4.3 | 4,097 | 2.3 | 4,097 | 18.3 | 24.3 |
| 12 - 14 years | 4,636 | 6.3 | 4,636 | 2.0 | 4,636 | 19.5 | 22.6 |
| 15 - 19 Years | 5,296 | 10.0 | 5,296 | 2.3 | 5,296 | 17.6 | 19.4 |
| Total | 21,481 | 6.3 | 21,481 | 2.6 | 21,481 | 18.0 | 21.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 174 | 5.2 | 174 | 4.0 | 174 | 17.2 | 16.7 |
| 9 - 11 Years | 85 | * | 85 | * | 85 | * | * |
| 12 - 14 years | 113 | 6.2 | 113 | 1.8 | 113 | 15.9 | 16.8 |
| 15 - 19 Years | 113 | 8.8 | 113 | 0.9 | 113 | 18.6 | 21.2 |
| Total | 485 | 7.0 | 485 | 2.5 | 485 | 17.3 | 17.9 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 119 | 8.4 | 119 | 0.8 | 119 | 12.6 | 16.0 |
| 9 - 11 Years | 81 | * | 81 | * | 81 | * | * |
| 12 - 14 years | 117 | 7.7 | 117 | 2.6 | 117 | 17.9 | 20.5 |
| 15 - 19 Years | 161 | 9.3 | 161 | 0.6 | 161 | 21.1 | 19.3 |
| Total | 478 | 7.5 | 478 | 1.7 | 478 | 16.5 | 18.8 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 3,680 | 4.8 | 3,680 | 3.0 | 3,680 | 18.6 | 20.2 |
| 9 - 11 Years | 2,409 | 4.3 | 2,409 | 2.0 | 2,409 | 21.8 | 26.4 |
| 12 - 14 years | 2,429 | 7.9 | 2,429 | 1.4 | 2,429 | 23.3 | 24.5 |
| 15 - 19 Years | 4,222 | 21.5 | 4,222 | 1.7 | 4,222 | 17.1 | 15.0 |
| Total | 12,740 | 10.8 | 12,740 | 2.0 | 12,740 | 19.6 | 20.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 12 | * | 12 | * | 12 | * |
| Asian | | | | | | |
| 5 - 8 Years | 71 | * | 71 | * | 71 | * |
| 9 - 11 Years | 39 | * | 39 | * | 39 | * |
| 12 - 14 years | 26 | * | 26 | * | 26 | * |
| 15 - 19 Years | 29 | * | 29 | * | 29 | * |
| Total | 165 | 4.8 | 165 | 5.5 | 165 | 17.6 13.9 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 8 | * | 8 | * | 8 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 24 | * | 24 | * | 24 | * |
| 9 - 11 Years | 14 | * | 14 | * | 14 | * |
| 12 - 14 years | 17 | * | 17 | * | 17 | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * |
| Total | 74 | * | 74 | * | 74 | * |
| All Other | | | | | | |
| 5 - 8 Years | 282 | 6.7 | 282 | 5.7 | 282 | 14.2 19.9 |
| 9 - 11 Years | 173 | 3.5 | 173 | 1.2 | 173 | 16.8 27.7 |
| 12 - 14 years | 155 | 7.1 | 155 | 1.9 | 155 | 18.7 23.9 |
| 15 - 19 Years | 146 | 13.0 | 146 | 4.8 | 146 | 19.9 20.5 |
| Total | 756 | 7.3 | 756 | 3.7 | 756 | 16.8 22.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 4,355 | 5.0 | 4,355 | 3.1 | 4,355 | 18.0 | 19.9 |
| 9 - 11 Years | 2,806 | 4.3 | 2,806 | 2.2 | 2,806 | 21.0 | 25.8 |
| 12 - 14 years | 2,861 | 7.8 | 2,861 | 1.5 | 2,861 | 22.3 | 23.8 |
| 15 - 19 Years | 4,696 | 20.4 | 4,696 | 1.8 | 4,696 | 17.5 | 15.5 |
| Total | 14,718 | 10.3 | 14,718 | 2.2 | 14,718 | 19.2 | 20.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 923 | 5.5 | 923 | 4.3 | 923 | 15.2 | 17.8 |
| 9 - 11 Years | 567 | 5.3 | 567 | 2.6 | 567 | 18.3 | 24.5 |
| 12 - 14 years | 617 | 5.8 | 617 | 2.4 | 617 | 17.7 | 20.3 |
| 15 - 19 Years | 533 | 8.6 | 533 | 3.9 | 533 | 15.0 | 19.3 |
| Total | 2,640 | 6.2 | 2,640 | 3.4 | 2,640 | 16.4 | 20.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 2,603 | 2.9 | 2,603 | 3.5 | 2,603 | 16.4 | 18.5 |
| 9 - 11 Years | 1,538 | 2.7 | 1,538 | 2.0 | 1,538 | 18.6 | 24.6 |
| 12 - 14 years | 1,688 | 4.0 | 1,688 | 1.5 | 1,688 | 19.5 | 24.9 |
| 15 - 19 Years | 1,674 | 5.4 | 1,674 | 1.1 | 1,674 | 17.3 | 22.9 |
| Total | 7,503 | 3.7 | 7,503 | 2.2 | 7,503 | 17.8 | 22.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 33,020 | 3.5 | 33,020 | 2.6 | 33,020 | 17.8 | 24.7 |
| 9 - 11 Years | 17,029 | 3.4 | 17,029 | 1.9 | 17,029 | 20.1 | 32.1 |
| 12 - 14 years | 16,585 | 5.8 | 16,585 | 1.4 | 16,585 | 20.7 | 29.4 |
| 15 - 19 Years | 13,411 | 9.3 | 13,411 | 1.7 | 13,411 | 19.9 | 24.9 |
| Total | 80,045 | 4.9 | 80,045 | 2.0 | 80,045 | 19.2 | 27.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 51 | * | 51 | * | 51 | * |
| 9 - 11 Years | 36 | * | 36 | * | 36 | * |
| 12 - 14 years | 31 | * | 31 | * | 31 | * |
| 15 - 19 Years | 44 | * | 44 | * | 44 | * |
| Total | 162 | 6.8 | 162 | 1.2 | 162 | 16.0 29.6 |
| Asian | | | | | | |
| 5 - 8 Years | 1,215 | 5.0 | 1,215 | 7.1 | 1,215 | 11.1 11.9 |
| 9 - 11 Years | 795 | 4.3 | 795 | 5.9 | 795 | 18.0 14.6 |
| 12 - 14 years | 943 | 6.4 | 943 | 4.8 | 943 | 13.3 12.1 |
| 15 - 19 Years | 912 | 9.5 | 912 | 5.8 | 912 | 12.8 10.3 |
| Total | 3,865 | 6.3 | 3,865 | 6.0 | 3,865 | 13.5 12.1 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 48 | * | 48 | * | 48 | * |
| 9 - 11 Years | 33 | * | 33 | * | 33 | * |
| 12 - 14 years | 34 | * | 34 | * | 34 | * |
| 15 - 19 Years | 34 | * | 34 | * | 34 | * |
| Total | 149 | 4.0 | 149 | 0.7 | 149 | 18.1 49.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 227 | 6.2 | 227 | 4.0 | 227 | 15.9 | 16.3 |
| 9 - 11 Years | 101 | 5.0 | 101 | 2.0 | 101 | 12.9 | 23.8 |
| 12 - 14 years | 102 | 13.7 | 102 | 2.9 | 102 | 17.6 | 18.6 |
| 15 - 19 Years | 100 | 14.0 | 100 | 3.0 | 100 | 10.0 | 13.0 |
| Total | 530 | 8.9 | 530 | 3.2 | 530 | 14.5 | 17.5 |
| All Other | | | | | | | |
| 5 - 8 Years | 3,227 | 3.8 | 3,227 | 3.2 | 3,227 | 17.0 | 20.3 |
| 9 - 11 Years | 1,628 | 3.1 | 1,628 | 2.6 | 1,628 | 19.8 | 27.4 |
| 12 - 14 years | 1,620 | 5.8 | 1,620 | 2.4 | 1,620 | 19.4 | 24.6 |
| 15 - 19 Years | 1,369 | 7.7 | 1,369 | 2.1 | 1,369 | 19.2 | 20.4 |
| Total | 7,844 | 4.8 | 7,844 | 2.7 | 7,844 | 18.5 | 22.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 41,314 | 3.6 | 41,314 | 2.9 | 41,314 | 17.3 | 23.4 |
| 9 - 11 Years | 21,727 | 3.5 | 21,727 | 2.1 | 21,727 | 19.8 | 30.4 |
| 12 - 14 years | 21,620 | 5.7 | 21,620 | 1.6 | 21,620 | 20.1 | 27.7 |
| 15 - 19 Years | 18,077 | 8.9 | 18,077 | 1.9 | 18,077 | 19.0 | 23.5 |
| Total | 102,738 | 4.9 | 102,738 | 2.3 | 102,738 | 18.7 | 25.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 116 | 6.9 | 116 | 3.4 | 116 | 15.5 | 16.4 |
| 9 - 11 Years | 55 | * | 55 | * | 55 | * | * |
| 12 - 14 years | 50 | * | 50 | * | 50 | * | * |
| 15 - 19 Years | 46 | * | 46 | * | 46 | * | * |
| Total | 267 | 6.0 | 267 | 2.2 | 267 | 17.2 | 16.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 696 | 3.6 | 696 | 4.6 | 696 | 17.0 | 14.7 |
| 9 - 11 Years | 306 | 4.2 | 306 | 4.2 | 306 | 19.3 | 21.2 |
| 12 - 14 years | 354 | 7.1 | 354 | 2.0 | 354 | 19.5 | 23.7 |
| 15 - 19 Years | 508 | 10.6 | 508 | 2.6 | 508 | 18.3 | 20.9 |
| Total | 1,864 | 6.3 | 1,864 | 3.5 | 1,864 | 18.2 | 19.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 9,276 | 4.7 | 9,276 | 2.3 | 9,276 | 19.6 | 18.8 |
| 9 - 11 Years | 4,862 | 4.5 | 4,862 | 1.8 | 4,862 | 22.3 | 20.5 |
| 12 - 14 years | 4,745 | 7.7 | 4,745 | 1.5 | 4,745 | 20.5 | 20.5 |
| 15 - 19 Years | 6,964 | 20.6 | 6,964 | 1.5 | 6,964 | 16.9 | 14.8 |
| Total | 25,847 | 9.5 | 25,847 | 1.8 | 25,847 | 19.5 | 18.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 19 | * | 19 | * | 19 | * |
| Asian | | | | | | |
| 5 - 8 Years | 114 | 9.6 | 114 | 7.9 | 114 | 13.2 |
| 9 - 11 Years | 59 | * | 59 | * | 59 | * |
| 12 - 14 years | 63 | * | 63 | * | 63 | * |
| 15 - 19 Years | 56 | * | 56 | * | 56 | * |
| Total | 292 | 7.2 | 292 | 6.8 | 292 | 17.5 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 19 | * | 19 | * | 19 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 35 | * | 35 | * | 35 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 91 | * | 91 | * | 91 | * |
| 9 - 11 Years | 43 | * | 43 | * | 43 | * |
| 12 - 14 years | 40 | * | 40 | * | 40 | * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * |
| Total | 209 | 7.7 | 209 | 4.3 | 209 | 17.7 18.2 |
| All Other | | | | | | |
| 5 - 8 Years | 482 | 3.9 | 482 | 7.7 | 482 | 14.9 13.9 |
| 9 - 11 Years | 215 | 3.3 | 215 | 1.9 | 215 | 22.3 16.7 |
| 12 - 14 years | 227 | 4.0 | 227 | 0.9 | 227 | 16.7 23.8 |
| 15 - 19 Years | 256 | 9.4 | 256 | 2.7 | 256 | 17.2 18.8 |
| Total | 1,180 | 5.0 | 1,180 | 4.2 | 1,180 | 17.1 17.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 10,801 | 4.7 | 10,801 | 2.8 | 10,801 | 19.0 | 18.2 |
| 9 - 11 Years | 5,553 | 4.5 | 5,553 | 2.0 | 5,553 | 22.1 | 20.3 |
| 12 - 14 years | 5,484 | 7.4 | 5,484 | 1.5 | 5,484 | 20.4 | 20.6 |
| 15 - 19 Years | 7,875 | 19.4 | 7,875 | 1.6 | 7,875 | 17.0 | 15.2 |
| Total | 29,713 | 9.0 | 29,713 | 2.1 | 29,713 | 19.3 | 18.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 42 | * | 42 | * | 42 | * * |
| 9 - 11 Years | 22 | * | 22 | * | 22 | * * |
| 12 - 14 years | 25 | * | 25 | * | 25 | * * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * * |
| Total | 124 | 3.2 | 124 | 3.2 | 124 | 15.3 19.4 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 264 | 3.0 | 264 | 4.9 | 264 | 13.6 14.4 |
| 9 - 11 Years | 182 | 3.8 | 182 | 3.8 | 182 | 16.5 18.1 |
| 12 - 14 years | 197 | 7.6 | 197 | 3.0 | 197 | 22.8 17.8 |
| 15 - 19 Years | 261 | 6.9 | 261 | 2.7 | 261 | 16.5 22.2 |
| Total | 904 | 5.3 | 904 | 3.7 | 904 | 17.0 18.1 |
| Hispanic | | | | | | |
| 5 - 8 Years | 683 | 5.9 | 683 | 3.7 | 683 | 17.6 20.8 |
| 9 - 11 Years | 363 | 5.2 | 363 | 1.4 | 363 | 22.3 25.1 |
| 12 - 14 years | 401 | 4.0 | 401 | 2.0 | 401 | 21.2 24.4 |
| 15 - 19 Years | 379 | 12.7 | 379 | 1.3 | 379 | 19.3 21.6 |
| Total | 1,826 | 6.7 | 1,826 | 2.4 | 1,826 | 19.7 22.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * | * |
| Total | 21 | * | 21 | * | 21 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 9 | * | 9 | * | 9 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 64 | * | 64 | * | 64 | * | * |
| 9 - 11 Years | 29 | * | 29 | * | 29 | * | * |
| 12 - 14 years | 28 | * | 28 | * | 28 | * | * |
| 15 - 19 Years | 34 | * | 34 | * | 34 | * | * |
| Total | 155 | 5.2 | 155 | 3.9 | 155 | 25.2 | 19.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,071 | 4.9 | 1,071 | 4.1 | 1,071 | 17.2 | 18.7 |
| 9 - 11 Years | 599 | 4.5 | 599 | 2.3 | 599 | 21.0 | 22.0 |
| 12 - 14 years | 657 | 5.2 | 657 | 2.4 | 657 | 21.2 | 22.2 |
| 15 - 19 Years | 719 | 9.7 | 719 | 1.8 | 719 | 17.9 | 21.7 |
| Total | 3,046 | 6.0 | 3,046 | 2.9 | 3,046 | 19.0 | 20.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 017

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 70 | * | 70 | * | 70 | * |
| 9 - 11 Years | 28 | * | 28 | * | 28 | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * |
| Total | 141 | 7.1 | 141 | 0.7 | 141 | 14.2 19.9 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 45 | * | 45 | * | 45 | * |
| 9 - 11 Years | 27 | * | 27 | * | 27 | * |
| 12 - 14 years | 18 | * | 18 | * | 18 | * |
| 15 - 19 Years | 17 | * | 17 | * | 17 | * |
| Total | 107 | 8.4 | 107 | 0.9 | 107 | 14.0 24.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 017

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 017

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 33 | * | 33 | * | 33 | * | * |
| 9 - 11 Years | 22 | * | 22 | * | 22 | * | * |
| 12 - 14 years | 44 | * | 44 | * | 44 | * | * |
| 15 - 19 Years | 18 | * | 18 | * | 18 | * | * |
| Total | 117 | 7.7 | 117 | 2.6 | 117 | 18.8 | 20.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance (1)
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 017

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 154 | 9.7 | 154 | 1.9 | 154 | 13.6 | 13.0 |
| 9 - 11 Years | 79 | * | 79 | * | 79 | * | * |
| 12 - 14 years | 91 | * | 91 | * | 91 | * | * |
| 15 - 19 Years | 59 | * | 59 | * | 59 | * | * |
| Total | 383 | 7.3 | 383 | 1.3 | 383 | 15.4 | 21.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 83 | * | 83 | * | 83 | * |
| 9 - 11 Years | 39 | * | 39 | * | 39 | * |
| 12 - 14 years | 64 | * | 64 | * | 64 | * |
| 15 - 19 Years | 57 | * | 57 | * | 57 | * |
| Total | 243 | 14.4 | 243 | 2.1 | 243 | 16.9 30.5 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 12 | * | 12 | * | 12 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 38 | * | 38 | * | 38 | * |
| 9 - 11 Years | 20 | * | 20 | * | 20 | * |
| 12 - 14 years | 21 | * | 21 | * | 21 | * |
| 15 - 19 Years | 22 | * | 22 | * | 22 | * |
| Total | 101 | 9.9 | 101 | 2.0 | 101 | 19.8 22.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 34 | * | 34 | * | 34 | * |
| Asian | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 2 | * | 2 | * | 2 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 9 | * | 9 | * | 9 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 17 | * | 17 | * | 17 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 151 | 9.9 | 151 | 1.3 | 151 | 13.2 | 23.2 |
| 9 - 11 Years | 68 | * | 68 | * | 68 | * | * |
| 12 - 14 years | 112 | 16.1 | 112 | 0.9 | 112 | 25.0 | 30.4 |
| 15 - 19 Years | 85 | * | 85 | * | 85 | * | * |
| Total | 416 | 13.0 | 416 | 1.9 | 416 | 18.8 | 26.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 54 | * | 54 | * | 54 | * |
| 9 - 11 Years | 42 | * | 42 | * | 42 | * |
| 12 - 14 years | 38 | * | 38 | * | 38 | * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * |
| Total | 169 | 5.9 | 169 | 2.4 | 169 | 16.0 20.7 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 309 | 2.9 | 309 | 2.6 | 309 | 18.1 22.3 |
| 9 - 11 Years | 200 | 3.0 | 200 | 0.5 | 200 | 18.0 24.0 |
| 12 - 14 years | 284 | 1.4 | 284 | 0.4 | 284 | 20.8 25.7 |
| 15 - 19 Years | 275 | 6.2 | 275 | 1.1 | 275 | 18.2 24.0 |
| Total | 1,068 | 3.4 | 1,068 | 1.2 | 1,068 | 18.8 24.0 |
| Hispanic | | | | | | |
| 5 - 8 Years | 1,234 | 4.0 | 1,234 | 1.7 | 1,234 | 18.1 25.8 |
| 9 - 11 Years | 726 | 5.5 | 726 | 1.1 | 726 | 21.1 31.3 |
| 12 - 14 years | 834 | 5.9 | 834 | 1.1 | 834 | 20.5 29.7 |
| 15 - 19 Years | 669 | 11.7 | 669 | 1.9 | 669 | 21.4 27.8 |
| Total | 3,463 | 6.2 | 3,463 | 1.5 | 3,463 | 19.9 28.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 15 | * | 15 | * | 15 | * |
| Asian | | | | | | |
| 5 - 8 Years | 120 | 10.8 | 120 | 4.2 | 120 | 14.2 |
| 9 - 11 Years | 128 | 6.3 | 128 | 5.5 | 128 | 20.3 |
| 12 - 14 years | 159 | 9.4 | 159 | 3.1 | 159 | 15.1 |
| 15 - 19 Years | 240 | 14.2 | 240 | 4.6 | 240 | 10.4 |
| Total | 647 | 10.8 | 647 | 4.3 | 647 | 14.2 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * |
| 9 - 11 Years | 11 | * | 11 | * | 11 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 11 | * | 11 | * | 11 | * |
| Total | 54 | * | 54 | * | 54 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 14 | * | 14 | * | 14 | * | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * | * |
| 12 - 14 years | 10 | * | 10 | * | 10 | * | * |
| 15 - 19 Years | 16 | * | 16 | * | 16 | * | * |
| Total | 50 | * | 50 | * | 50 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 102 | 1.0 | 102 | 2.9 | 102 | 18.6 | 18.6 |
| 9 - 11 Years | 69 | * | 69 | * | 69 | * | * |
| 12 - 14 years | 47 | * | 47 | * | 47 | * | * |
| 15 - 19 Years | 44 | * | 44 | * | 44 | * | * |
| Total | 262 | 2.7 | 262 | 2.3 | 262 | 21.4 | 21.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,855 | 4.1 | 1,855 | 2.1 | 1,855 | 18.0 | 23.2 |
| 9 - 11 Years | 1,187 | 4.9 | 1,187 | 1.7 | 1,187 | 20.0 | 28.3 |
| 12 - 14 years | 1,391 | 5.4 | 1,391 | 1.2 | 1,391 | 20.1 | 27.4 |
| 15 - 19 Years | 1,295 | 10.9 | 1,295 | 2.3 | 1,295 | 18.8 | 23.9 |
| Total | 5,728 | 6.1 | 5,728 | 1.8 | 5,728 | 19.1 | 25.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 105 | 2.9 | 105 | 4.8 | 105 | 13.3 | 21.0 |
| 9 - 11 Years | 58 | * | 58 | * | 58 | * | * |
| 12 - 14 years | 61 | * | 61 | * | 61 | * | * |
| 15 - 19 Years | 39 | * | 39 | * | 39 | * | * |
| Total | 263 | 6.1 | 263 | 5.7 | 263 | 12.9 | 23.6 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 16 | * | 16 | * | 16 | * | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * | * |
| 12 - 14 years | 12 | * | 12 | * | 12 | * | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * | * |
| Total | 44 | * | 44 | * | 44 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 1,498 | 5.7 | 1,498 | 2.6 | 1,498 | 17.1 | 20.4 |
| 9 - 11 Years | 721 | 4.9 | 721 | 2.5 | 721 | 19.7 | 29.7 |
| 12 - 14 years | 715 | 7.6 | 715 | 1.7 | 715 | 20.6 | 26.9 |
| 15 - 19 Years | 572 | 14.7 | 572 | 1.9 | 572 | 19.6 | 20.1 |
| Total | 3,506 | 7.4 | 3,506 | 2.3 | 3,506 | 18.7 | 23.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 10 | * | 10 | * | 10 | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 30 | * | 30 | * | 30 | * |
| Asian | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 9 | * | 9 | * | 9 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 57 | * | 57 | * | 57 | * | * |
| 9 - 11 Years | 31 | * | 31 | * | 31 | * | * |
| 12 - 14 years | 37 | * | 37 | * | 37 | * | * |
| 15 - 19 Years | 26 | * | 26 | * | 26 | * | * |
| Total | 151 | 13.2 | 151 | 5.3 | 151 | 27.2 | 17.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,692 | 5.9 | 1,692 | 3.0 | 1,692 | 17.0 | 20.4 |
| 9 - 11 Years | 829 | 4.8 | 829 | 3.3 | 829 | 19.5 | 28.6 |
| 12 - 14 years | 833 | 7.9 | 833 | 1.9 | 833 | 20.5 | 26.3 |
| 15 - 19 Years | 650 | 14.0 | 650 | 1.8 | 650 | 19.7 | 20.9 |
| Total | 4,004 | 7.4 | 4,004 | 2.6 | 4,004 | 18.7 | 23.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 50 | * | 50 | * | 50 | * |
| 9 - 11 Years | 26 | * | 26 | * | 26 | * |
| 12 - 14 years | 22 | * | 22 | * | 22 | * |
| 15 - 19 Years | 28 | * | 28 | * | 28 | * |
| Total | 126 | 4.8 | 126 | 0.8 | 126 | 14.3 16.7 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * |
| 9 - 11 Years | 13 | * | 13 | * | 13 | * |
| 12 - 14 years | 17 | * | 17 | * | 17 | * |
| 15 - 19 Years | 16 | * | 16 | * | 16 | * |
| Total | 63 | * | 63 | * | 63 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 181 | 7.2 | 181 | 0.6 | 181 | 14.9 33.7 |
| 9 - 11 Years | 53 | * | 53 | * | 53 | * |
| 12 - 14 years | 45 | * | 45 | * | 45 | * |
| 15 - 19 Years | 46 | * | 46 | * | 46 | * |
| Total | 325 | 8.9 | 325 | 0.9 | 325 | 15.1 32.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * | * |
| 12 - 14 years | 10 | * | 10 | * | 10 | * | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * | * |
| Total | 30 | * | 30 | * | 30 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| All Other | | | | | | |
| 5 - 8 Years | 49 | * | 49 | * | 49 | * |
| 9 - 11 Years | 35 | * | 35 | * | 35 | * |
| 12 - 14 years | 36 | * | 36 | * | 36 | * |
| 15 - 19 Years | 23 | * | 23 | * | 23 | * |
| Total | 143 | 4.9 | 143 | 2.1 | 143 | 19.6 23.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 310 | 5.2 | 310 | 2.3 | 310 | 17.1 | 25.2 |
| 9 - 11 Years | 133 | 6.8 | 133 | 0.0 | 133 | 17.3 | 30.1 |
| 12 - 14 years | 131 | 8.4 | 131 | 0.0 | 131 | 20.6 | 29.8 |
| 15 - 19 Years | 117 | 10.3 | 117 | 3.4 | 117 | 17.9 | 15.4 |
| Total | 691 | 6.9 | 691 | 1.6 | 691 | 17.9 | 25.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 11 | * | 11 | * | 11 | * |
| Total | 36 | * | 36 | * | 36 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 16 | * | 16 | * | 16 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 9 | * | 9 | * | 9 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 24 | * | 24 | * | 24 | * |
| 9 - 11 Years | 15 | * | 15 | * | 15 | * |
| 12 - 14 years | 11 | * | 11 | * | 11 | * |
| 15 - 19 Years | 13 | * | 13 | * | 13 | * |
| Total | 63 | * | 63 | * | 63 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 67 | * | 67 | * | 67 | * |
| 9 - 11 Years | 30 | * | 30 | * | 30 | * |
| 12 - 14 years | 40 | * | 40 | * | 40 | * |
| 15 - 19 Years | 47 | * | 47 | * | 47 | * |
| Total | 184 | 3.8 | 184 | 0.5 | 184 | 24.5 22.3 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 9 | * | 9 | * | 9 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 76 | * | 76 | * | 76 | * |
| 9 - 11 Years | 56 | * | 56 | * | 56 | * |
| 12 - 14 years | 42 | * | 42 | * | 42 | * |
| 15 - 19 Years | 33 | * | 33 | * | 33 | * |
| Total | 207 | 6.8 | 207 | 1.0 | 207 | 28.0 23.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 19 | * | 19 | * | 19 | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 34 | * | 34 | * | 34 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 121 | 4.1 | 121 | 0.8 | 121 | 20.7 | 18.2 |
| 9 - 11 Years | 51 | * | 51 | * | 51 | * | * |
| 12 - 14 years | 55 | * | 55 | * | 55 | * | * |
| 15 - 19 Years | 38 | * | 38 | * | 38 | * | * |
| Total | 265 | 3.4 | 265 | 0.8 | 265 | 21.5 | 20.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 285 | 4.9 | 285 | 1.1 | 285 | 22.1 | 21.8 |
| 9 - 11 Years | 146 | 2.7 | 146 | 1.4 | 146 | 28.8 | 28.1 |
| 12 - 14 years | 146 | 6.2 | 146 | 0.0 | 146 | 28.1 | 24.7 |
| 15 - 19 Years | 126 | 4.8 | 126 | 0.0 | 126 | 19.0 | 23.0 |
| Total | 703 | 4.7 | 703 | 0.7 | 703 | 24.2 | 23.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 262 | 3.1 | 262 | 3.8 | 262 | 13.4 | 14.5 |
| 9 - 11 Years | 81 | * | 81 | * | 81 | * | * |
| 12 - 14 years | 102 | 9.8 | 102 | 2.0 | 102 | 14.7 | 26.5 |
| 15 - 19 Years | 96 | * | 96 | * | 96 | * | * |
| Total | 541 | 5.5 | 541 | 2.4 | 541 | 15.7 | 20.5 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 68 | * | 68 | * | 68 | * | * |
| 9 - 11 Years | 43 | * | 43 | * | 43 | * | * |
| 12 - 14 years | 47 | * | 47 | * | 47 | * | * |
| 15 - 19 Years | 45 | * | 45 | * | 45 | * | * |
| Total | 203 | 5.4 | 203 | 0.0 | 203 | 22.2 | 24.1 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 906 | 4.9 | 906 | 1.8 | 906 | 18.8 | 23.2 |
| 9 - 11 Years | 358 | 5.9 | 358 | 3.6 | 358 | 17.6 | 29.3 |
| 12 - 14 years | 284 | 8.8 | 284 | 1.8 | 284 | 19.7 | 28.2 |
| 15 - 19 Years | 267 | 12.0 | 267 | 1.1 | 267 | 19.9 | 23.2 |
| Total | 1,815 | 6.7 | 1,815 | 2.0 | 1,815 | 18.8 | 25.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 8 | * | 8 | * | 8 | * |
| Asian | | | | | | |
| 5 - 8 Years | 146 | 29.5 | 146 | 3.4 | 146 | 13.7 |
| 9 - 11 Years | 76 | * | 76 | * | 76 | * |
| 12 - 14 years | 116 | 25.9 | 116 | 5.2 | 116 | 11.2 |
| 15 - 19 Years | 131 | 38.9 | 131 | 0.0 | 131 | 14.5 |
| Total | 469 | 30.3 | 469 | 3.2 | 469 | 14.1 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 2 | * | 2 | * | 2 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 675 | 5.9 | 675 | 2.1 | 675 | 21.5 | 22.7 |
| 9 - 11 Years | 226 | 6.6 | 226 | 2.2 | 226 | 16.8 | 25.7 |
| 12 - 14 years | 291 | 8.2 | 291 | 1.0 | 291 | 23.0 | 24.7 |
| 15 - 19 Years | 212 | 10.4 | 212 | 1.4 | 212 | 18.4 | 24.5 |
| Total | 1,404 | 7.2 | 1,404 | 1.8 | 1,404 | 20.6 | 23.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 2,059 | 6.7 | 2,059 | 2.2 | 2,059 | 18.7 | 20.6 |
| 9 - 11 Years | 786 | 7.5 | 786 | 2.8 | 786 | 17.8 | 27.9 |
| 12 - 14 years | 841 | 10.9 | 841 | 1.9 | 841 | 19.5 | 25.2 |
| 15 - 19 Years | 758 | 15.7 | 758 | 0.9 | 758 | 18.5 | 21.9 |
| Total | 4,444 | 9.2 | 4,444 | 2.0 | 4,444 | 18.7 | 23.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 025

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 14 | * | 14 | * | 14 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 11 | * | 11 | * | 11 | * |
| 15 - 19 Years | 16 | * | 16 | * | 16 | * |
| Total | 50 | * | 50 | * | 50 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 5 | * | 5 | * | 5 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 13 | * | 13 | * | 13 | * |
| Total | 48 | * | 48 | * | 48 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 025

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 7 | * | 7 | * | 7 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 025

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * | * |
| Total | 17 | * | 17 | * | 17 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 025

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 36 | * | 36 | * | 36 | * | * |
| 9 - 11 Years | 18 | * | 18 | * | 18 | * | * |
| 12 - 14 years | 35 | * | 35 | * | 35 | * | * |
| 15 - 19 Years | 40 | * | 40 | * | 40 | * | * |
| Total | 129 | 2.3 | 129 | 3.1 | 129 | 17.8 | 20.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 17 | * | 17 | * | 17 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 42 | * | 42 | * | 42 | * |
| 9 - 11 Years | 20 | * | 20 | * | 20 | * |
| 12 - 14 years | 16 | * | 16 | * | 16 | * |
| 15 - 19 Years | 15 | * | 15 | * | 15 | * |
| Total | 93 | * | 93 | * | 93 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 3 | * | 3 | * | 3 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| All Other | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 51 | * | 51 | * | 51 | * |
| 9 - 11 Years | 22 | * | 22 | * | 22 | * |
| 12 - 14 years | 21 | * | 21 | * | 21 | * |
| 15 - 19 Years | 20 | * | 20 | * | 20 | * |
| Total | 114 | 7.0 | 114 | 1.8 | 114 | 12.3 17.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 40 | * | 40 | * | 40 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 16 | * | 16 | * | 16 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 927 | 5.9 | 927 | 1.6 | 927 | 18.7 20.8 |
| 9 - 11 Years | 432 | 6.7 | 432 | 0.7 | 432 | 24.1 26.4 |
| 12 - 14 years | 422 | 7.3 | 422 | 0.9 | 422 | 20.6 23.2 |
| 15 - 19 Years | 321 | 14.6 | 321 | 1.6 | 321 | 19.3 21.2 |
| Total | 2,102 | 7.7 | 2,102 | 1.3 | 2,102 | 20.3 22.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Asian | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 8 | * | 8 | * | 8 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 7 | * | 7 | * | 7 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 3 | * | 3 | * | 3 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 27 | * | 27 | * | 27 | * | * |
| 9 - 11 Years | 12 | * | 12 | * | 12 | * | * |
| 12 - 14 years | 14 | * | 14 | * | 14 | * | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * | * |
| Total | 62 | * | 62 | * | 62 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 987 | 5.7 | 987 | 1.6 | 987 | 18.1 21.2 |
| 9 - 11 Years | 453 | 6.4 | 453 | 0.7 | 453 | 24.1 26.5 |
| 12 - 14 years | 451 | 7.1 | 451 | 1.1 | 451 | 20.8 22.4 |
| 15 - 19 Years | 347 | 14.4 | 347 | 1.4 | 347 | 19.0 22.2 |
| Total | 2,238 | 7.5 | 2,238 | 1.3 | 2,238 | 20.0 22.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 43 | * | 43 | * | 43 | * |
| 9 - 11 Years | 26 | * | 26 | * | 26 | * |
| 12 - 14 years | 31 | * | 31 | * | 31 | * |
| 15 - 19 Years | 49 | * | 49 | * | 49 | * |
| Total | 149 | 4.7 | 149 | 1.3 | 149 | 14.8 24.2 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 10 | * | 10 | * | 10 | * |
| Total | 25 | * | 25 | * | 25 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 220 | 2.3 | 220 | 1.8 | 220 | 16.4 25.5 |
| 9 - 11 Years | 123 | 4.9 | 123 | 2.4 | 123 | 21.1 34.1 |
| 12 - 14 years | 134 | 5.2 | 134 | 0.0 | 134 | 21.6 32.8 |
| 15 - 19 Years | 164 | 12.8 | 164 | 1.2 | 164 | 26.2 19.5 |
| Total | 641 | 6.1 | 641 | 1.4 | 641 | 20.9 27.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 4 | * | 4 | * | 4 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 2 | * | 2 | * | 2 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * | * |
| Total | 19 | * | 19 | * | 19 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 97 | * | 97 | * | 97 | * | * |
| 9 - 11 Years | 42 | * | 42 | * | 42 | * | * |
| 12 - 14 years | 43 | * | 43 | * | 43 | * | * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * | * |
| Total | 217 | 6.5 | 217 | 1.8 | 217 | 19.4 | 22.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 371 | 3.8 | 371 | 1.6 | 371 | 17.3 | 23.2 |
| 9 - 11 Years | 199 | 6.5 | 199 | 3.0 | 199 | 19.6 | 30.2 |
| 12 - 14 years | 219 | 5.5 | 219 | 0.5 | 219 | 20.1 | 31.5 |
| 15 - 19 Years | 269 | 10.4 | 269 | 1.1 | 269 | 21.2 | 22.3 |
| Total | 1,058 | 6.3 | 1,058 | 1.5 | 1,058 | 19.3 | 26.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 49 | * | 49 | * | 49 | * |
| 9 - 11 Years | 23 | * | 23 | * | 23 | * |
| 12 - 14 years | 32 | * | 32 | * | 32 | * |
| 15 - 19 Years | 43 | * | 43 | * | 43 | * |
| Total | 147 | 6.8 | 147 | 2.7 | 147 | 22.4 17.7 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 8 | * | 8 | * | 8 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 31 | * | 31 | * | 31 | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 8 | * | 8 | * | 8 | * |
| Total | 56 | * | 56 | * | 56 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Asian | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * | * |
| 12 - 14 years | 13 | * | 13 | * | 13 | * | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * | * |
| Total | 46 | * | 46 | * | 46 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 100 | 9.0 | 100 | 1.0 | 100 | 12.0 | 21.0 |
| 9 - 11 Years | 42 | * | 42 | * | 42 | * | * |
| 12 - 14 years | 58 | * | 58 | * | 58 | * | * |
| 15 - 19 Years | 60 | * | 60 | * | 60 | * | * |
| Total | 260 | 7.7 | 260 | 1.9 | 260 | 22.3 | 20.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 030

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 210 | 1.4 | 210 | 4.8 | 210 | 21.0 | 12.9 |
| 9 - 11 Years | 83 | * | 83 | * | 83 | * | * |
| 12 - 14 years | 91 | * | 91 | * | 91 | * | * |
| 15 - 19 Years | 100 | 4.0 | 100 | 1.0 | 100 | 15.0 | 21.0 |
| Total | 484 | 3.9 | 484 | 3.9 | 484 | 16.9 | 18.4 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 54 | * | 54 | * | 54 | * | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * | * |
| 15 - 19 Years | 36 | * | 36 | * | 36 | * | * |
| Total | 123 | 3.3 | 123 | 4.9 | 123 | 13.0 | 19.5 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 5,309 | 3.9 | 5,309 | 2.8 | 5,309 | 16.6 | 20.9 |
| 9 - 11 Years | 2,826 | 3.1 | 2,826 | 1.9 | 2,826 | 20.4 | 26.6 |
| 12 - 14 years | 3,102 | 6.3 | 3,102 | 1.6 | 3,102 | 20.0 | 23.0 |
| 15 - 19 Years | 3,312 | 13.5 | 3,312 | 1.7 | 3,312 | 19.8 | 17.5 |
| Total | 14,549 | 6.4 | 14,549 | 2.1 | 14,549 | 18.8 | 21.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 030

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 19 | * | 19 | * | 19 | * |
| Asian | | | | | | |
| 5 - 8 Years | 170 | 5.3 | 170 | 6.5 | 170 | 8.2 16.5 |
| 9 - 11 Years | 93 | * | 93 | * | 93 | * |
| 12 - 14 years | 80 | * | 80 | * | 80 | * |
| 15 - 19 Years | 103 | 13.6 | 103 | 6.8 | 103 | 12.6 5.8 |
| Total | 446 | 7.4 | 446 | 6.3 | 446 | 11.9 12.8 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 12 | * | 12 | * | 12 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 27 | * | 27 | * | 27 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 030

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 40 | * | 40 | * | 40 | * * |
| 9 - 11 Years | 24 | * | 24 | * | 24 | * * |
| 12 - 14 years | 27 | * | 27 | * | 27 | * * |
| 15 - 19 Years | 20 | * | 20 | * | 20 | * * |
| Total | 111 | 9.9 | 111 | 5.4 | 111 | 14.4 14.4 |
| All Other | | | | | | |
| 5 - 8 Years | 257 | 2.7 | 257 | 2.7 | 257 | 13.2 17.1 |
| 9 - 11 Years | 109 | 4.6 | 109 | 1.8 | 109 | 18.3 20.2 |
| 12 - 14 years | 124 | 4.8 | 124 | 3.2 | 124 | 24.2 14.5 |
| 15 - 19 Years | 105 | 7.6 | 105 | 4.8 | 105 | 21.0 15.2 |
| Total | 595 | 4.4 | 595 | 3.0 | 595 | 17.8 16.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 9/17/2008

State: California

County: 030

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 6,058 | 3.8 | 6,058 | 3.0 | 6,058 | 16.3 | 20.3 |
| 9 - 11 Years | 3,152 | 3.5 | 3,152 | 2.2 | 3,152 | 20.0 | 25.7 |
| 12 - 14 years | 3,454 | 6.2 | 3,454 | 2.0 | 3,454 | 19.8 | 22.5 |
| 15 - 19 Years | 3,690 | 13.0 | 3,690 | 2.0 | 3,690 | 19.5 | 17.2 |
| Total | 16,354 | 6.3 | 16,354 | 2.4 | 16,354 | 18.5 | 21.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * |
| 9 - 11 Years | 11 | * | 11 | * | 11 | * |
| 12 - 14 years | 10 | * | 10 | * | 10 | * |
| 15 - 19 Years | 15 | * | 15 | * | 15 | * |
| Total | 53 | * | 53 | * | 53 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 73 | * | 73 | * | 73 | * |
| 9 - 11 Years | 45 | * | 45 | * | 45 | * |
| 12 - 14 years | 55 | * | 55 | * | 55 | * |
| 15 - 19 Years | 60 | * | 60 | * | 60 | * |
| Total | 233 | 4.3 | 233 | 1.3 | 233 | 18.5 19.7 |
| Hispanic | | | | | | |
| 5 - 8 Years | 207 | 3.9 | 207 | 4.3 | 207 | 15.0 20.8 |
| 9 - 11 Years | 106 | 2.8 | 106 | 3.8 | 106 | 14.2 27.4 |
| 12 - 14 years | 98 | * | 98 | * | 98 | * * |
| 15 - 19 Years | 85 | * | 85 | * | 85 | * * |
| Total | 496 | 5.2 | 496 | 2.8 | 496 | 15.7 23.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Asian | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 16 | * | 16 | * | 16 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 2 | * | 2 | * | 2 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 12 | * | 12 | * | 12 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 74 | * | 74 | * | 74 | * | * |
| 9 - 11 Years | 45 | * | 45 | * | 45 | * | * |
| 12 - 14 years | 45 | * | 45 | * | 45 | * | * |
| 15 - 19 Years | 26 | * | 26 | * | 26 | * | * |
| Total | 190 | 6.8 | 190 | 2.1 | 190 | 21.6 | 26.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 380 | 3.9 | 380 | 3.2 | 380 | 14.7 | 19.7 |
| 9 - 11 Years | 211 | 2.8 | 211 | 2.8 | 211 | 18.5 | 27.0 |
| 12 - 14 years | 217 | 4.6 | 217 | 0.9 | 217 | 19.8 | 23.0 |
| 15 - 19 Years | 196 | 11.2 | 196 | 1.5 | 196 | 19.9 | 24.5 |
| Total | 1,004 | 5.3 | 1,004 | 2.3 | 1,004 | 17.6 | 22.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance (1)
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 031

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 114 | 3.5 | 114 | 7.0 | 114 | 20.2 | 9.6 |
| 9 - 11 Years | 48 | * | 48 | * | 48 | * | * |
| 12 - 14 years | 49 | * | 49 | * | 49 | * | * |
| 15 - 19 Years | 58 | * | 58 | * | 58 | * | * |
| Total | 269 | 3.3 | 269 | 5.2 | 269 | 17.5 | 14.5 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 16 | * | 16 | * | 16 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 110 | 8.2 | 110 | 0.0 | 110 | 15.5 | 30.0 |
| 9 - 11 Years | 25 | * | 25 | * | 25 | * | * |
| 12 - 14 years | 36 | * | 36 | * | 36 | * | * |
| 15 - 19 Years | 29 | * | 29 | * | 29 | * | * |
| Total | 200 | 12.0 | 200 | 1.0 | 200 | 13.5 | 31.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 031

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Asian | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 9 | * | 9 | * | 9 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 031

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 215 | 8.8 | 215 | 2.8 | 215 | 15.8 | 15.8 |
| 9 - 11 Years | 92 | * | 92 | * | 92 | * | * |
| 12 - 14 years | 97 | * | 97 | * | 97 | * | * |
| 15 - 19 Years | 73 | * | 73 | * | 73 | * | * |
| Total | 477 | 8.8 | 477 | 3.1 | 477 | 19.1 | 18.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 031

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 445 | 7.2 | 445 | 3.6 | 445 | 16.9 | 17.8 |
| 9 - 11 Years | 174 | 8.6 | 174 | 0.6 | 174 | 16.1 | 21.3 |
| 12 - 14 years | 189 | 7.9 | 189 | 2.6 | 189 | 16.9 | 24.3 |
| 15 - 19 Years | 164 | 9.1 | 164 | 6.7 | 164 | 22.6 | 20.7 |
| Total | 972 | 7.9 | 972 | 3.4 | 972 | 17.7 | 20.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 26 | * | 26 | * | 26 | * |
| 9 - 11 Years | 17 | * | 17 | * | 17 | * |
| 12 - 14 years | 14 | * | 14 | * | 14 | * |
| 15 - 19 Years | 23 | * | 23 | * | 23 | * |
| Total | 80 | * | 80 | * | 80 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 6 | * | 6 | * | 6 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 28 | * | 28 | * | 28 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * | * |
| Total | 15 | * | 15 | * | 15 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 49 | * | 49 | * | 49 | * |
| 9 - 11 Years | 24 | * | 24 | * | 24 | * |
| 12 - 14 years | 27 | * | 27 | * | 27 | * |
| 15 - 19 Years | 34 | * | 34 | * | 34 | * |
| Total | 134 | 6.0 | 134 | 2.2 | 134 | 14.9 23.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 487 | 5.7 | 487 | 6.8 | 487 | 14.2 | 15.0 |
| 9 - 11 Years | 227 | 5.7 | 227 | 4.0 | 227 | 15.9 | 18.5 |
| 12 - 14 years | 241 | 7.1 | 241 | 2.5 | 241 | 13.3 | 23.2 |
| 15 - 19 Years | 245 | 10.6 | 245 | 2.9 | 245 | 17.6 | 18.8 |
| Total | 1,200 | 7.0 | 1,200 | 4.6 | 1,200 | 15.0 | 18.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 294 | 3.4 | 294 | 3.1 | 294 | 19.0 | 10.5 |
| 9 - 11 Years | 151 | 4.0 | 151 | 2.6 | 151 | 19.2 | 21.2 |
| 12 - 14 years | 205 | 3.9 | 205 | 2.0 | 205 | 18.0 | 15.1 |
| 15 - 19 Years | 207 | 6.8 | 207 | 1.0 | 207 | 23.2 | 17.4 |
| Total | 857 | 4.4 | 857 | 2.2 | 857 | 19.8 | 15.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 4,664 | 4.8 | 4,664 | 3.6 | 4,664 | 16.0 | 19.8 |
| 9 - 11 Years | 2,380 | 3.8 | 2,380 | 2.3 | 2,380 | 19.6 | 26.8 |
| 12 - 14 years | 2,410 | 5.6 | 2,410 | 1.5 | 2,410 | 20.7 | 27.9 |
| 15 - 19 Years | 2,058 | 9.2 | 2,058 | 2.2 | 2,058 | 19.7 | 23.5 |
| Total | 11,512 | 5.6 | 11,512 | 2.6 | 11,512 | 18.4 | 23.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 12 | * | 12 | * | 12 | * |
| Asian | | | | | | |
| 5 - 8 Years | 26 | * | 26 | * | 26 | * |
| 9 - 11 Years | 12 | * | 12 | * | 12 | * |
| 12 - 14 years | 14 | * | 14 | * | 14 | * |
| 15 - 19 Years | 30 | * | 30 | * | 30 | * |
| Total | 82 | * | 82 | * | 82 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 9 | * | 9 | * | 9 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 14 | * | 14 | * | 14 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 19 | * | 19 | * | 19 | * | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * | * |
| Total | 36 | * | 36 | * | 36 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 383 | 6.3 | 383 | 3.1 | 383 | 13.6 | 16.4 |
| 9 - 11 Years | 161 | 3.7 | 161 | 5.0 | 161 | 21.7 | 23.6 |
| 12 - 14 years | 215 | 10.2 | 215 | 2.8 | 215 | 20.9 | 20.0 |
| 15 - 19 Years | 183 | 3.8 | 183 | 1.6 | 183 | 18.6 | 21.9 |
| Total | 942 | 6.3 | 942 | 3.1 | 942 | 17.6 | 19.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 5,890 | 5.0 | 5,890 | 3.8 | 5,890 | 15.8 | 18.7 |
| 9 - 11 Years | 2,940 | 4.0 | 2,940 | 2.6 | 2,940 | 19.4 | 25.6 |
| 12 - 14 years | 3,095 | 5.9 | 3,095 | 1.7 | 3,095 | 20.0 | 26.0 |
| 15 - 19 Years | 2,730 | 8.9 | 2,730 | 2.2 | 2,730 | 19.5 | 22.4 |
| Total | 14,655 | 5.7 | 14,655 | 2.8 | 14,655 | 18.1 | 22.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 971 | 5.0 | 971 | 3.5 | 971 | 13.5 | 14.4 |
| 9 - 11 Years | 540 | 4.3 | 540 | 2.2 | 540 | 16.9 | 19.1 |
| 12 - 14 years | 536 | 5.4 | 536 | 1.5 | 536 | 16.2 | 17.9 |
| 15 - 19 Years | 715 | 6.2 | 715 | 2.8 | 715 | 17.2 | 20.0 |
| Total | 2,762 | 5.2 | 2,762 | 2.7 | 2,762 | 15.6 | 17.5 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 905 | 4.2 | 905 | 4.5 | 905 | 16.1 | 17.9 |
| 9 - 11 Years | 502 | 2.6 | 502 | 2.0 | 502 | 18.5 | 26.1 |
| 12 - 14 years | 658 | 5.0 | 658 | 0.6 | 658 | 18.8 | 27.5 |
| 15 - 19 Years | 652 | 8.3 | 652 | 1.5 | 652 | 19.5 | 23.5 |
| Total | 2,717 | 5.1 | 2,717 | 2.4 | 2,717 | 18.0 | 23.1 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 2,134 | 4.5 | 2,134 | 2.8 | 2,134 | 18.1 | 22.6 |
| 9 - 11 Years | 878 | 4.3 | 878 | 2.2 | 878 | 21.8 | 28.7 |
| 12 - 14 years | 851 | 6.2 | 851 | 1.4 | 851 | 21.6 | 27.3 |
| 15 - 19 Years | 692 | 12.3 | 692 | 0.9 | 692 | 21.8 | 28.2 |
| Total | 4,555 | 6.0 | 4,555 | 2.1 | 4,555 | 20.0 | 25.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 15 | * | 15 | * | 15 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * |
| Total | 30 | * | 30 | * | 30 | * |
| Asian | | | | | | |
| 5 - 8 Years | 919 | 16.6 | 919 | 4.5 | 919 | 12.8 |
| 9 - 11 Years | 646 | 12.5 | 646 | 3.6 | 646 | 14.7 |
| 12 - 14 years | 882 | 13.3 | 882 | 2.9 | 882 | 17.0 |
| 15 - 19 Years | 1,138 | 24.7 | 1,138 | 4.4 | 1,138 | 12.7 |
| Total | 3,585 | 17.6 | 3,585 | 3.9 | 3,585 | 14.2 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 29 | * | 29 | * | 29 | * |
| 9 - 11 Years | 11 | * | 11 | * | 11 | * |
| 12 - 14 years | 11 | * | 11 | * | 11 | * |
| 15 - 19 Years | 14 | * | 14 | * | 14 | * |
| Total | 65 | * | 65 | * | 65 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 034

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 18 | * | 18 | * | 18 | * | * |
| 9 - 11 Years | 16 | * | 16 | * | 16 | * | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * | * |
| 15 - 19 Years | 11 | * | 11 | * | 11 | * | * |
| Total | 54 | * | 54 | * | 54 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 3,394 | 5.5 | 3,394 | 3.2 | 3,394 | 16.6 | 18.2 |
| 9 - 11 Years | 1,681 | 5.4 | 1,681 | 2.6 | 1,681 | 18.3 | 23.8 |
| 12 - 14 years | 1,729 | 6.8 | 1,729 | 2.0 | 1,729 | 18.4 | 24.1 |
| 15 - 19 Years | 1,683 | 9.1 | 1,683 | 2.9 | 1,683 | 18.2 | 21.8 |
| Total | 8,487 | 6.5 | 8,487 | 2.8 | 8,487 | 17.6 | 21.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 8,385 | 6.3 | 8,385 | 3.4 | 8,385 | 16.2 | 18.6 |
| 9 - 11 Years | 4,279 | 5.7 | 4,279 | 2.5 | 4,279 | 18.3 | 24.2 |
| 12 - 14 years | 4,679 | 7.5 | 4,679 | 1.8 | 4,679 | 18.6 | 23.3 |
| 15 - 19 Years | 4,912 | 12.7 | 4,912 | 2.7 | 4,912 | 17.5 | 20.9 |
| Total | 22,255 | 7.9 | 22,255 | 2.7 | 22,255 | 17.4 | 21.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 17 | * | 17 | * | 17 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 101 | 6.9 | 101 | 3.0 | 101 | 22.8 21.8 |
| 9 - 11 Years | 50 | * | 50 | * | 50 | * |
| 12 - 14 years | 48 | * | 48 | * | 48 | * |
| 15 - 19 Years | 30 | * | 30 | * | 30 | * |
| Total | 229 | 10.0 | 229 | 1.7 | 229 | 21.0 26.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 18 | * | 18 | * | 18 | * | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * | * |
| Total | 38 | * | 38 | * | 38 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 125 | 8.0 | 125 | 2.4 | 125 | 23.2 | 22.4 |
| 9 - 11 Years | 59 | * | 59 | * | 59 | * | * |
| 12 - 14 years | 62 | * | 62 | * | 62 | * | * |
| 15 - 19 Years | 45 | * | 45 | * | 45 | * | * |
| Total | 291 | 10.0 | 291 | 1.4 | 291 | 20.6 | 26.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 516 | 6.4 | 516 | 4.8 | 516 | 10.5 | 12.6 |
| 9 - 11 Years | 221 | 5.9 | 221 | 5.0 | 221 | 15.4 | 16.3 |
| 12 - 14 years | 278 | 8.6 | 278 | 2.2 | 278 | 19.1 | 19.1 |
| 15 - 19 Years | 256 | 6.6 | 256 | 3.1 | 256 | 23.4 | 19.9 |
| Total | 1,271 | 6.8 | 1,271 | 3.9 | 1,271 | 15.8 | 16.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 500 | 5.0 | 500 | 3.8 | 500 | 14.4 | 11.8 |
| 9 - 11 Years | 250 | 4.4 | 250 | 2.0 | 250 | 9.6 | 19.6 |
| 12 - 14 years | 301 | 6.3 | 301 | 3.3 | 301 | 15.6 | 19.3 |
| 15 - 19 Years | 351 | 5.7 | 351 | 3.1 | 351 | 13.7 | 23.9 |
| Total | 1,402 | 5.3 | 1,402 | 3.2 | 1,402 | 13.6 | 17.8 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 6,174 | 5.3 | 6,174 | 3.2 | 6,174 | 17.3 | 19.9 |
| 9 - 11 Years | 3,049 | 4.3 | 3,049 | 2.7 | 3,049 | 18.2 | 26.6 |
| 12 - 14 years | 3,046 | 6.5 | 3,046 | 1.4 | 3,046 | 20.2 | 25.5 |
| 15 - 19 Years | 2,777 | 10.5 | 2,777 | 2.6 | 2,777 | 20.3 | 22.2 |
| Total | 15,046 | 6.3 | 15,046 | 2.6 | 15,046 | 18.6 | 22.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 9 | * | 9 | * | 9 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 14 | * | 14 | * | 14 | * |
| Asian | | | | | | |
| 5 - 8 Years | 79 | * | 79 | * | 79 | * |
| 9 - 11 Years | 42 | * | 42 | * | 42 | * |
| 12 - 14 years | 39 | * | 39 | * | 39 | * |
| 15 - 19 Years | 58 | * | 58 | * | 58 | * |
| Total | 218 | 10.1 | 218 | 6.0 | 218 | 11.9 16.1 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 22 | * | 22 | * | 22 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 13 | * | 13 | * | 13 | * | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * | * |
| Total | 32 | * | 32 | * | 32 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 904 | 5.5 | 904 | 5.0 | 904 | 15.3 | 19.0 |
| 9 - 11 Years | 373 | 5.1 | 373 | 2.1 | 373 | 15.3 | 23.6 |
| 12 - 14 years | 443 | 7.4 | 443 | 2.0 | 443 | 23.0 | 24.4 |
| 15 - 19 Years | 454 | 10.4 | 454 | 1.5 | 454 | 18.5 | 26.0 |
| Total | 2,174 | 6.9 | 2,174 | 3.2 | 2,174 | 17.5 | 22.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 8,206 | 5.5 | 8,206 | 3.6 | 8,206 | 16.4 | 18.9 |
| 9 - 11 Years | 3,947 | 4.5 | 3,947 | 2.8 | 3,947 | 17.2 | 25.2 |
| 12 - 14 years | 4,122 | 6.7 | 4,122 | 1.7 | 4,122 | 20.0 | 24.4 |
| 15 - 19 Years | 3,904 | 9.9 | 3,904 | 2.5 | 3,904 | 19.6 | 22.6 |
| Total | 20,179 | 6.4 | 20,179 | 2.8 | 20,179 | 17.9 | 22.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 1,428 | 5.7 | 1,428 | 2.0 | 1,428 | 18.9 | 20.7 |
| 9 - 11 Years | 666 | 6.6 | 666 | 1.5 | 666 | 17.6 | 27.2 |
| 12 - 14 years | 665 | 8.0 | 665 | 2.1 | 665 | 18.0 | 27.1 |
| 15 - 19 Years | 551 | 9.4 | 551 | 2.4 | 551 | 19.2 | 22.0 |
| Total | 3,310 | 7.0 | 3,310 | 2.0 | 3,310 | 18.5 | 23.5 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 546 | 3.3 | 546 | 3.3 | 546 | 17.2 | 12.8 |
| 9 - 11 Years | 255 | 3.5 | 255 | 0.8 | 255 | 18.4 | 18.4 |
| 12 - 14 years | 304 | 6.9 | 304 | 1.6 | 304 | 22.0 | 18.8 |
| 15 - 19 Years | 341 | 4.1 | 341 | 1.2 | 341 | 17.6 | 18.8 |
| Total | 1,446 | 4.3 | 1,446 | 2.0 | 1,446 | 18.5 | 16.5 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 6,907 | 4.3 | 6,907 | 2.0 | 6,907 | 18.0 | 21.7 |
| 9 - 11 Years | 3,181 | 4.7 | 3,181 | 1.6 | 3,181 | 20.5 | 27.9 |
| 12 - 14 years | 3,177 | 7.3 | 3,177 | 1.3 | 3,177 | 20.5 | 26.8 |
| 15 - 19 Years | 2,752 | 12.9 | 2,752 | 1.4 | 2,752 | 19.1 | 21.7 |
| Total | 16,017 | 6.5 | 16,017 | 1.7 | 16,017 | 19.2 | 23.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 27 | * | 27 | * | 27 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 20 | * | 20 | * | 20 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 66 | * | 66 | * | 66 | * |
| Asian | | | | | | |
| 5 - 8 Years | 207 | 4.8 | 207 | 6.3 | 207 | 12.1 |
| 9 - 11 Years | 120 | 8.3 | 120 | 12.5 | 120 | 20.0 |
| 12 - 14 years | 114 | 11.4 | 114 | 4.4 | 114 | 19.3 |
| 15 - 19 Years | 112 | 21.4 | 112 | 3.6 | 112 | 15.2 |
| Total | 553 | 10.3 | 553 | 6.7 | 553 | 15.9 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 18 | * | 18 | * | 18 | * |
| 9 - 11 Years | 7 | * | 7 | * | 7 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 36 | * | 36 | * | 36 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 160 | 10.0 | 160 | 3.8 | 160 | 12.5 | 24.4 |
| 9 - 11 Years | 88 | * | 88 | * | 88 | * | * |
| 12 - 14 years | 76 | * | 76 | * | 76 | * | * |
| 15 - 19 Years | 70 | * | 70 | * | 70 | * | * |
| Total | 394 | 13.5 | 394 | 3.8 | 394 | 14.2 | 17.3 |
| All Other | | | | | | | |
| 5 - 8 Years | 2,332 | 6.6 | 2,332 | 2.6 | 2,332 | 18.0 | 20.2 |
| 9 - 11 Years | 1,044 | 4.9 | 1,044 | 3.2 | 1,044 | 19.3 | 25.4 |
| 12 - 14 years | 1,070 | 6.8 | 1,070 | 2.3 | 1,070 | 19.9 | 23.0 |
| 15 - 19 Years | 953 | 10.1 | 953 | 2.7 | 953 | 20.9 | 21.6 |
| Total | 5,399 | 6.9 | 5,399 | 2.7 | 5,399 | 19.1 | 22.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 11,625 | 5.0 | 11,625 | 2.3 | 11,625 | 17.9 | 20.8 |
| 9 - 11 Years | 5,371 | 5.1 | 5,371 | 2.2 | 5,371 | 19.8 | 26.4 |
| 12 - 14 years | 5,432 | 7.4 | 5,432 | 1.7 | 5,432 | 20.0 | 25.0 |
| 15 - 19 Years | 4,793 | 11.7 | 4,793 | 1.8 | 4,793 | 19.2 | 21.1 |
| Total | 27,221 | 6.7 | 27,221 | 2.1 | 27,221 | 18.9 | 22.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 49 | * | 49 | * | 49 | * |
| 9 - 11 Years | 25 | * | 25 | * | 25 | * |
| 12 - 14 years | 28 | * | 28 | * | 28 | * |
| 15 - 19 Years | 32 | * | 32 | * | 32 | * |
| Total | 134 | 7.5 | 134 | 1.5 | 134 | 22.4 18.7 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 251 | 1.6 | 251 | 3.6 | 251 | 18.3 21.9 |
| 9 - 11 Years | 151 | 4.0 | 151 | 2.6 | 151 | 17.2 29.1 |
| 12 - 14 years | 152 | 2.6 | 152 | 0.7 | 152 | 17.8 27.6 |
| 15 - 19 Years | 136 | 7.4 | 136 | 0.7 | 136 | 25.0 18.4 |
| Total | 690 | 3.5 | 690 | 2.2 | 690 | 19.3 24.1 |
| Hispanic | | | | | | |
| 5 - 8 Years | 885 | 6.1 | 885 | 0.6 | 885 | 19.5 28.7 |
| 9 - 11 Years | 454 | 4.6 | 454 | 1.3 | 454 | 21.1 33.0 |
| 12 - 14 years | 379 | 6.6 | 379 | 1.8 | 379 | 22.2 30.3 |
| 15 - 19 Years | 317 | 20.2 | 317 | 1.6 | 317 | 20.8 24.9 |
| Total | 2,035 | 8.1 | 2,035 | 1.1 | 2,035 | 20.6 29.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 3 | * | 3 | * | 3 | * |
| Asian | | | | | | |
| 5 - 8 Years | 872 | 7.5 | 872 | 4.0 | 872 | 12.7 |
| 9 - 11 Years | 689 | 5.5 | 689 | 4.4 | 689 | 16.5 |
| 12 - 14 years | 733 | 6.7 | 733 | 3.7 | 733 | 12.8 |
| 15 - 19 Years | 941 | 13.1 | 941 | 4.6 | 941 | 10.1 |
| Total | 3,235 | 8.5 | 3,235 | 4.2 | 3,235 | 12.8 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 29 | * | 29 | * | 29 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 13 | * | 13 | * | 13 | * | * |
| 9 - 11 Years | 18 | * | 18 | * | 18 | * | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * | * |
| 15 - 19 Years | 7 | * | 7 | * | 7 | * | * |
| Total | 46 | * | 46 | * | 46 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 246 | 6.9 | 246 | 2.8 | 246 | 15.0 | 23.6 |
| 9 - 11 Years | 147 | 3.4 | 147 | 1.4 | 147 | 16.3 | 32.0 |
| 12 - 14 years | 173 | 5.2 | 173 | 1.7 | 173 | 29.5 | 19.7 |
| 15 - 19 Years | 167 | 9.6 | 167 | 1.2 | 167 | 25.1 | 18.0 |
| Total | 733 | 6.4 | 733 | 1.9 | 733 | 21.0 | 23.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 2,325 | 6.2 | 2,325 | 2.4 | 2,325 | 16.7 | 20.7 |
| 9 - 11 Years | 1,490 | 4.9 | 1,490 | 2.9 | 1,490 | 18.1 | 22.9 |
| 12 - 14 years | 1,480 | 6.1 | 1,480 | 2.8 | 1,480 | 17.6 | 17.5 |
| 15 - 19 Years | 1,610 | 13.5 | 1,610 | 3.2 | 1,610 | 15.0 | 12.9 |
| Total | 6,905 | 7.6 | 6,905 | 2.8 | 6,905 | 16.8 | 18.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 537 | 7.1 | 537 | 2.6 | 537 | 17.1 | 15.3 |
| 9 - 11 Years | 277 | 2.9 | 277 | 2.5 | 277 | 18.1 | 23.8 |
| 12 - 14 years | 350 | 4.9 | 350 | 1.4 | 350 | 21.7 | 29.1 |
| 15 - 19 Years | 277 | 5.4 | 277 | 1.4 | 277 | 17.7 | 26.0 |
| Total | 1,441 | 5.4 | 1,441 | 2.1 | 1,441 | 18.5 | 22.3 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 615 | 2.6 | 615 | 5.4 | 615 | 14.0 | 15.8 |
| 9 - 11 Years | 334 | 1.2 | 334 | 2.1 | 334 | 19.2 | 23.4 |
| 12 - 14 years | 337 | 4.2 | 337 | 0.9 | 337 | 19.0 | 26.1 |
| 15 - 19 Years | 335 | 3.9 | 335 | 1.2 | 335 | 17.9 | 24.8 |
| Total | 1,621 | 2.9 | 1,621 | 2.9 | 1,621 | 16.9 | 21.3 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 2,922 | 3.3 | 2,922 | 3.3 | 2,922 | 15.9 | 21.6 |
| 9 - 11 Years | 1,294 | 3.6 | 1,294 | 1.6 | 1,294 | 20.2 | 30.6 |
| 12 - 14 years | 1,324 | 5.6 | 1,324 | 1.3 | 1,324 | 21.2 | 28.7 |
| 15 - 19 Years | 1,063 | 11.0 | 1,063 | 1.7 | 1,063 | 19.5 | 27.2 |
| Total | 6,603 | 5.1 | 6,603 | 2.3 | 6,603 | 18.4 | 25.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 23 | * | 23 | * | 23 | * |
| Asian | | | | | | |
| 5 - 8 Years | 397 | 13.9 | 397 | 4.8 | 397 | 15.1 13.1 |
| 9 - 11 Years | 229 | 14.0 | 229 | 6.6 | 229 | 15.3 18.8 |
| 12 - 14 years | 516 | 11.0 | 516 | 3.9 | 516 | 12.4 19.8 |
| 15 - 19 Years | 845 | 18.9 | 845 | 4.3 | 845 | 11.8 15.3 |
| Total | 1,987 | 15.3 | 1,987 | 4.5 | 1,987 | 13.0 16.4 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 27 | * | 27 | * | 27 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 79 | * | 79 | * | 79 | * * |
| 9 - 11 Years | 47 | * | 47 | * | 47 | * * |
| 12 - 14 years | 33 | * | 33 | * | 33 | * * |
| 15 - 19 Years | 40 | * | 40 | * | 40 | * * |
| Total | 199 | 10.6 | 199 | 7.5 | 199 | 15.1 16.1 |
| All Other | | | | | | |
| 5 - 8 Years | 1,545 | 5.6 | 1,545 | 4.2 | 1,545 | 15.2 19.3 |
| 9 - 11 Years | 778 | 4.8 | 778 | 2.7 | 778 | 17.2 23.8 |
| 12 - 14 years | 861 | 5.2 | 861 | 2.9 | 861 | 19.2 22.9 |
| 15 - 19 Years | 845 | 11.4 | 845 | 3.8 | 845 | 17.5 23.1 |
| Total | 4,029 | 6.6 | 4,029 | 3.5 | 4,029 | 16.9 21.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 6,114 | 4.9 | 6,114 | 3.9 | 6,114 | 15.6 | 19.1 |
| 9 - 11 Years | 2,974 | 4.4 | 2,974 | 2.5 | 2,974 | 18.6 | 26.4 |
| 12 - 14 years | 3,428 | 6.1 | 3,428 | 2.2 | 3,428 | 19.3 | 25.6 |
| 15 - 19 Years | 3,414 | 12.1 | 3,414 | 2.8 | 3,414 | 16.8 | 22.7 |
| Total | 15,930 | 6.6 | 15,930 | 3.0 | 15,930 | 17.2 | 22.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 231 | 3.5 | 231 | 3.0 | 231 | 16.9 | 13.4 |
| 9 - 11 Years | 98 | * | 98 | * | 98 | * | * |
| 12 - 14 years | 82 | * | 82 | * | 82 | * | * |
| 15 - 19 Years | 65 | * | 65 | * | 65 | * | * |
| Total | 476 | 3.2 | 476 | 3.2 | 476 | 17.0 | 18.3 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * | * |
| Total | 40 | * | 40 | * | 40 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 396 | 6.1 | 396 | 1.0 | 396 | 19.7 | 18.9 |
| 9 - 11 Years | 159 | 2.5 | 159 | 1.9 | 159 | 17.0 | 28.9 |
| 12 - 14 years | 158 | 9.5 | 158 | 2.5 | 158 | 27.8 | 28.5 |
| 15 - 19 Years | 127 | 15.0 | 127 | 2.4 | 127 | 18.1 | 23.6 |
| Total | 840 | 7.4 | 840 | 1.7 | 840 | 20.5 | 23.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 9 | * | 9 | * | 9 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 11 | * | 11 | * | 11 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 87 | * | 87 | * | 87 | * | * |
| 9 - 11 Years | 37 | * | 37 | * | 37 | * | * |
| 12 - 14 years | 21 | * | 21 | * | 21 | * | * |
| 15 - 19 Years | 34 | * | 34 | * | 34 | * | * |
| Total | 179 | 6.7 | 179 | 1.7 | 179 | 12.8 | 22.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 735 | 5.2 | 735 | 2.0 | 735 | 18.5 | 16.7 |
| 9 - 11 Years | 306 | 2.9 | 306 | 2.6 | 306 | 15.4 | 26.8 |
| 12 - 14 years | 276 | 7.2 | 276 | 2.5 | 276 | 23.9 | 27.5 |
| 15 - 19 Years | 241 | 11.6 | 241 | 2.1 | 241 | 18.7 | 23.2 |
| Total | 1,558 | 6.1 | 1,558 | 2.2 | 1,558 | 18.9 | 21.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 29 | * | 29 | * | 29 | * |
| 9 - 11 Years | 27 | * | 27 | * | 27 | * |
| 12 - 14 years | 25 | * | 25 | * | 25 | * |
| 15 - 19 Years | 26 | * | 26 | * | 26 | * |
| Total | 107 | 9.3 | 107 | 0.9 | 107 | 23.4 25.2 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 39 | * | 39 | * | 39 | * |
| 9 - 11 Years | 23 | * | 23 | * | 23 | * |
| 12 - 14 years | 44 | * | 44 | * | 44 | * |
| 15 - 19 Years | 33 | * | 33 | * | 33 | * |
| Total | 139 | 5.0 | 139 | 1.4 | 139 | 25.2 28.1 |
| Hispanic | | | | | | |
| 5 - 8 Years | 853 | 5.3 | 853 | 0.9 | 853 | 20.5 26.4 |
| 9 - 11 Years | 369 | 6.5 | 369 | 0.8 | 369 | 21.1 28.2 |
| 12 - 14 years | 337 | 9.5 | 337 | 0.9 | 337 | 23.4 27.0 |
| 15 - 19 Years | 302 | 15.2 | 302 | 0.7 | 302 | 18.5 28.8 |
| Total | 1,861 | 7.9 | 1,861 | 0.9 | 1,861 | 20.8 27.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 4 | * | 4 | * | 4 | * |
| Asian | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * |
| 12 - 14 years | 11 | * | 11 | * | 11 | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * |
| Total | 55 | * | 55 | * | 55 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 28 | * | 28 | * | 28 | * |
| 9 - 11 Years | 13 | * | 13 | * | 13 | * |
| 12 - 14 years | 19 | * | 19 | * | 19 | * |
| 15 - 19 Years | 14 | * | 14 | * | 14 | * |
| Total | 74 | * | 74 | * | 74 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 15 | * | 15 | * | 15 | * | * |
| 9 - 11 Years | 12 | * | 12 | * | 12 | * | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * | * |
| Total | 47 | * | 47 | * | 47 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 494 | 6.1 | 494 | 3.0 | 494 | 19.2 | 21.5 |
| 9 - 11 Years | 241 | 5.4 | 241 | 2.9 | 241 | 17.0 | 27.4 |
| 12 - 14 years | 243 | 7.4 | 243 | 0.4 | 243 | 24.7 | 20.2 |
| 15 - 19 Years | 250 | 14.0 | 250 | 3.2 | 250 | 20.0 | 19.2 |
| Total | 1,228 | 7.8 | 1,228 | 2.5 | 1,228 | 20.0 | 21.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,477 | 5.4 | 1,477 | 1.7 | 1,477 | 20.9 | 24.8 |
| 9 - 11 Years | 694 | 5.9 | 694 | 1.4 | 694 | 18.4 | 29.0 |
| 12 - 14 years | 688 | 9.4 | 688 | 0.9 | 688 | 24.6 | 26.0 |
| 15 - 19 Years | 656 | 14.0 | 656 | 2.0 | 656 | 19.4 | 24.1 |
| Total | 3,515 | 7.9 | 3,515 | 1.5 | 3,515 | 20.8 | 25.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 136 | 2.2 | 136 | 4.4 | 136 | 19.1 | 9.6 |
| 9 - 11 Years | 83 | * | 83 | * | 83 | * | * |
| 12 - 14 years | 66 | * | 66 | * | 66 | * | * |
| 15 - 19 Years | 83 | * | 83 | * | 83 | * | * |
| Total | 368 | 5.4 | 368 | 2.2 | 368 | 18.5 | 17.4 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 19 | * | 19 | * | 19 | * | * |
| 9 - 11 Years | 20 | * | 20 | * | 20 | * | * |
| 12 - 14 years | 19 | * | 19 | * | 19 | * | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * | * |
| Total | 70 | * | 70 | * | 70 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 1,669 | 8.0 | 1,669 | 1.6 | 1,669 | 19.6 | 24.4 |
| 9 - 11 Years | 895 | 6.1 | 895 | 1.8 | 895 | 21.5 | 29.1 |
| 12 - 14 years | 792 | 10.1 | 792 | 1.3 | 792 | 22.9 | 26.5 |
| 15 - 19 Years | 583 | 13.6 | 583 | 1.0 | 583 | 19.7 | 22.3 |
| Total | 3,939 | 8.8 | 3,939 | 1.5 | 3,939 | 20.7 | 25.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 16 | * | 16 | * | 16 | * |
| Asian | | | | | | |
| 5 - 8 Years | 13 | * | 13 | * | 13 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 29 | * | 29 | * | 29 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 3 | * | 3 | * | 3 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 12 | * | 12 | * | 12 | * |
| All Other | | | | | | |
| 5 - 8 Years | 392 | 5.6 | 392 | 2.3 | 392 | 19.4 |
| 9 - 11 Years | 189 | 2.1 | 189 | 1.6 | 189 | 16.9 |
| 12 - 14 years | 131 | 7.6 | 131 | 2.3 | 131 | 22.1 |
| 15 - 19 Years | 111 | 6.3 | 111 | 3.6 | 111 | 16.2 |
| Total | 823 | 5.2 | 823 | 2.3 | 823 | 18.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 2,240 | 7.2 | 2,240 | 1.9 | 2,240 | 19.4 | 23.0 |
| 9 - 11 Years | 1,193 | 5.6 | 1,193 | 1.8 | 1,193 | 20.6 | 28.9 |
| 12 - 14 years | 1,026 | 9.6 | 1,026 | 1.5 | 1,026 | 23.2 | 26.3 |
| 15 - 19 Years | 801 | 11.7 | 801 | 1.5 | 801 | 18.1 | 22.5 |
| Total | 5,260 | 8.0 | 5,260 | 1.7 | 5,260 | 20.2 | 24.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 189 | 4.2 | 189 | 3.2 | 189 | 19.0 | 15.3 |
| 9 - 11 Years | 114 | 5.3 | 114 | 1.8 | 114 | 23.7 | 21.1 |
| 12 - 14 years | 118 | 5.1 | 118 | 0.8 | 118 | 22.9 | 28.0 |
| 15 - 19 Years | 83 | * | 83 | * | 83 | * | * |
| Total | 504 | 4.8 | 504 | 2.2 | 504 | 20.8 | 20.8 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 113 | 6.2 | 113 | 3.5 | 113 | 16.8 | 18.6 |
| 9 - 11 Years | 56 | * | 56 | * | 56 | * | * |
| 12 - 14 years | 48 | * | 48 | * | 48 | * | * |
| 15 - 19 Years | 66 | * | 66 | * | 66 | * | * |
| Total | 283 | 3.9 | 283 | 1.8 | 283 | 17.3 | 21.9 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 3,764 | 4.4 | 3,764 | 2.0 | 3,764 | 18.3 | 25.4 |
| 9 - 11 Years | 1,522 | 5.8 | 1,522 | 1.5 | 1,522 | 19.3 | 33.4 |
| 12 - 14 years | 1,330 | 5.5 | 1,330 | 1.4 | 1,330 | 21.4 | 31.6 |
| 15 - 19 Years | 1,045 | 13.1 | 1,045 | 1.0 | 1,045 | 20.0 | 27.4 |
| Total | 7,661 | 6.1 | 7,661 | 1.6 | 7,661 | 19.3 | 28.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 16 | * | 16 | * | 16 | * |
| 9 - 11 Years | 7 | * | 7 | * | 7 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 38 | * | 38 | * | 38 | * |
| Asian | | | | | | |
| 5 - 8 Years | 891 | 5.9 | 891 | 7.6 | 891 | 13.4 |
| 9 - 11 Years | 620 | 6.9 | 620 | 4.8 | 620 | 16.3 |
| 12 - 14 years | 787 | 8.4 | 787 | 4.8 | 787 | 13.3 |
| 15 - 19 Years | 1,165 | 14.8 | 1,165 | 6.5 | 1,165 | 12.0 |
| Total | 3,463 | 9.6 | 3,463 | 6.1 | 3,463 | 13.4 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 19 | * | 19 | * | 19 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 77 | * | 77 | * | 77 | * | * |
| 9 - 11 Years | 49 | * | 49 | * | 49 | * | * |
| 12 - 14 years | 51 | * | 51 | * | 51 | * | * |
| 15 - 19 Years | 42 | * | 42 | * | 42 | * | * |
| Total | 219 | 11.9 | 219 | 4.6 | 219 | 11.9 | 24.7 |
| All Other | | | | | | | |
| 5 - 8 Years | 1,259 | 5.7 | 1,259 | 2.6 | 1,259 | 19.5 | 20.0 |
| 9 - 11 Years | 584 | 5.1 | 584 | 3.1 | 584 | 17.8 | 27.4 |
| 12 - 14 years | 591 | 7.6 | 591 | 2.9 | 591 | 17.8 | 24.5 |
| 15 - 19 Years | 514 | 8.9 | 514 | 2.7 | 514 | 17.3 | 21.4 |
| Total | 2,948 | 6.5 | 2,948 | 2.8 | 2,948 | 18.5 | 22.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 6,320 | 5.0 | 6,320 | 3.0 | 6,320 | 17.8 | 22.2 |
| 9 - 11 Years | 2,956 | 5.8 | 2,956 | 2.5 | 2,956 | 18.4 | 27.5 |
| 12 - 14 years | 2,938 | 6.7 | 2,938 | 2.7 | 2,938 | 18.3 | 23.9 |
| 15 - 19 Years | 2,921 | 12.7 | 2,921 | 3.6 | 2,921 | 16.1 | 18.3 |
| Total | 15,135 | 7.0 | 15,135 | 3.0 | 15,135 | 17.7 | 22.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 11 | * | 11 | * | 11 | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 8 | * | 8 | * | 8 | * |
| Total | 35 | * | 35 | * | 35 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 204 | 6.9 | 204 | 1.5 | 204 | 19.1 21.6 |
| 9 - 11 Years | 128 | 7.8 | 128 | 3.1 | 128 | 16.4 21.9 |
| 12 - 14 years | 135 | 10.4 | 135 | 2.2 | 135 | 19.3 28.9 |
| 15 - 19 Years | 139 | 13.7 | 139 | 3.6 | 139 | 22.3 16.5 |
| Total | 606 | 9.4 | 606 | 2.5 | 606 | 19.3 22.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 46 | * | 46 | * | 46 | * | * |
| 9 - 11 Years | 24 | * | 24 | * | 24 | * | * |
| 12 - 14 years | 24 | * | 24 | * | 24 | * | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * | * |
| Total | 113 | 5.3 | 113 | 1.8 | 113 | 22.1 | 29.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 264 | 6.4 | 264 | 1.1 | 264 | 19.7 | 23.1 |
| 9 - 11 Years | 161 | 6.8 | 161 | 2.5 | 161 | 17.4 | 23.6 |
| 12 - 14 years | 167 | 9.6 | 167 | 1.8 | 167 | 18.0 | 29.3 |
| 15 - 19 Years | 168 | 12.5 | 168 | 4.2 | 168 | 23.2 | 16.1 |
| Total | 760 | 8.6 | 760 | 2.2 | 760 | 19.6 | 23.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 420 | 5.7 | 420 | 2.1 | 420 | 17.1 | 12.4 |
| 9 - 11 Years | 153 | 6.5 | 153 | 3.9 | 153 | 15.0 | 18.3 |
| 12 - 14 years | 212 | 8.0 | 212 | 1.4 | 212 | 19.8 | 25.5 |
| 15 - 19 Years | 203 | 8.4 | 203 | 2.0 | 203 | 17.2 | 21.7 |
| Total | 988 | 6.9 | 988 | 2.2 | 988 | 17.4 | 18.0 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * | * |
| 9 - 11 Years | 11 | * | 11 | * | 11 | * | * |
| 12 - 14 years | 14 | * | 14 | * | 14 | * | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * | * |
| Total | 52 | * | 52 | * | 52 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 79 | * | 79 | * | 79 | * | * |
| 9 - 11 Years | 22 | * | 22 | * | 22 | * | * |
| 12 - 14 years | 32 | * | 32 | * | 32 | * | * |
| 15 - 19 Years | 28 | * | 28 | * | 28 | * | * |
| Total | 161 | 14.9 | 161 | 0.0 | 161 | 19.3 | 20.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 28 | * | 28 | * | 28 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 58 | * | 58 | * | 58 | * |
| Asian | | | | | | |
| 5 - 8 Years | 20 | * | 20 | * | 20 | * |
| 9 - 11 Years | 9 | * | 9 | * | 9 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * |
| Total | 50 | * | 50 | * | 50 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 3 | * | 3 | * | 3 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 4 | * | 4 | * | 4 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 113 | 6.2 | 113 | 0.9 | 113 | 24.8 | 15.0 |
| 9 - 11 Years | 51 | * | 51 | * | 51 | * | * |
| 12 - 14 years | 54 | * | 54 | * | 54 | * | * |
| 15 - 19 Years | 57 | * | 57 | * | 57 | * | * |
| Total | 275 | 6.2 | 275 | 1.1 | 275 | 21.5 | 21.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 671 | 7.0 | 671 | 1.9 | 671 | 18.2 | 13.9 |
| 9 - 11 Years | 258 | 7.8 | 258 | 2.7 | 258 | 14.0 | 22.1 |
| 12 - 14 years | 337 | 7.4 | 337 | 0.9 | 337 | 21.1 | 27.6 |
| 15 - 19 Years | 325 | 10.5 | 325 | 1.8 | 325 | 18.5 | 21.5 |
| Total | 1,591 | 7.9 | 1,591 | 1.8 | 1,591 | 18.2 | 19.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * | * |
| Total | 21 | * | 21 | * | 21 | * | * |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 7 | * | 7 | * | 7 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|--|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * |
| Total | 31 | * | 31 | * | 31 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 108 | 2.8 | 108 | 4.6 | 108 | 17.6 | 15.7 |
| 9 - 11 Years | 48 | * | 48 | * | 48 | * | * |
| 12 - 14 years | 50 | * | 50 | * | 50 | * | * |
| 15 - 19 Years | 44 | * | 44 | * | 44 | * | * |
| Total | 250 | 5.2 | 250 | 2.8 | 250 | 20.0 | 19.6 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 16 | * | 16 | * | 16 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 30 | * | 30 | * | 30 | * | * |
| 9 - 11 Years | 11 | * | 11 | * | 11 | * | * |
| 12 - 14 years | 13 | * | 13 | * | 13 | * | * |
| 15 - 19 Years | 17 | * | 17 | * | 17 | * | * |
| Total | 71 | * | 71 | * | 71 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 9 | * | 9 | * | 9 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 15 | * | 15 | * | 15 | * |
| Asian | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 2 | * | 2 | * | 2 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 71 | * | 71 | * | 71 | * | * |
| 9 - 11 Years | 36 | * | 36 | * | 36 | * | * |
| 12 - 14 years | 47 | * | 47 | * | 47 | * | * |
| 15 - 19 Years | 36 | * | 36 | * | 36 | * | * |
| Total | 190 | 4.7 | 190 | 1.1 | 190 | 15.8 | 22.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 226 | 3.1 | 226 | 3.1 | 226 | 16.4 | 19.0 |
| 9 - 11 Years | 99 | * | 99 | * | 99 | * | * |
| 12 - 14 years | 114 | 3.5 | 114 | 0.9 | 114 | 16.7 | 29.8 |
| 15 - 19 Years | 107 | 11.2 | 107 | 1.9 | 107 | 22.4 | 24.3 |
| Total | 546 | 5.3 | 546 | 2.0 | 546 | 17.4 | 23.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 183 | 7.7 | 183 | 2.7 | 183 | 18.6 | 20.2 |
| 9 - 11 Years | 94 | * | 94 | * | 94 | * | * |
| 12 - 14 years | 92 | * | 92 | * | 92 | * | * |
| 15 - 19 Years | 79 | * | 79 | * | 79 | * | * |
| Total | 448 | 6.5 | 448 | 2.5 | 448 | 18.8 | 19.2 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 268 | 3.4 | 268 | 2.6 | 268 | 16.8 | 17.5 |
| 9 - 11 Years | 134 | 2.2 | 134 | 1.5 | 134 | 17.2 | 27.6 |
| 12 - 14 years | 140 | 5.0 | 140 | 2.1 | 140 | 22.1 | 22.9 |
| 15 - 19 Years | 148 | 6.8 | 148 | 2.7 | 148 | 15.5 | 20.9 |
| Total | 690 | 4.2 | 690 | 2.3 | 690 | 17.7 | 21.3 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 450 | 6.0 | 450 | 1.1 | 450 | 20.2 | 30.7 |
| 9 - 11 Years | 184 | 5.4 | 184 | 2.2 | 184 | 25.0 | 34.2 |
| 12 - 14 years | 145 | 11.7 | 145 | 1.4 | 145 | 19.3 | 26.9 |
| 15 - 19 Years | 125 | 16.8 | 125 | 0.8 | 125 | 14.4 | 30.4 |
| Total | 904 | 8.3 | 904 | 1.3 | 904 | 20.2 | 30.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 6 | * | 6 | * | 6 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 15 | * | 15 | * | 15 | * |
| Asian | | | | | | |
| 5 - 8 Years | 30 | * | 30 | * | 30 | * |
| 9 - 11 Years | 13 | * | 13 | * | 13 | * |
| 12 - 14 years | 20 | * | 20 | * | 20 | * |
| 15 - 19 Years | 14 | * | 14 | * | 14 | * |
| Total | 77 | * | 77 | * | 77 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 12 | * | 12 | * | 12 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 24 | * | 24 | * | 24 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 35 | * | 35 | * | 35 | * | * |
| 9 - 11 Years | 8 | * | 8 | * | 8 | * | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * | * |
| 15 - 19 Years | 9 | * | 9 | * | 9 | * | * |
| Total | 67 | * | 67 | * | 67 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 403 | 5.0 | 403 | 2.5 | 403 | 17.6 | 20.8 |
| 9 - 11 Years | 227 | 1.8 | 227 | 3.1 | 227 | 22.0 | 28.6 |
| 12 - 14 years | 181 | 9.9 | 181 | 1.7 | 181 | 21.0 | 35.9 |
| 15 - 19 Years | 180 | 10.0 | 180 | 2.8 | 180 | 22.2 | 25.6 |
| Total | 991 | 6.1 | 991 | 2.5 | 991 | 20.1 | 26.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,387 | 5.8 | 1,387 | 2.1 | 1,387 | 18.1 | 23.6 |
| 9 - 11 Years | 671 | 3.6 | 671 | 2.4 | 671 | 21.6 | 28.5 |
| 12 - 14 years | 598 | 9.7 | 598 | 2.2 | 598 | 19.7 | 28.6 |
| 15 - 19 Years | 560 | 9.8 | 560 | 2.1 | 560 | 18.8 | 23.0 |
| Total | 3,216 | 6.7 | 3,216 | 2.2 | 3,216 | 19.2 | 25.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 173 | 6.9 | 173 | 1.7 | 173 | 17.9 | 18.5 |
| 9 - 11 Years | 64 | * | 64 | * | 64 | * | * |
| 12 - 14 years | 121 | 9.9 | 121 | 0.8 | 121 | 14.0 | 21.5 |
| 15 - 19 Years | 103 | 5.8 | 103 | 1.9 | 103 | 16.5 | 29.1 |
| Total | 461 | 7.4 | 461 | 1.3 | 461 | 16.5 | 22.6 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 29 | * | 29 | * | 29 | * | * |
| 9 - 11 Years | 17 | * | 17 | * | 17 | * | * |
| 12 - 14 years | 22 | * | 22 | * | 22 | * | * |
| 15 - 19 Years | 18 | * | 18 | * | 18 | * | * |
| Total | 86 | * | 86 | * | 86 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 715 | 4.8 | 715 | 2.5 | 715 | 18.5 | 20.6 |
| 9 - 11 Years | 253 | 6.7 | 253 | 1.2 | 253 | 23.3 | 24.5 |
| 12 - 14 years | 276 | 6.5 | 276 | 1.4 | 276 | 23.2 | 26.8 |
| 15 - 19 Years | 257 | 12.5 | 257 | 1.6 | 257 | 25.7 | 19.5 |
| Total | 1,501 | 6.7 | 1,501 | 1.9 | 1,501 | 21.4 | 22.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 31 | * | 31 | * | 31 | * |
| 9 - 11 Years | 14 | * | 14 | * | 14 | * |
| 12 - 14 years | 18 | * | 18 | * | 18 | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * |
| Total | 66 | * | 66 | * | 66 | * |
| Asian | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * |
| 9 - 11 Years | 13 | * | 13 | * | 13 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 16 | * | 16 | * | 16 | * |
| Total | 52 | * | 52 | * | 52 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 6 | * | 6 | * | 6 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance (1)
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 049

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 261 | 3.8 | 261 | 1.9 | 261 | 24.9 | 19.2 |
| 9 - 11 Years | 77 | * | 77 | * | 77 | * | * |
| 12 - 14 years | 93 | * | 93 | * | 93 | * | * |
| 15 - 19 Years | 75 | * | 75 | * | 75 | * | * |
| Total | 506 | 4.3 | 506 | 2.0 | 506 | 23.1 | 21.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 1,218 | 4.7 | 1,218 | 2.4 | 1,218 | 19.8 | 20.2 |
| 9 - 11 Years | 440 | 5.7 | 440 | 1.4 | 440 | 21.8 | 23.9 |
| 12 - 14 years | 546 | 6.4 | 546 | 1.5 | 546 | 22.5 | 24.9 |
| 15 - 19 Years | 474 | 9.9 | 474 | 1.7 | 474 | 20.3 | 21.9 |
| Total | 2,678 | 6.1 | 2,678 | 1.9 | 2,678 | 20.8 | 22.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 597 | 4.4 | 597 | 3.4 | 597 | 17.1 | 18.9 |
| 9 - 11 Years | 327 | 4.3 | 327 | 3.1 | 327 | 20.5 | 26.0 |
| 12 - 14 years | 360 | 3.6 | 360 | 0.8 | 360 | 18.1 | 24.7 |
| 15 - 19 Years | 365 | 4.4 | 365 | 1.6 | 365 | 19.2 | 24.1 |
| Total | 1,649 | 4.2 | 1,649 | 2.4 | 1,649 | 18.4 | 22.7 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 131 | 0.8 | 131 | 2.3 | 131 | 16.0 | 18.3 |
| 9 - 11 Years | 54 | * | 54 | * | 54 | * | * |
| 12 - 14 years | 78 | * | 78 | * | 78 | * | * |
| 15 - 19 Years | 75 | * | 75 | * | 75 | * | * |
| Total | 338 | 2.1 | 338 | 1.5 | 338 | 16.6 | 20.4 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 1,466 | 4.1 | 1,466 | 2.0 | 1,466 | 18.8 | 21.1 |
| 9 - 11 Years | 520 | 3.8 | 520 | 1.9 | 520 | 19.2 | 31.5 |
| 12 - 14 years | 485 | 5.2 | 485 | 1.2 | 485 | 21.2 | 27.4 |
| 15 - 19 Years | 408 | 11.5 | 408 | 1.5 | 408 | 14.5 | 24.3 |
| Total | 2,879 | 5.3 | 2,879 | 1.8 | 2,879 | 18.7 | 24.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 7 | * | 7 | * | 7 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 20 | * | 20 | * | 20 | * |
| Asian | | | | | | |
| 5 - 8 Years | 75 | * | 75 | * | 75 | * |
| 9 - 11 Years | 66 | * | 66 | * | 66 | * |
| 12 - 14 years | 80 | * | 80 | * | 80 | * |
| 15 - 19 Years | 157 | 22.3 | 157 | 1.3 | 157 | 17.2 15.3 |
| Total | 378 | 14.3 | 378 | 2.9 | 378 | 17.5 17.2 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * |
| Total | 17 | * | 17 | * | 17 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 11 | * | 11 | * | 11 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 1,058 | 3.8 | 1,058 | 3.8 | 1,058 | 16.6 | 19.8 |
| 9 - 11 Years | 452 | 3.5 | 452 | 2.2 | 452 | 15.5 | 31.9 |
| 12 - 14 years | 445 | 5.2 | 445 | 0.7 | 445 | 18.0 | 30.8 |
| 15 - 19 Years | 371 | 9.2 | 371 | 1.9 | 371 | 19.4 | 25.3 |
| Total | 2,326 | 4.9 | 2,326 | 2.6 | 2,326 | 17.1 | 25.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 3,344 | 4.1 | 3,344 | 3.0 | 3,344 | 17.6 | 20.1 |
| 9 - 11 Years | 1,429 | 4.1 | 1,429 | 2.2 | 1,429 | 18.4 | 29.6 |
| 12 - 14 years | 1,459 | 4.5 | 1,459 | 1.1 | 1,459 | 19.2 | 26.7 |
| 15 - 19 Years | 1,386 | 9.8 | 1,386 | 1.5 | 1,386 | 17.2 | 23.5 |
| Total | 7,618 | 5.2 | 7,618 | 2.2 | 7,618 | 18.0 | 23.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 101 | 7.9 | 101 | 3.0 | 101 | 17.8 | 18.8 |
| 9 - 11 Years | 48 | * | 48 | * | 48 | * | * |
| 12 - 14 years | 43 | * | 43 | * | 43 | * | * |
| 15 - 19 Years | 37 | * | 37 | * | 37 | * | * |
| Total | 229 | 5.2 | 229 | 3.1 | 229 | 18.3 | 22.3 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 8 | * | 8 | * | 8 | * | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * | * |
| Total | 23 | * | 23 | * | 23 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 210 | 3.3 | 210 | 2.9 | 210 | 12.9 | 26.7 |
| 9 - 11 Years | 81 | * | 81 | * | 81 | * | * |
| 12 - 14 years | 85 | * | 85 | * | 85 | * | * |
| 15 - 19 Years | 51 | * | 51 | * | 51 | * | * |
| Total | 427 | 5.2 | 427 | 2.8 | 427 | 16.2 | 23.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 4 | * | 4 | * | 4 | * |
| Asian | | | | | | |
| 5 - 8 Years | 22 | * | 22 | * | 22 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 8 | * | 8 | * | 8 | * |
| 15 - 19 Years | 11 | * | 11 | * | 11 | * |
| Total | 51 | * | 51 | * | 51 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 69 | * | 69 | * | 69 | * | * |
| 9 - 11 Years | 34 | * | 34 | * | 34 | * | * |
| 12 - 14 years | 16 | * | 16 | * | 16 | * | * |
| 15 - 19 Years | 19 | * | 19 | * | 19 | * | * |
| Total | 138 | 7.2 | 138 | 4.3 | 138 | 15.9 | 21.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 413 | 4.4 | 413 | 3.6 | 413 | 14.8 | 22.5 |
| 9 - 11 Years | 178 | 6.7 | 178 | 4.5 | 178 | 18.5 | 21.3 |
| 12 - 14 years | 159 | 6.9 | 159 | 2.5 | 159 | 19.5 | 22.0 |
| 15 - 19 Years | 122 | 6.6 | 122 | 3.3 | 122 | 16.4 | 23.8 |
| Total | 872 | 5.6 | 872 | 3.6 | 872 | 16.6 | 22.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 86 | * | 86 | * | 86 | * |
| 9 - 11 Years | 35 | * | 35 | * | 35 | * |
| 12 - 14 years | 41 | * | 41 | * | 41 | * |
| 15 - 19 Years | 35 | * | 35 | * | 35 | * |
| Total | 197 | 3.6 | 197 | 1.0 | 197 | 19.8 20.8 |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 8 | * | 8 | * | 8 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 127 | 0.8 | 127 | 3.9 | 127 | 15.7 19.7 |
| 9 - 11 Years | 39 | * | 39 | * | 39 | * |
| 12 - 14 years | 38 | * | 38 | * | 38 | * |
| 15 - 19 Years | 46 | * | 46 | * | 46 | * |
| Total | 250 | 3.6 | 250 | 3.2 | 250 | 15.6 22.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 7 | * | 7 | * | 7 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 3 | * | 3 | * | 3 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 182 | 4.9 | 182 | 0.5 | 182 | 18.1 | 14.3 |
| 9 - 11 Years | 56 | * | 56 | * | 56 | * | * |
| 12 - 14 years | 69 | * | 69 | * | 69 | * | * |
| 15 - 19 Years | 55 | * | 55 | * | 55 | * | * |
| Total | 362 | 5.0 | 362 | 1.4 | 362 | 20.4 | 19.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 404 | 3.7 | 404 | 2.0 | 404 | 17.8 | 16.1 |
| 9 - 11 Years | 132 | 2.3 | 132 | 1.5 | 132 | 16.7 | 26.5 |
| 12 - 14 years | 151 | 5.3 | 151 | 2.0 | 151 | 24.5 | 25.2 |
| 15 - 19 Years | 142 | 7.7 | 142 | 1.4 | 142 | 16.9 | 23.2 |
| Total | 829 | 4.5 | 829 | 1.8 | 829 | 18.7 | 20.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 28 | * | 28 | * | 28 | * |
| 9 - 11 Years | 12 | * | 12 | * | 12 | * |
| 12 - 14 years | 10 | * | 10 | * | 10 | * |
| 15 - 19 Years | 8 | * | 8 | * | 8 | * |
| Total | 58 | * | 58 | * | 58 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 10 | * | 10 | * | 10 | * |
| 9 - 11 Years | 3 | * | 3 | * | 3 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 19 | * | 19 | * | 19 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 1 | * | 1 | * | 1 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 4 | * | 4 | * | 4 | * | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * | * |
| Total | 18 | * | 18 | * | 18 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 42 | * | 42 | * | 42 | * |
| 9 - 11 Years | 20 | * | 20 | * | 20 | * |
| 12 - 14 years | 17 | * | 17 | * | 17 | * |
| 15 - 19 Years | 18 | * | 18 | * | 18 | * |
| Total | 97 | * | 97 | * | 97 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 483 | 5.6 | 483 | 5.2 | 483 | 12.2 | 13.9 |
| 9 - 11 Years | 190 | 2.6 | 190 | 3.2 | 190 | 16.8 | 24.2 |
| 12 - 14 years | 213 | 2.8 | 213 | 2.3 | 213 | 18.8 | 28.6 |
| 15 - 19 Years | 215 | 6.0 | 215 | 2.3 | 215 | 19.5 | 20.0 |
| Total | 1,101 | 4.6 | 1,101 | 3.7 | 1,101 | 15.7 | 19.7 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 71 | * | 71 | * | 71 | * | * |
| 9 - 11 Years | 35 | * | 35 | * | 35 | * | * |
| 12 - 14 years | 38 | * | 38 | * | 38 | * | * |
| 15 - 19 Years | 46 | * | 46 | * | 46 | * | * |
| Total | 190 | 4.2 | 190 | 1.1 | 190 | 19.5 | 21.6 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 4,673 | 5.1 | 4,673 | 2.6 | 4,673 | 17.1 | 23.3 |
| 9 - 11 Years | 2,212 | 4.9 | 2,212 | 1.6 | 2,212 | 19.5 | 30.9 |
| 12 - 14 years | 2,231 | 7.1 | 2,231 | 1.7 | 2,231 | 20.5 | 29.1 |
| 15 - 19 Years | 1,636 | 12.7 | 1,636 | 2.3 | 1,636 | 19.3 | 24.9 |
| Total | 10,752 | 6.6 | 10,752 | 2.2 | 10,752 | 18.6 | 26.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 31 | * | 31 | * | 31 | * |
| 9 - 11 Years | 10 | * | 10 | * | 10 | * |
| 12 - 14 years | 15 | * | 15 | * | 15 | * |
| 15 - 19 Years | 12 | * | 12 | * | 12 | * |
| Total | 68 | * | 68 | * | 68 | * |
| Asian | | | | | | |
| 5 - 8 Years | 72 | * | 72 | * | 72 | * |
| 9 - 11 Years | 28 | * | 28 | * | 28 | * |
| 12 - 14 years | 35 | * | 35 | * | 35 | * |
| 15 - 19 Years | 38 | * | 38 | * | 38 | * |
| Total | 173 | 17.3 | 173 | 3.5 | 173 | 8.7 18.5 |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * |
| 12 - 14 years | 4 | * | 4 | * | 4 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 16 | * | 16 | * | 16 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 22 | * | 22 | * | 22 | * |
| 9 - 11 Years | 13 | * | 13 | * | 13 | * |
| 12 - 14 years | 9 | * | 9 | * | 9 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 48 | * | 48 | * | 48 | * |
| All Other | | | | | | |
| 5 - 8 Years | 414 | 5.6 | 414 | 3.4 | 414 | 16.4 22.7 |
| 9 - 11 Years | 165 | 10.3 | 165 | 3.6 | 165 | 24.8 27.3 |
| 12 - 14 years | 175 | 6.9 | 175 | 1.1 | 175 | 22.9 27.4 |
| 15 - 19 Years | 162 | 12.3 | 162 | 0.6 | 162 | 22.2 27.2 |
| Total | 916 | 7.9 | 916 | 2.5 | 916 | 20.2 25.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 5,772 | 5.5 | 5,772 | 2.9 | 5,772 | 16.5 | 22.3 |
| 9 - 11 Years | 2,657 | 5.1 | 2,657 | 2.0 | 2,657 | 19.2 | 29.9 |
| 12 - 14 years | 2,720 | 7.0 | 2,720 | 1.7 | 2,720 | 20.5 | 28.9 |
| 15 - 19 Years | 2,115 | 12.2 | 2,115 | 2.2 | 2,115 | 19.2 | 24.4 |
| Total | 13,264 | 6.8 | 13,264 | 2.3 | 13,264 | 18.3 | 25.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| White, Not Hispanic | | | | | | |
| 5 - 8 Years | 25 | * | 25 | * | 25 | * |
| 9 - 11 Years | 15 | * | 15 | * | 15 | * |
| 12 - 14 years | 18 | * | 18 | * | 18 | * |
| 15 - 19 Years | 17 | * | 17 | * | 17 | * |
| Total | 75 | * | 75 | * | 75 | * |
| Black, Not Hispanic | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |
| Hispanic | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * |
| 12 - 14 years | 5 | * | 5 | * | 5 | * |
| 15 - 19 Years | 4 | * | 4 | * | 4 | * |
| Total | 16 | * | 16 | * | 16 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 2 | * | 2 | * | 2 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Asian | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 1 | * | 1 | * | 1 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 0 | * | 0 | * | 0 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 0 | * | 0 | * | 0 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 0 | * | 0 | * | 0 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 6 | * | 6 | * | 6 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 14 | * | 14 | * | 14 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| Total All Race/Ethnic Groups | | | | | | |
| 5 - 8 Years | 35 | * | 35 | * | 35 | * |
| 9 - 11 Years | 19 | * | 19 | * | 19 | * |
| 12 - 14 years | 29 | * | 29 | * | 29 | * |
| 15 - 19 Years | 25 | * | 25 | * | 25 | * |
| Total | 108 | 6.5 | 108 | 1.9 | 108 | 21.3 23.1 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 201 | 6.5 | 201 | 2.5 | 201 | 19.4 | 14.9 |
| 9 - 11 Years | 78 | * | 78 | * | 78 | * | * |
| 12 - 14 years | 100 | 7.0 | 100 | 4.0 | 100 | 21.0 | 33.0 |
| 15 - 19 Years | 102 | 9.8 | 102 | 2.9 | 102 | 12.7 | 24.5 |
| Total | 481 | 7.3 | 481 | 2.9 | 481 | 18.5 | 21.2 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 28 | * | 28 | * | 28 | * | * |
| 9 - 11 Years | 21 | * | 21 | * | 21 | * | * |
| 12 - 14 years | 21 | * | 21 | * | 21 | * | * |
| 15 - 19 Years | 15 | * | 15 | * | 15 | * | * |
| Total | 85 | * | 85 | * | 85 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 2,391 | 5.1 | 2,391 | 2.8 | 2,391 | 17.1 | 22.9 |
| 9 - 11 Years | 1,086 | 5.6 | 1,086 | 1.9 | 1,086 | 21.1 | 28.1 |
| 12 - 14 years | 1,102 | 5.2 | 1,102 | 1.1 | 1,102 | 20.7 | 25.7 |
| 15 - 19 Years | 915 | 10.6 | 915 | 1.5 | 915 | 18.6 | 20.0 |
| Total | 5,494 | 6.1 | 5,494 | 2.1 | 5,494 | 18.8 | 24.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 2 | * | 2 | * | 2 | * |
| Asian | | | | | | |
| 5 - 8 Years | 13 | * | 13 | * | 13 | * |
| 9 - 11 Years | 7 | * | 7 | * | 7 | * |
| 12 - 14 years | 7 | * | 7 | * | 7 | * |
| 15 - 19 Years | 10 | * | 10 | * | 10 | * |
| Total | 37 | * | 37 | * | 37 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 6 | * | 6 | * | 6 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 8 | * | 8 | * | 8 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 10 | * | 10 | * | 10 | * |
| 9 - 11 Years | 5 | * | 5 | * | 5 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 2 | * | 2 | * | 2 | * |
| Total | 17 | * | 17 | * | 17 | * |
| All Other | | | | | | |
| 5 - 8 Years | 140 | 5.7 | 140 | 2.1 | 140 | 17.9 23.6 |
| 9 - 11 Years | 55 | * | 55 | * | 55 | * |
| 12 - 14 years | 51 | * | 51 | * | 51 | * |
| 15 - 19 Years | 58 | * | 58 | * | 58 | * |
| Total | 304 | 7.6 | 304 | 2.3 | 304 | 18.1 22.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 2,790 | 5.3 | 2,790 | 2.8 | 2,790 | 17.2 | 22.2 |
| 9 - 11 Years | 1,252 | 5.4 | 1,252 | 2.0 | 1,252 | 20.4 | 27.4 |
| 12 - 14 years | 1,281 | 5.6 | 1,281 | 1.2 | 1,281 | 20.8 | 25.5 |
| 15 - 19 Years | 1,105 | 10.7 | 1,105 | 1.7 | 1,105 | 17.9 | 20.4 |
| Total | 6,428 | 6.3 | 6,428 | 2.1 | 6,428 | 18.6 | 23.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 156 | 5.1 | 156 | 1.9 | 156 | 12.8 | 19.9 |
| 9 - 11 Years | 75 | * | 75 | * | 75 | * | * |
| 12 - 14 years | 91 | * | 91 | * | 91 | * | * |
| 15 - 19 Years | 78 | * | 78 | * | 78 | * | * |
| Total | 400 | 7.0 | 400 | 2.3 | 400 | 15.3 | 21.5 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 17 | * | 17 | * | 17 | * | * |
| 9 - 11 Years | 15 | * | 15 | * | 15 | * | * |
| 12 - 14 years | 26 | * | 26 | * | 26 | * | * |
| 15 - 19 Years | 24 | * | 24 | * | 24 | * | * |
| Total | 82 | * | 82 | * | 82 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 432 | 5.3 | 432 | 3.2 | 432 | 16.4 | 25.2 |
| 9 - 11 Years | 219 | 5.5 | 219 | 3.7 | 219 | 15.5 | 33.8 |
| 12 - 14 years | 212 | 4.7 | 212 | 1.4 | 212 | 18.9 | 27.4 |
| 15 - 19 Years | 185 | 10.8 | 185 | 2.2 | 185 | 18.4 | 28.1 |
| Total | 1,048 | 6.2 | 1,048 | 2.8 | 1,048 | 17.1 | 28.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|-------------------|------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaskan Native | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * | * |
| Total | 1 | * | 1 | * | 1 | * | * |
| Asian | | | | | | | |
| 5 - 8 Years | 21 | * | 21 | * | 21 | * | * |
| 9 - 11 Years | 14 | * | 14 | * | 14 | * | * |
| 12 - 14 years | 14 | * | 14 | * | 14 | * | * |
| 15 - 19 Years | 13 | * | 13 | * | 13 | * | * |
| Total | 62 | * | 62 | * | 62 | * | * |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * | * |
| 9 - 11 Years | 2 | * | 2 | * | 2 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * | * |
| Total | 6 | * | 6 | * | 6 | * | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 3 | * | 3 | * | 3 | * | * |
| 9 - 11 Years | 1 | * | 1 | * | 1 | * | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * | * |
| 15 - 19 Years | 3 | * | 3 | * | 3 | * | * |
| Total | 9 | * | 9 | * | 9 | * | * |
| All Other | | | | | | | |
| 5 - 8 Years | 136 | 5.1 | 136 | 2.2 | 136 | 13.2 | 19.9 |
| 9 - 11 Years | 78 | * | 78 | * | 78 | * | * |
| 12 - 14 years | 92 | * | 92 | * | 92 | * | * |
| 15 - 19 Years | 89 | * | 89 | * | 89 | * | * |
| Total | 395 | 6.1 | 395 | 2.8 | 395 | 13.9 | 24.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 767 | 5.3 | 767 | 2.6 | 767 | 15.4 | 22.3 |
| 9 - 11 Years | 404 | 6.4 | 404 | 4.5 | 404 | 15.3 | 30.4 |
| 12 - 14 years | 439 | 5.0 | 439 | 1.6 | 439 | 16.6 | 27.6 |
| 15 - 19 Years | 393 | 9.9 | 393 | 1.8 | 393 | 16.3 | 25.2 |
| Total | 2,003 | 6.4 | 2,003 | 2.6 | 2,003 | 15.8 | 25.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 058

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 148 | 10.1 | 148 | 2.7 | 148 | 14.2 | 12.8 |
| 9 - 11 Years | 69 | * | 69 | * | 69 | * | * |
| 12 - 14 years | 65 | * | 65 | * | 65 | * | * |
| 15 - 19 Years | 51 | * | 51 | * | 51 | * | * |
| Total | 333 | 8.7 | 333 | 2.4 | 333 | 16.2 | 16.8 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 10 | * | 10 | * | 10 | * | * |
| 9 - 11 Years | 4 | * | 4 | * | 4 | * | * |
| 12 - 14 years | 3 | * | 3 | * | 3 | * | * |
| 15 - 19 Years | 5 | * | 5 | * | 5 | * | * |
| Total | 22 | * | 22 | * | 22 | * | * |
| Hispanic | | | | | | | |
| 5 - 8 Years | 150 | 4.7 | 150 | 2.7 | 150 | 17.3 | 26.7 |
| 9 - 11 Years | 76 | * | 76 | * | 76 | * | * |
| 12 - 14 years | 64 | * | 64 | * | 64 | * | * |
| 15 - 19 Years | 47 | * | 47 | * | 47 | * | * |
| Total | 337 | 4.7 | 337 | 3.0 | 337 | 22.6 | 24.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 058

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|-----------|--------------------|-----------|-------------------|----------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th ≥95th |
| American Indian/Alaskan Native | | | | | | |
| 5 - 8 Years | 5 | * | 5 | * | 5 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 1 | * | 1 | * | 1 | * |
| Total | 8 | * | 8 | * | 8 | * |
| Asian | | | | | | |
| 5 - 8 Years | 20 | * | 20 | * | 20 | * |
| 9 - 11 Years | 17 | * | 17 | * | 17 | * |
| 12 - 14 years | 11 | * | 11 | * | 11 | * |
| 15 - 19 Years | 6 | * | 6 | * | 6 | * |
| Total | 54 | * | 54 | * | 54 | * |
| Pacific Islander | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 0 | * | 0 | * | 0 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 1 | * | 1 | * | 1 | * |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 058

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|---------------------------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th % ≥95th |
| Filipino | | | | | | |
| 5 - 8 Years | 1 | * | 1 | * | 1 | * |
| 9 - 11 Years | 0 | * | 0 | * | 0 | * |
| 12 - 14 years | 2 | * | 2 | * | 2 | * |
| 15 - 19 Years | 0 | * | 0 | * | 0 | * |
| Total | 3 | * | 3 | * | 3 | * |
| All Other | | | | | | |
| 5 - 8 Years | 60 | * | 60 | * | 60 | * |
| 9 - 11 Years | 27 | * | 27 | * | 27 | * |
| 12 - 14 years | 27 | * | 27 | * | 27 | * |
| 15 - 19 Years | 22 | * | 22 | * | 22 | * |
| Total | 136 | 9.6 | 136 | 3.7 | 136 | 17.6 24.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2007 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 058

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 395 | 7.1 | 395 | 3.0 | 395 | 14.4 | 18.7 |
| 9 - 11 Years | 193 | 5.2 | 193 | 3.6 | 193 | 22.3 | 25.9 |
| 12 - 14 years | 174 | 6.9 | 174 | 1.7 | 174 | 20.7 | 27.0 |
| 15 - 19 Years | 132 | 11.4 | 132 | 3.8 | 132 | 26.5 | 17.4 |
| Total | 894 | 7.3 | 894 | 3.0 | 894 | 19.1 | 21.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

