

Table 17B
2007 Pediatric Nutrition Surveillance (1)
Alameda
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 001

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	25		*	6 - 11 Months	56		*
12 - 17 Months	31		*	12 - 17 Months	84		*
18 - 23 Months	17		*	18 - 23 Months	42		*
24 - 35 Months	32		*	24 - 35 Months	97		*
36 - 59 Months	85		*	36 - 59 Months	319	19.4	
Total	190		12.6	Total	598	19.1	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	132	18.9		6 - 11 Months	4		*
12 - 17 Months	314	15.9		12 - 17 Months	7		*
18 - 23 Months	126	15.1		18 - 23 Months	2		*
24 - 35 Months	288	24.7		24 - 35 Months	10		*
36 - 59 Months	576	22.7		36 - 59 Months	20		*
Total	1,436	20.6		Total	43		*
Hispanic				Filipino			
6 - 11 Months	553	18.3		6 - 11 Months	11		*
12 - 17 Months	652	14.6		12 - 17 Months	16		*
18 - 23 Months	415	10.4		18 - 23 Months	8		*
24 - 35 Months	705	13.2		24 - 35 Months	14		*
36 - 59 Months	1,867	11.5		36 - 59 Months	46		*
Total	4,192	13.0		Total	95		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	317	18.0	
12 - 17 Months	5		*	12 - 17 Months	468	14.7	
18 - 23 Months	3		*	18 - 23 Months	167	12.6	
24 - 35 Months	4		*	24 - 35 Months	399	17.3	
36 - 59 Months	8		*	36 - 59 Months	727	12.2	
Total	20		*	Total	2,078	14.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Alameda
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 001

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	1,098 18.2	3,648 14.2
6 - 11 Months	1,577 15.2	
12 - 17 Months	780 11.9	
24 - 35 Months	1,549 16.9	
36 - 59 Months	3,648 14.2	
Total	8,652 15.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Alpine
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 002

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	1		*	6 - 11 Months	2		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	1		*
36 - 59 Months	3		*	36 - 59 Months	0		*
Total	5		*	Total	3		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	1		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	1		*	24 - 35 Months	0		*
36 - 59 Months	0		*	36 - 59 Months	0		*
Total	3		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	9		*	6 - 11 Months	0		*
12 - 17 Months	5		*	12 - 17 Months	2		*
18 - 23 Months	5		*	18 - 23 Months	0		*
24 - 35 Months	9		*	24 - 35 Months	2		*
36 - 59 Months	6		*	36 - 59 Months	1		*
Total	34		*	Total	5		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	6		*	6 - 11 Months	0		*
12 - 17 Months	3		*	12 - 17 Months	1		*
18 - 23 Months	0		*	18 - 23 Months	1		*
24 - 35 Months	1		*	24 - 35 Months	0		*
36 - 59 Months	5		*	36 - 59 Months	7		*
Total	15		*	Total	9		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Alpine
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 002

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	19	*	
6 - 11 Months	12	*	
12 - 17 Months	7	*	
18 - 23 Months	14	*	
24 - 35 Months	22	*	
36 - 59 Months	74	*	
Total	74	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Amador
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 003

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	30		*	6 - 11 Months	2	*
12 - 17 Months	24		*	12 - 17 Months	0	*
18 - 23 Months	3		*	18 - 23 Months	0	*
24 - 35 Months	16		*	24 - 35 Months	1	*
36 - 59 Months	39		*	36 - 59 Months	5	*
Total	112		10.7	Total	8	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	1		*	6 - 11 Months	0	*
12 - 17 Months	1		*	12 - 17 Months	0	*
18 - 23 Months	1		*	18 - 23 Months	0	*
24 - 35 Months	2		*	24 - 35 Months	0	*
36 - 59 Months	3		*	36 - 59 Months	0	*
Total	8		*	Total	0	*
Hispanic				Filipino		
6 - 11 Months	7		*	6 - 11 Months	1	*
12 - 17 Months	15		*	12 - 17 Months	0	*
18 - 23 Months	5		*	18 - 23 Months	0	*
24 - 35 Months	27		*	24 - 35 Months	0	*
36 - 59 Months	41		*	36 - 59 Months	0	*
Total	95		*	Total	1	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0		*	6 - 11 Months	9	*
12 - 17 Months	0		*	12 - 17 Months	11	*
18 - 23 Months	0		*	18 - 23 Months	0	*
24 - 35 Months	0		*	24 - 35 Months	12	*
36 - 59 Months	0		*	36 - 59 Months	12	*
Total	0		*	Total	44	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Amador
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 003

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	50	*	
6 - 11 Months	51	*	
12 - 17 Months	9	*	
18 - 23 Months	58	*	
24 - 35 Months	100	12.0	
36 - 59 Months			
Total	268	13.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Butte
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 004

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	556	14.7		6 - 11 Months	74 *
12 - 17 Months	606	10.4		12 - 17 Months	84 *
18 - 23 Months	252	10.7		18 - 23 Months	36 *
24 - 35 Months	527	11.6		24 - 35 Months	69 *
36 - 59 Months	976	8.0		36 - 59 Months	131 13.0
Total	2,917	10.7		Total	394 14.2
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	33	*		6 - 11 Months	4 *
12 - 17 Months	25	*		12 - 17 Months	2 *
18 - 23 Months	9	*		18 - 23 Months	0 *
24 - 35 Months	26	*		24 - 35 Months	0 *
36 - 59 Months	64	*		36 - 59 Months	3 *
Total	157	16.6		Total	9 *
Hispanic				Filipino	
6 - 11 Months	137	8.8		6 - 11 Months	0 *
12 - 17 Months	143	8.4		12 - 17 Months	0 *
18 - 23 Months	74	*		18 - 23 Months	0 *
24 - 35 Months	140	15.7		24 - 35 Months	1 *
36 - 59 Months	277	5.4		36 - 59 Months	2 *
Total	771	8.6		Total	3 *
American Indian/Alaskan Native				All Other	
6 - 11 Months	18	*		6 - 11 Months	126 22.2
12 - 17 Months	31	*		12 - 17 Months	147 15.6
18 - 23 Months	14	*		18 - 23 Months	42 *
24 - 35 Months	29	*		24 - 35 Months	91 *
36 - 59 Months	41	*		36 - 59 Months	214 10.7
Total	133	9.0		Total	620 15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Butte
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 004

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	948	14.1	
12 - 17 Months	1,038	11.0	
18 - 23 Months	427	11.7	
24 - 35 Months	883	14.2	
36 - 59 Months	1,708	8.5	
Total	5,004	11.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Calaveras
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 005

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	56		*	6 - 11 Months	0	*
12 - 17 Months	37		*	12 - 17 Months	1	*
18 - 23 Months	14		*	18 - 23 Months	0	*
24 - 35 Months	25		*	24 - 35 Months	2	*
36 - 59 Months	63		*	36 - 59 Months	2	*
Total	195		14.9	Total	5	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	2		*	6 - 11 Months	2	*
12 - 17 Months	4		*	12 - 17 Months	0	*
18 - 23 Months	2		*	18 - 23 Months	0	*
24 - 35 Months	3		*	24 - 35 Months	0	*
36 - 59 Months	5		*	36 - 59 Months	2	*
Total	16		*	Total	4	*
Hispanic				Filipino		
6 - 11 Months	77		*	6 - 11 Months	0	*
12 - 17 Months	92		*	12 - 17 Months	2	*
18 - 23 Months	42		*	18 - 23 Months	1	*
24 - 35 Months	76		*	24 - 35 Months	3	*
36 - 59 Months	199		10.6	36 - 59 Months	3	*
Total	486		13.6	Total	9	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0		*	6 - 11 Months	17	*
12 - 17 Months	2		*	12 - 17 Months	33	*
18 - 23 Months	0		*	18 - 23 Months	11	*
24 - 35 Months	1		*	24 - 35 Months	31	*
36 - 59 Months	1		*	36 - 59 Months	64	*
Total	4		*	Total	156	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Calaveras
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 005

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	154	13.0	
6 - 11 Months	171	15.8	
12 - 17 Months	70	*	
18 - 23 Months	141	15.6	
24 - 35 Months	339	13.3	
36 - 59 Months			
Total	875	14.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
City Of Berkeley
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 059

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	4	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	3	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	5	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	8	*	24 - 35 Months	0	*
36 - 59 Months	9	*	36 - 59 Months	0	*
Total	28	*	Total	0	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	5	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	6	*
36 - 59 Months	0	*	36 - 59 Months	2	*
Total	0	*	Total	13	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
 City Of Berkeley
Anemia Indicators by Race/Ethnicity and Age
 Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 059

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	12	*	
6 - 11 Months	5	*	
12 - 17 Months	3	*	
18 - 23 Months	15	*	
24 - 35 Months	13	*	
36 - 59 Months	48	*	
Total	48	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Colusa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 006

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	14		*	6 - 11 Months	0		*
12 - 17 Months	17		*	12 - 17 Months	0		*
18 - 23 Months	4		*	18 - 23 Months	0		*
24 - 35 Months	16		*	24 - 35 Months	0		*
36 - 59 Months	27		*	36 - 59 Months	2		*
Total	78		*	Total	2		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	2		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	2		*	24 - 35 Months	0		*
36 - 59 Months	7		*	36 - 59 Months	1		*
Total	13		*	Total	1		*
Hispanic				Filipino			
6 - 11 Months	153	28.1		6 - 11 Months	0		*
12 - 17 Months	160	18.8		12 - 17 Months	1		*
18 - 23 Months	44		*	18 - 23 Months	0		*
24 - 35 Months	70		*	24 - 35 Months	0		*
36 - 59 Months	219	15.1		36 - 59 Months	1		*
Total	646	19.3		Total	2		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	25		*
12 - 17 Months	0		*	12 - 17 Months	23		*
18 - 23 Months	0		*	18 - 23 Months	11		*
24 - 35 Months	1		*	24 - 35 Months	4		*
36 - 59 Months	1		*	36 - 59 Months	31		*
Total	2		*	Total	94		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Colusa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 006

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	193	27.5	
6 - 11 Months	203	18.2	
12 - 17 Months	60	*	
18 - 23 Months	93	*	
24 - 35 Months	289	13.8	
36 - 59 Months			
Total	838	18.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Contra Costa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 007

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	66		*	6 - 11 Months	9		*
12 - 17 Months	54		*	12 - 17 Months	4		*
18 - 23 Months	20		*	18 - 23 Months	1		*
24 - 35 Months	43		*	24 - 35 Months	2		*
36 - 59 Months	92		*	36 - 59 Months	3		*
Total	275		10.5	Total	19		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	60		*	6 - 11 Months	7		*
12 - 17 Months	85		*	12 - 17 Months	7		*
18 - 23 Months	28		*	18 - 23 Months	2		*
24 - 35 Months	96		*	24 - 35 Months	0		*
36 - 59 Months	233		15.9	36 - 59 Months	16		*
Total	502		16.3	Total	32		*
Hispanic				Filipino			
6 - 11 Months	447		25.7	6 - 11 Months	14		*
12 - 17 Months	568		15.0	12 - 17 Months	16		*
18 - 23 Months	135		14.1	18 - 23 Months	5		*
24 - 35 Months	384		13.0	24 - 35 Months	10		*
36 - 59 Months	885		8.0	36 - 59 Months	19		*
Total	2,419		14.1	Total	64		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	2		*	6 - 11 Months	277		15.2
12 - 17 Months	0		*	12 - 17 Months	141		25.5
18 - 23 Months	1		*	18 - 23 Months	60		*
24 - 35 Months	1		*	24 - 35 Months	171		10.5
36 - 59 Months	2		*	36 - 59 Months	351		16.8
Total	6		*	Total	1,000		16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Contra Costa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 007

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	882	20.4	
6 - 11 Months	875	16.2	
12 - 17 Months	252	14.3	
18 - 23 Months	707	12.9	
24 - 35 Months	1,601	11.2	
36 - 59 Months			
Total	4,317	14.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Del Norte
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 008

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	57		*	6 - 11 Months	7		*
12 - 17 Months	84		*	12 - 17 Months	8		*
18 - 23 Months	10		*	18 - 23 Months	2		*
24 - 35 Months	67		*	24 - 35 Months	7		*
36 - 59 Months	91		*	36 - 59 Months	19		*
Total	309		8.4	Total	43		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	1		*	24 - 35 Months	0		*
36 - 59 Months	2		*	36 - 59 Months	0		*
Total	3		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	20		*	6 - 11 Months	0		*
12 - 17 Months	23		*	12 - 17 Months	1		*
18 - 23 Months	6		*	18 - 23 Months	0		*
24 - 35 Months	21		*	24 - 35 Months	0		*
36 - 59 Months	44		*	36 - 59 Months	0		*
Total	114		7.9	Total	1		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	7		*	6 - 11 Months	3		*
12 - 17 Months	20		*	12 - 17 Months	6		*
18 - 23 Months	8		*	18 - 23 Months	4		*
24 - 35 Months	17		*	24 - 35 Months	5		*
36 - 59 Months	38		*	36 - 59 Months	11		*
Total	90		*	Total	29		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Del Norte
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 008

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	94	*	
6 - 11 Months	142	8.5	
12 - 17 Months	30	*	
18 - 23 Months	118	14.4	
24 - 35 Months	205	3.4	
36 - 59 Months			
Total	589	8.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
El Dorado
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 009

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	82		*	6 - 11 Months	1	*
12 - 17 Months	70		*	12 - 17 Months	2	*
18 - 23 Months	35		*	18 - 23 Months	1	*
24 - 35 Months	75		*	24 - 35 Months	3	*
36 - 59 Months	128		8.6	36 - 59 Months	3	*
Total	390		11.8	Total	10	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	2		*	6 - 11 Months	0	*
12 - 17 Months	3		*	12 - 17 Months	1	*
18 - 23 Months	1		*	18 - 23 Months	0	*
24 - 35 Months	1		*	24 - 35 Months	1	*
36 - 59 Months	5		*	36 - 59 Months	0	*
Total	12		*	Total	2	*
Hispanic				Filipino		
6 - 11 Months	100	14.0		6 - 11 Months	1	*
12 - 17 Months	95		*	12 - 17 Months	0	*
18 - 23 Months	39		*	18 - 23 Months	0	*
24 - 35 Months	86		*	24 - 35 Months	0	*
36 - 59 Months	184		4.3	36 - 59 Months	1	*
Total	504		11.1	Total	2	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0		*	6 - 11 Months	53	*
12 - 17 Months	1		*	12 - 17 Months	46	*
18 - 23 Months	1		*	18 - 23 Months	20	*
24 - 35 Months	1		*	24 - 35 Months	37	*
36 - 59 Months	1		*	36 - 59 Months	86	*
Total	4		*	Total	242	9.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
El Dorado
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 009

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	239	13.0	
12 - 17 Months	218	16.1	
18 - 23 Months	97	*	
24 - 35 Months	204	14.2	
36 - 59 Months	408	7.1	
Total	1,166	11.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Fresno
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 010

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	552	21.6		6 - 11 Months	232 19.8
12 - 17 Months	495	12.5		12 - 17 Months	372 16.4
18 - 23 Months	211	12.8		18 - 23 Months	193 29.0
24 - 35 Months	445	12.6		24 - 35 Months	331 31.1
36 - 59 Months	828	10.1		36 - 59 Months	701 17.1
Total	2,531	13.7		Total	1,829 21.1
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	300	15.7		6 - 11 Months	1 *
12 - 17 Months	282	21.6		12 - 17 Months	4 *
18 - 23 Months	174	21.8		18 - 23 Months	0 *
24 - 35 Months	308	15.6		24 - 35 Months	6 *
36 - 59 Months	657	13.2		36 - 59 Months	5 *
Total	1,721	16.3		Total	16 *
Hispanic				Filipino	
6 - 11 Months	5,049	19.9		6 - 11 Months	4 *
12 - 17 Months	5,466	16.1		12 - 17 Months	12 *
18 - 23 Months	2,563	15.5		18 - 23 Months	2 *
24 - 35 Months	4,969	15.4		24 - 35 Months	5 *
36 - 59 Months	9,482	10.2		36 - 59 Months	6 *
Total	27,529	14.6		Total	29 *
American Indian/Alaskan Native				All Other	
6 - 11 Months	27	*		6 - 11 Months	527 22.4
12 - 17 Months	41	*		12 - 17 Months	358 16.5
18 - 23 Months	19	*		18 - 23 Months	170 23.5
24 - 35 Months	25	*		24 - 35 Months	314 17.2
36 - 59 Months	50	*		36 - 59 Months	707 13.3
Total	162	9.3		Total	2,076 17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Fresno
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 010

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	6,692	20.0	
12 - 17 Months	7,030	16.1	
18 - 23 Months	3,332	16.8	
24 - 35 Months	6,403	16.1	
36 - 59 Months	12,436	10.9	
Total	35,893	15.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Glenn
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 011

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	58		*	6 - 11 Months	0	*
12 - 17 Months	67		*	12 - 17 Months	3	*
18 - 23 Months	32		*	18 - 23 Months	5	*
24 - 35 Months	53		*	24 - 35 Months	7	*
36 - 59 Months	77		*	36 - 59 Months	13	*
Total	287	19.5		Total	28	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	0		*	6 - 11 Months	0	*
12 - 17 Months	3		*	12 - 17 Months	1	*
18 - 23 Months	1		*	18 - 23 Months	1	*
24 - 35 Months	1		*	24 - 35 Months	0	*
36 - 59 Months	3		*	36 - 59 Months	0	*
Total	8		*	Total	2	*
Hispanic				Filipino		
6 - 11 Months	91		*	6 - 11 Months	0	*
12 - 17 Months	97		*	12 - 17 Months	0	*
18 - 23 Months	43		*	18 - 23 Months	1	*
24 - 35 Months	86		*	24 - 35 Months	0	*
36 - 59 Months	162	13.0		36 - 59 Months	0	*
Total	479	17.1		Total	1	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	2		*	6 - 11 Months	46	*
12 - 17 Months	1		*	12 - 17 Months	39	*
18 - 23 Months	1		*	18 - 23 Months	11	*
24 - 35 Months	4		*	24 - 35 Months	29	*
36 - 59 Months	3		*	36 - 59 Months	38	*
Total	11		*	Total	163	21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Glenn
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 011

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	197	24.4	
6 - 11 Months	211	21.3	
12 - 17 Months	95	*	
18 - 23 Months	180	15.6	
24 - 35 Months	296	13.9	
36 - 59 Months			
Total	979	19.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Humboldt
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 012

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	178	16.3		6 - 11 Months	14	*	
12 - 17 Months	174	20.7		12 - 17 Months	10	*	
18 - 23 Months	62	*		18 - 23 Months	2	*	
24 - 35 Months	139	10.1		24 - 35 Months	5	*	
36 - 59 Months	246	10.2		36 - 59 Months	21	*	
Total	799	14.0		Total	52	*	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	2	*		6 - 11 Months	0	*	
12 - 17 Months	2	*		12 - 17 Months	0	*	
18 - 23 Months	1	*		18 - 23 Months	0	*	
24 - 35 Months	7	*		24 - 35 Months	1	*	
36 - 59 Months	10	*		36 - 59 Months	2	*	
Total	22	*		Total	3	*	
Hispanic				Filipino			
6 - 11 Months	57	*		6 - 11 Months	0	*	
12 - 17 Months	72	*		12 - 17 Months	0	*	
18 - 23 Months	29	*		18 - 23 Months	0	*	
24 - 35 Months	54	*		24 - 35 Months	0	*	
36 - 59 Months	101	9.9		36 - 59 Months	0	*	
Total	313	17.3		Total	0	*	
American Indian/Alaskan Native				All Other			
6 - 11 Months	16	*		6 - 11 Months	177	11.3	
12 - 17 Months	34	*		12 - 17 Months	175	6.3	
18 - 23 Months	9	*		18 - 23 Months	66	*	
24 - 35 Months	28	*		24 - 35 Months	187	8.6	
36 - 59 Months	45	*		36 - 59 Months	243	10.7	
Total	132	12.9		Total	848	9.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Humboldt
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 012

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups	444	14.6	
6 - 11 Months	467	14.1	
12 - 17 Months	169	14.2	
18 - 23 Months	421	12.1	
24 - 35 Months	668	9.6	
36 - 59 Months			
Total	2,169	12.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Imperial
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 013

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	3		*	6 - 11 Months	0		*
12 - 17 Months	9		*	12 - 17 Months	1		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	16		*	24 - 35 Months	0		*
36 - 59 Months	33		*	36 - 59 Months	4		*
Total	62		*	Total	5		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	1		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	1		*	24 - 35 Months	0		*
36 - 59 Months	8		*	36 - 59 Months	0		*
Total	11		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	667	4.8		6 - 11 Months	0		*
12 - 17 Months	745	6.3		12 - 17 Months	0		*
18 - 23 Months	357	7.3		18 - 23 Months	0		*
24 - 35 Months	968	7.0		24 - 35 Months	1		*
36 - 59 Months	1,871	4.1		36 - 59 Months	0		*
Total	4,608	5.4		Total	1		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	40		*
12 - 17 Months	0		*	12 - 17 Months	38		*
18 - 23 Months	0		*	18 - 23 Months	12		*
24 - 35 Months	0		*	24 - 35 Months	40		*
36 - 59 Months	0		*	36 - 59 Months	81		*
Total	0		*	Total	211	0.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Imperial
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 013

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	710 4.5	
6 - 11 Months	794 6.0	
12 - 17 Months	371 7.3	
18 - 23 Months	1,026 6.9	
24 - 35 Months	1,997 4.1	
36 - 59 Months		
Total	4,898 5.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	6		*	6 - 11 Months	0		*
12 - 17 Months	9		*	12 - 17 Months	0		*
18 - 23 Months	3		*	18 - 23 Months	0		*
24 - 35 Months	11		*	24 - 35 Months	0		*
36 - 59 Months	12		*	36 - 59 Months	1		*
Total	41		*	Total	1		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	1		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	1		*	36 - 59 Months	0		*
Total	3		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	17		*	6 - 11 Months	0		*
12 - 17 Months	42		*	12 - 17 Months	0		*
18 - 23 Months	14		*	18 - 23 Months	0		*
24 - 35 Months	24		*	24 - 35 Months	0		*
36 - 59 Months	53		*	36 - 59 Months	0		*
Total	150	11.3		Total	0		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	17		*	6 - 11 Months	2		*
12 - 17 Months	14		*	12 - 17 Months	4		*
18 - 23 Months	5		*	18 - 23 Months	1		*
24 - 35 Months	8		*	24 - 35 Months	2		*
36 - 59 Months	18		*	36 - 59 Months	5		*
Total	62		*	Total	14		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Inyo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	43	*	
6 - 11 Months	70	*	
12 - 17 Months	23	*	
18 - 23 Months	45	*	
24 - 35 Months	90	*	
36 - 59 Months			
Total	271	11.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Kern
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 015

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	348	11.2		6 - 11 Months	8	*	
12 - 17 Months	347	10.4		12 - 17 Months	6	*	
18 - 23 Months	146	9.6		18 - 23 Months	5	*	
24 - 35 Months	335	12.2		24 - 35 Months	9	*	
36 - 59 Months	721	7.1		36 - 59 Months	23	*	
Total	1,897	9.5		Total	51	*	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	154	18.2		6 - 11 Months	1	*	
12 - 17 Months	167	22.2		12 - 17 Months	2	*	
18 - 23 Months	83	*		18 - 23 Months	2	*	
24 - 35 Months	190	23.7		24 - 35 Months	1	*	
36 - 59 Months	439	16.4		36 - 59 Months	7	*	
Total	1,033	19.8		Total	13	*	
Hispanic				Filipino			
6 - 11 Months	2,627	13.8		6 - 11 Months	9	*	
12 - 17 Months	2,983	10.0		12 - 17 Months	8	*	
18 - 23 Months	1,430	12.0		18 - 23 Months	9	*	
24 - 35 Months	2,940	11.6		24 - 35 Months	13	*	
36 - 59 Months	6,455	8.0		36 - 59 Months	31	*	
Total	16,435	10.3		Total	70	*	
American Indian/Alaskan Native				All Other			
6 - 11 Months	3	*		6 - 11 Months	441	8.8	
12 - 17 Months	3	*		12 - 17 Months	225	12.0	
18 - 23 Months	2	*		18 - 23 Months	104	17.3	
24 - 35 Months	4	*		24 - 35 Months	353	13.6	
36 - 59 Months	7	*		36 - 59 Months	674	10.7	
Total	19	*		Total	1,797	11.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Kern
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 015

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	3,591	13.1	
6 - 11 Months	3,741	10.7	
12 - 17 Months	1,781	12.8	
18 - 23 Months	3,845	12.4	
24 - 35 Months	8,357	8.5	
36 - 59 Months			
Total	21,315	10.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Kings
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 016

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	45	*	6 - 11 Months	3	*
12 - 17 Months	58	*	12 - 17 Months	0	*
18 - 23 Months	20	*	18 - 23 Months	0	*
24 - 35 Months	52	*	24 - 35 Months	2	*
36 - 59 Months	78	*	36 - 59 Months	3	*
Total	253	21.7	Total	8	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	10	*	6 - 11 Months	0	*
12 - 17 Months	24	*	12 - 17 Months	2	*
18 - 23 Months	8	*	18 - 23 Months	0	*
24 - 35 Months	16	*	24 - 35 Months	0	*
36 - 59 Months	40	*	36 - 59 Months	0	*
Total	98	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	376	38.8	6 - 11 Months	0	*
12 - 17 Months	483	28.6	12 - 17 Months	1	*
18 - 23 Months	194	31.4	18 - 23 Months	1	*
24 - 35 Months	446	22.6	24 - 35 Months	2	*
36 - 59 Months	700	18.0	36 - 59 Months	4	*
Total	2,199	26.0	Total	8	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	61	*
12 - 17 Months	3	*	12 - 17 Months	93	*
18 - 23 Months	3	*	18 - 23 Months	37	*
24 - 35 Months	3	*	24 - 35 Months	53	*
36 - 59 Months	6	*	36 - 59 Months	119	18.5
Total	16	*	Total	363	24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Kings
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 016

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	496	36.5	
6 - 11 Months	664	29.5	
12 - 17 Months	263	29.7	
18 - 23 Months	574	22.6	
24 - 35 Months	950	18.9	
36 - 59 Months			
Total	2,947	26.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. East
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 095

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	37		*	6 - 11 Months	36		*
12 - 17 Months	28		*	12 - 17 Months	27		*
18 - 23 Months	14		*	18 - 23 Months	9		*
24 - 35 Months	44		*	24 - 35 Months	45		*
36 - 59 Months	84		*	36 - 59 Months	85		*
Total	207		12.1	Total	202		10.9
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	36		*	6 - 11 Months	5		*
12 - 17 Months	30		*	12 - 17 Months	0		*
18 - 23 Months	14		*	18 - 23 Months	4		*
24 - 35 Months	29		*	24 - 35 Months	2		*
36 - 59 Months	54		*	36 - 59 Months	6		*
Total	163		23.3	Total	17		*
Hispanic				Filipino			
6 - 11 Months	2,314		19.9	6 - 11 Months	8		*
12 - 17 Months	2,450		18.0	12 - 17 Months	3		*
18 - 23 Months	1,122		19.5	18 - 23 Months	3		*
24 - 35 Months	2,967		17.1	24 - 35 Months	6		*
36 - 59 Months	6,246		11.7	36 - 59 Months	25		*
Total	15,099		15.6	Total	45		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	90		*
12 - 17 Months	1		*	12 - 17 Months	104		18.3
18 - 23 Months	0		*	18 - 23 Months	41		*
24 - 35 Months	0		*	24 - 35 Months	92		*
36 - 59 Months	0		*	36 - 59 Months	229		19.2
Total	1		*	Total	556		20.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. East
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 095

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	2,526	19.8
12 - 17 Months	2,643	17.9
18 - 23 Months	1,207	19.6
24 - 35 Months	3,185	17.2
36 - 59 Months	6,729	12.0
Total	16,290	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. North
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 094

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	66		*	6 - 11 Months	3		*
12 - 17 Months	32		*	12 - 17 Months	6		*
18 - 23 Months	15		*	18 - 23 Months	2		*
24 - 35 Months	43		*	24 - 35 Months	7		*
36 - 59 Months	94		*	36 - 59 Months	17		*
Total	250		10.4	Total	35		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	26		*	6 - 11 Months	0		*
12 - 17 Months	22		*	12 - 17 Months	0		*
18 - 23 Months	12		*	18 - 23 Months	0		*
24 - 35 Months	32		*	24 - 35 Months	0		*
36 - 59 Months	42		*	36 - 59 Months	1		*
Total	134		17.9	Total	1		*
Hispanic				Filipino			
6 - 11 Months	840		17.5	6 - 11 Months	10		*
12 - 17 Months	1,021		12.2	12 - 17 Months	5		*
18 - 23 Months	498		11.0	18 - 23 Months	1		*
24 - 35 Months	1,315		10.6	24 - 35 Months	9		*
36 - 59 Months	2,780		9.2	36 - 59 Months	11		*
Total	6,454		11.2	Total	36		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	1		*	6 - 11 Months	75		*
12 - 17 Months	0		*	12 - 17 Months	47		*
18 - 23 Months	0		*	18 - 23 Months	22		*
24 - 35 Months	1		*	24 - 35 Months	57		*
36 - 59 Months	3		*	36 - 59 Months	152	16.4	
Total	5		*	Total	353	15.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. North
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 094

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	1,021	17.1	
12 - 17 Months	1,133	11.8	
18 - 23 Months	550	11.6	
24 - 35 Months	1,464	11.4	
36 - 59 Months	3,100	9.7	
Total	7,268	11.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. Other
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 097

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	411	19.0		6 - 11 Months	321	18.7	
12 - 17 Months	296	10.1		12 - 17 Months	326	8.9	
18 - 23 Months	114	4.4		18 - 23 Months	109	11.0	
24 - 35 Months	368	13.9		24 - 35 Months	323	14.9	
36 - 59 Months	679	10.0		36 - 59 Months	605	10.1	
Total	1,868	12.4		Total	1,684	12.5	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	588	20.7		6 - 11 Months	16	*	
12 - 17 Months	788	18.5		12 - 17 Months	24	*	
18 - 23 Months	328	22.3		18 - 23 Months	20	*	
24 - 35 Months	929	23.9		24 - 35 Months	22	*	
36 - 59 Months	1,847	18.7		36 - 59 Months	56	*	
Total	4,480	20.3		Total	138	12.3	
Hispanic				Filipino			
6 - 11 Months	14,138	17.8		6 - 11 Months	88	*	
12 - 17 Months	17,729	14.6		12 - 17 Months	82	*	
18 - 23 Months	6,965	13.3		18 - 23 Months	25	*	
24 - 35 Months	17,413	14.1		24 - 35 Months	74	*	
36 - 59 Months	33,227	9.2		36 - 59 Months	142	9.9	
Total	89,472	12.9		Total	411	11.2	
American Indian/Alaskan Native				All Other			
6 - 11 Months	13	*		6 - 11 Months	1,123	14.4	
12 - 17 Months	17	*		12 - 17 Months	1,202	16.6	
18 - 23 Months	12	*		18 - 23 Months	450	13.1	
24 - 35 Months	20	*		24 - 35 Months	1,116	15.8	
36 - 59 Months	46	*		36 - 59 Months	2,269	10.8	
Total	108	20.4		Total	6,160	13.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. Other
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 097

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
6 - 11 Months	16,698 17.7	
12 - 17 Months	20,464 14.7	
18 - 23 Months	8,023 13.5	
24 - 35 Months	20,265 14.7	
36 - 59 Months	38,871 9.8	
Total	104,321 13.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. South
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 096

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	17	*		6 - 11 Months	29	*
12 - 17 Months	20	*		12 - 17 Months	17	*
18 - 23 Months	9	*		18 - 23 Months	6	*
24 - 35 Months	18	*		24 - 35 Months	9	*
36 - 59 Months	47	*		36 - 59 Months	48	*
Total	111	12.6		Total	109	14.7
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	145	18.6		6 - 11 Months	1	*
12 - 17 Months	152	23.7		12 - 17 Months	4	*
18 - 23 Months	79	*		18 - 23 Months	2	*
24 - 35 Months	146	24.0		24 - 35 Months	5	*
36 - 59 Months	413	19.1		36 - 59 Months	9	*
Total	935	20.4		Total	21	*
Hispanic				Filipino		
6 - 11 Months	2,318	15.8		6 - 11 Months	5	*
12 - 17 Months	2,119	14.4		12 - 17 Months	13	*
18 - 23 Months	1,085	12.2		18 - 23 Months	7	*
24 - 35 Months	2,848	12.5		24 - 35 Months	12	*
36 - 59 Months	5,723	7.8		36 - 59 Months	29	*
Total	14,093	11.4		Total	66	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	1	*		6 - 11 Months	101	22.8
12 - 17 Months	0	*		12 - 17 Months	104	7.7
18 - 23 Months	3	*		18 - 23 Months	46	*
24 - 35 Months	4	*		24 - 35 Months	113	17.7
36 - 59 Months	0	*		36 - 59 Months	337	8.0
Total	8	*		Total	701	12.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. South
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 096

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	2,617	16.3	
12 - 17 Months	2,429	14.7	
18 - 23 Months	1,237	12.8	
24 - 35 Months	3,155	13.3	
36 - 59 Months	6,606	8.6	
Total	16,044	12.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
L.A. West
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 093

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	7		*	6 - 11 Months	3		*
12 - 17 Months	10		*	12 - 17 Months	0		*
18 - 23 Months	10		*	18 - 23 Months	2		*
24 - 35 Months	12		*	24 - 35 Months	1		*
36 - 59 Months	15		*	36 - 59 Months	2		*
Total	54		*	Total	8		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	78		*	6 - 11 Months	2		*
12 - 17 Months	55		*	12 - 17 Months	1		*
18 - 23 Months	39		*	18 - 23 Months	2		*
24 - 35 Months	86		*	24 - 35 Months	2		*
36 - 59 Months	196		13.3	36 - 59 Months	4		*
Total	454		16.1	Total	11		*
Hispanic				Filipino			
6 - 11 Months	219		22.4	6 - 11 Months	3		*
12 - 17 Months	260		10.8	12 - 17 Months	2		*
18 - 23 Months	100		9.0	18 - 23 Months	0		*
24 - 35 Months	315		15.2	24 - 35 Months	1		*
36 - 59 Months	678		7.4	36 - 59 Months	5		*
Total	1,572		11.7	Total	11		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	23		*
12 - 17 Months	0		*	12 - 17 Months	20		*
18 - 23 Months	0		*	18 - 23 Months	15		*
24 - 35 Months	0		*	24 - 35 Months	20		*
36 - 59 Months	1		*	36 - 59 Months	49		*
Total	1		*	Total	127		17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
 L.A. West
Anemia Indicators by Race/Ethnicity and Age
 Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 093

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	335	22.7	
6 - 11 Months	348	10.9	
12 - 17 Months	168	13.1	
18 - 23 Months	437	16.5	
24 - 35 Months	950	9.2	
36 - 59 Months			
Total	2,238	13.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Lake
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 017

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	45	*		6 - 11 Months	0	*
12 - 17 Months	63	*		12 - 17 Months	1	*
18 - 23 Months	26	*		18 - 23 Months	0	*
24 - 35 Months	58	*		24 - 35 Months	1	*
36 - 59 Months	76	*		36 - 59 Months	0	*
Total	268	8.6		Total	2	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	0	*		6 - 11 Months	0	*
12 - 17 Months	2	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	1	*
24 - 35 Months	3	*		24 - 35 Months	1	*
36 - 59 Months	4	*		36 - 59 Months	0	*
Total	9	*		Total	2	*
Hispanic				Filipino		
6 - 11 Months	19	*		6 - 11 Months	0	*
12 - 17 Months	34	*		12 - 17 Months	0	*
18 - 23 Months	17	*		18 - 23 Months	0	*
24 - 35 Months	37	*		24 - 35 Months	0	*
36 - 59 Months	61	*		36 - 59 Months	1	*
Total	168	7.1		Total	1	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	29	*
12 - 17 Months	3	*		12 - 17 Months	24	*
18 - 23 Months	0	*		18 - 23 Months	10	*
24 - 35 Months	1	*		24 - 35 Months	27	*
36 - 59 Months	2	*		36 - 59 Months	29	*
Total	6	*		Total	119	13.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Lake
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 017

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	93 *	
6 - 11 Months	127 9.4	
12 - 17 Months	54 *	
18 - 23 Months	128 7.8	
24 - 35 Months	173 9.8	
36 - 59 Months		
Total	575 9.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Lassen
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 018

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	36		*	6 - 11 Months	0		*
12 - 17 Months	45		*	12 - 17 Months	0		*
18 - 23 Months	12		*	18 - 23 Months	0		*
24 - 35 Months	38		*	24 - 35 Months	0		*
36 - 59 Months	95		*	36 - 59 Months	1		*
Total	226		15.5	Total	1		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	1		*	12 - 17 Months	1		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	3		*	24 - 35 Months	1		*
36 - 59 Months	5		*	36 - 59 Months	2		*
Total	11		*	Total	4		*
Hispanic				Filipino			
6 - 11 Months	14		*	6 - 11 Months	0		*
12 - 17 Months	21		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	16		*	24 - 35 Months	0		*
36 - 59 Months	42		*	36 - 59 Months	0		*
Total	94		*	Total	0		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	1		*	6 - 11 Months	1		*
12 - 17 Months	3		*	12 - 17 Months	1		*
18 - 23 Months	3		*	18 - 23 Months	3		*
24 - 35 Months	4		*	24 - 35 Months	1		*
36 - 59 Months	6		*	36 - 59 Months	3		*
Total	17		*	Total	9		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Lassen
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 018

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups	53	*	
6 - 11 Months	72	*	
12 - 17 Months	20	*	
18 - 23 Months	63	*	
24 - 35 Months	154	9.1	
36 - 59 Months			
Total	362	13.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Long Beach
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 062

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	14		*	6 - 11 Months	45
12 - 17 Months	23		*	12 - 17 Months	62
18 - 23 Months	8		*	18 - 23 Months	23
24 - 35 Months	12		*	24 - 35 Months	52
36 - 59 Months	33		*	36 - 59 Months	130
Total	90		*	Total	312
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	73		*	6 - 11 Months	6
12 - 17 Months	77		*	12 - 17 Months	9
18 - 23 Months	49		*	18 - 23 Months	3
24 - 35 Months	93		*	24 - 35 Months	6
36 - 59 Months	200	22.5		36 - 59 Months	13
Total	492	21.5		Total	37
Hispanic				Filipino	
6 - 11 Months	527	18.2		6 - 11 Months	5
12 - 17 Months	563	13.9		12 - 17 Months	3
18 - 23 Months	220	12.3		18 - 23 Months	2
24 - 35 Months	596	15.6		24 - 35 Months	1
36 - 59 Months	1,201	9.3		36 - 59 Months	11
Total	3,107	13.1		Total	22
American Indian/Alaskan Native				All Other	
6 - 11 Months	0		*	6 - 11 Months	75
12 - 17 Months	4		*	12 - 17 Months	57
18 - 23 Months	0		*	18 - 23 Months	18
24 - 35 Months	1		*	24 - 35 Months	42
36 - 59 Months	1		*	36 - 59 Months	69
Total	6		*	Total	261
					13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Long Beach
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 062

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	745	17.2	
12 - 17 Months	798	14.2	
18 - 23 Months	323	13.6	
24 - 35 Months	803	15.7	
36 - 59 Months	1,658	11.0	
Total	4,327	13.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Madera
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 020

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	76	*	6 - 11 Months	1	*
12 - 17 Months	73	*	12 - 17 Months	1	*
18 - 23 Months	33	*	18 - 23 Months	1	*
24 - 35 Months	50	*	24 - 35 Months	1	*
36 - 59 Months	149	11.4	36 - 59 Months	3	*
Total	381	15.5	Total	7	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	5	*	6 - 11 Months	1	*
12 - 17 Months	8	*	12 - 17 Months	0	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	5	*	24 - 35 Months	0	*
36 - 59 Months	10	*	36 - 59 Months	1	*
Total	31	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	1,114	30.0	6 - 11 Months	2	*
12 - 17 Months	1,165	23.3	12 - 17 Months	1	*
18 - 23 Months	386	21.5	18 - 23 Months	1	*
24 - 35 Months	1,040	18.6	24 - 35 Months	2	*
36 - 59 Months	2,079	14.1	36 - 59 Months	0	*
Total	5,784	20.3	Total	6	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	32	*
12 - 17 Months	6	*	12 - 17 Months	33	*
18 - 23 Months	1	*	18 - 23 Months	16	*
24 - 35 Months	8	*	24 - 35 Months	32	*
36 - 59 Months	9	*	36 - 59 Months	65	*
Total	24	*	Total	178	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Madera
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 020

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
Total All Race/Ethnic Groups					
6 - 11 Months	1,231	29.2			
12 - 17 Months	1,287	23.1			
18 - 23 Months	441	21.1			
24 - 35 Months	1,138	18.5			
36 - 59 Months	2,316	13.8			
Total	6,413	20.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Marin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 021

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	4		*	6 - 11 Months	3
12 - 17 Months	18		*	12 - 17 Months	12
18 - 23 Months	10		*	18 - 23 Months	5
24 - 35 Months	24		*	24 - 35 Months	3
36 - 59 Months	18		*	36 - 59 Months	3
Total	74		*	Total	26
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	2		*	6 - 11 Months	0
12 - 17 Months	4		*	12 - 17 Months	0
18 - 23 Months	7		*	18 - 23 Months	0
24 - 35 Months	7		*	24 - 35 Months	0
36 - 59 Months	3		*	36 - 59 Months	0
Total	23		*	Total	0
Hispanic				Filipino	
6 - 11 Months	99		*	6 - 11 Months	0
12 - 17 Months	217	12.4		12 - 17 Months	0
18 - 23 Months	72		*	18 - 23 Months	0
24 - 35 Months	166	11.4		24 - 35 Months	0
36 - 59 Months	268	6.3		36 - 59 Months	0
Total	822	11.1		Total	0
American Indian/Alaskan Native				All Other	
6 - 11 Months	2		*	6 - 11 Months	8
12 - 17 Months	1		*	12 - 17 Months	23
18 - 23 Months	1		*	18 - 23 Months	10
24 - 35 Months	0		*	24 - 35 Months	15
36 - 59 Months	3		*	36 - 59 Months	16
Total	7		*	Total	72

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Marin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 021

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	118	16.9	
12 - 17 Months	275	12.4	
18 - 23 Months	105	11.4	
24 - 35 Months	215	10.7	
36 - 59 Months	311	7.1	
Total	1,024	10.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Mariposa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 022

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	6		*	6 - 11 Months	0		*
12 - 17 Months	11		*	12 - 17 Months	0		*
18 - 23 Months	4		*	18 - 23 Months	0		*
24 - 35 Months	3		*	24 - 35 Months	0		*
36 - 59 Months	16		*	36 - 59 Months	0		*
Total	40		*	Total	0		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	0		*	36 - 59 Months	0		*
Total	0		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	2		*	6 - 11 Months	0		*
12 - 17 Months	3		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	10		*	36 - 59 Months	0		*
Total	15		*	Total	0		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	2		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	2		*	24 - 35 Months	0		*
36 - 59 Months	0		*	36 - 59 Months	1		*
Total	5		*	Total	1		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Mariposa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 022

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	8	*	
6 - 11 Months	16	*	
12 - 17 Months	5	*	
18 - 23 Months	5	*	
24 - 35 Months	27	*	
36 - 59 Months	61	*	
Total	61	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Mendocino
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 023

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct %		Anemia Low Hb/Hct %
	Number		Number
White, Not Hispanic		Asian	
6 - 11 Months	25	6 - 11 Months	0
12 - 17 Months	31	12 - 17 Months	0
18 - 23 Months	15	18 - 23 Months	0
24 - 35 Months	24	24 - 35 Months	0
36 - 59 Months	62	36 - 59 Months	1
Total	157	Total	1
	16.6	Pacific Islander	
Black, Not Hispanic		6 - 11 Months	0
6 - 11 Months	0	12 - 17 Months	0
12 - 17 Months	0	18 - 23 Months	0
18 - 23 Months	1	24 - 35 Months	0
24 - 35 Months	0	36 - 59 Months	0
36 - 59 Months	2	Total	0
Total	3		
	*	Filipino	
Hispanic		6 - 11 Months	0
6 - 11 Months	34	12 - 17 Months	0
12 - 17 Months	55	18 - 23 Months	0
18 - 23 Months	30	24 - 35 Months	0
24 - 35 Months	50	36 - 59 Months	0
36 - 59 Months	127	Total	0
Total	296		
	11.5	All Other	
American Indian/Alaskan Native		6 - 11 Months	118
6 - 11 Months	3	12 - 17 Months	58
12 - 17 Months	8	18 - 23 Months	33
18 - 23 Months	2	24 - 35 Months	98
24 - 35 Months	10	36 - 59 Months	135
36 - 59 Months	21	Total	442
Total	44		19.9
	*		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Mendocino
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 023

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	180	22.2	
6 - 11 Months	152	15.8	
12 - 17 Months	81	*	
18 - 23 Months	182	26.4	
24 - 35 Months	348	10.1	
36 - 59 Months			
Total	943	16.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Merced
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 024

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	185	19.5	6 - 11 Months	89	*		
12 - 17 Months	208	15.9	12 - 17 Months	95	*		
18 - 23 Months	93	*	18 - 23 Months	39	*		
24 - 35 Months	160	20.0	24 - 35 Months	91	*		
36 - 59 Months	305	11.8	36 - 59 Months	175	21.1		
Total	951	16.1	Total	489	28.4		
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	33	*	6 - 11 Months	1	*		
12 - 17 Months	64	*	12 - 17 Months	0	*		
18 - 23 Months	26	*	18 - 23 Months	2	*		
24 - 35 Months	38	*	24 - 35 Months	1	*		
36 - 59 Months	86	*	36 - 59 Months	0	*		
Total	247	21.9	Total	4	*		
Hispanic				Filipino			
6 - 11 Months	558	24.4	6 - 11 Months	0	*		
12 - 17 Months	713	18.0	12 - 17 Months	3	*		
18 - 23 Months	246	14.6	18 - 23 Months	1	*		
24 - 35 Months	585	16.6	24 - 35 Months	0	*		
36 - 59 Months	1,160	10.8	36 - 59 Months	0	*		
Total	3,262	16.0	Total	4	*		
American Indian/Alaskan Native				All Other			
6 - 11 Months	2	*	6 - 11 Months	475	25.9		
12 - 17 Months	1	*	12 - 17 Months	503	19.5		
18 - 23 Months	1	*	18 - 23 Months	221	24.0		
24 - 35 Months	3	*	24 - 35 Months	441	22.0		
36 - 59 Months	1	*	36 - 59 Months	845	13.8		
Total	8	*	Total	2,485	19.6		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Merced
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 024

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	1,343	24.7	
6 - 11 Months	1,587	19.2	
12 - 17 Months	629	19.1	
18 - 23 Months	1,319	20.5	
24 - 35 Months	2,572	12.9	
36 - 59 Months			
Total	7,450	18.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Modoc
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 025

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	6		*	6 - 11 Months	0		*
12 - 17 Months	16		*	12 - 17 Months	0		*
18 - 23 Months	4		*	18 - 23 Months	0		*
24 - 35 Months	9		*	24 - 35 Months	1		*
36 - 59 Months	24		*	36 - 59 Months	0		*
Total	59		*	Total	1		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	0		*	36 - 59 Months	0		*
Total	0		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	15		*	12 - 17 Months	0		*
18 - 23 Months	7		*	18 - 23 Months	0		*
24 - 35 Months	8		*	24 - 35 Months	0		*
36 - 59 Months	23		*	36 - 59 Months	0		*
Total	54		*	Total	0		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	1		*	6 - 11 Months	2		*
12 - 17 Months	2		*	12 - 17 Months	2		*
18 - 23 Months	1		*	18 - 23 Months	2		*
24 - 35 Months	1		*	24 - 35 Months	2		*
36 - 59 Months	1		*	36 - 59 Months	5		*
Total	6		*	Total	13		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Modoc
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 025

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	10	*	
6 - 11 Months	35	*	
12 - 17 Months	14	*	
18 - 23 Months	21	*	
24 - 35 Months	53	*	
36 - 59 Months			
Total	133	9.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	10		*	6 - 11 Months	0
12 - 17 Months	6		*	12 - 17 Months	0
18 - 23 Months	1		*	18 - 23 Months	0
24 - 35 Months	6		*	24 - 35 Months	0
36 - 59 Months	10		*	36 - 59 Months	0
Total	33		*	Total	0
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	0		*	6 - 11 Months	0
12 - 17 Months	0		*	12 - 17 Months	0
18 - 23 Months	0		*	18 - 23 Months	0
24 - 35 Months	0		*	24 - 35 Months	0
36 - 59 Months	0		*	36 - 59 Months	0
Total	0		*	Total	0
Hispanic				Filipino	
6 - 11 Months	55		*	6 - 11 Months	0
12 - 17 Months	67		*	12 - 17 Months	0
18 - 23 Months	12		*	18 - 23 Months	0
24 - 35 Months	36		*	24 - 35 Months	0
36 - 59 Months	51		*	36 - 59 Months	0
Total	221	21.3		Total	0
American Indian/Alaskan Native				All Other	
6 - 11 Months	0		*	6 - 11 Months	2
12 - 17 Months	2		*	12 - 17 Months	3
18 - 23 Months	0		*	18 - 23 Months	1
24 - 35 Months	0		*	24 - 35 Months	1
36 - 59 Months	4		*	36 - 59 Months	1
Total	6		*	Total	8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Mono
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 026

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	67	*	
6 - 11 Months	78	*	
12 - 17 Months	14	*	
18 - 23 Months	43	*	
24 - 35 Months	66	*	
36 - 59 Months			
Total	268	21.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Monterey
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 027

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	9		*	6 - 11 Months	1		*
12 - 17 Months	18		*	12 - 17 Months	4		*
18 - 23 Months	8		*	18 - 23 Months	1		*
24 - 35 Months	6		*	24 - 35 Months	1		*
36 - 59 Months	20		*	36 - 59 Months	4		*
Total	61		*	Total	11		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	5		*	12 - 17 Months	0		*
18 - 23 Months	3		*	18 - 23 Months	1		*
24 - 35 Months	7		*	24 - 35 Months	2		*
36 - 59 Months	8		*	36 - 59 Months	2		*
Total	23		*	Total	5		*
Hispanic				Filipino			
6 - 11 Months	445	18.9		6 - 11 Months	0		*
12 - 17 Months	770	15.6		12 - 17 Months	0		*
18 - 23 Months	351	14.0		18 - 23 Months	1		*
24 - 35 Months	545	12.3		24 - 35 Months	0		*
36 - 59 Months	1,006	8.1		36 - 59 Months	2		*
Total	3,117	12.9		Total	3		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	2		*	6 - 11 Months	16		*
12 - 17 Months	1		*	12 - 17 Months	12		*
18 - 23 Months	2		*	18 - 23 Months	8		*
24 - 35 Months	1		*	24 - 35 Months	11		*
36 - 59 Months	0		*	36 - 59 Months	21		*
Total	6		*	Total	68		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Monterey
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 027

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	473	18.0	
12 - 17 Months	810	15.1	
18 - 23 Months	375	13.3	
24 - 35 Months	573	12.0	
36 - 59 Months	1,063	8.0	
Total	3,294	12.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Napa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 028

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	23	*	6 - 11 Months	0	*
12 - 17 Months	8	*	12 - 17 Months	2	*
18 - 23 Months	3	*	18 - 23 Months	1	*
24 - 35 Months	10	*	24 - 35 Months	0	*
36 - 59 Months	25	*	36 - 59 Months	1	*
Total	69	*	Total	4	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	4	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	3	*	36 - 59 Months	2	*
Total	8	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	218	36.2	6 - 11 Months	3	*
12 - 17 Months	100	31.0	12 - 17 Months	0	*
18 - 23 Months	53	*	18 - 23 Months	0	*
24 - 35 Months	94	*	24 - 35 Months	0	*
36 - 59 Months	221	20.4	36 - 59 Months	1	*
Total	686	28.7	Total	4	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	215	29.8
12 - 17 Months	1	*	12 - 17 Months	26	*
18 - 23 Months	0	*	18 - 23 Months	21	*
24 - 35 Months	0	*	24 - 35 Months	59	*
36 - 59 Months	1	*	36 - 59 Months	108	12.0
Total	2	*	Total	429	24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Napa
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 028

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	463	32.8	
12 - 17 Months	138	27.5	
18 - 23 Months	78	*	
24 - 35 Months	163	26.4	
36 - 59 Months	362	18.2	
Total	1,204	26.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Nevada
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 029

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	53	*	6 - 11 Months	1	*
12 - 17 Months	27	*	12 - 17 Months	0	*
18 - 23 Months	18	*	18 - 23 Months	0	*
24 - 35 Months	50	*	24 - 35 Months	0	*
36 - 59 Months	72	*	36 - 59 Months	0	*
Total	220	16.4	Total	1	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	2	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	39	*	6 - 11 Months	0	*
12 - 17 Months	24	*	12 - 17 Months	0	*
18 - 23 Months	12	*	18 - 23 Months	0	*
24 - 35 Months	16	*	24 - 35 Months	0	*
36 - 59 Months	33	*	36 - 59 Months	0	*
Total	124	4.8	Total	0	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	19	*
12 - 17 Months	0	*	12 - 17 Months	27	*
18 - 23 Months	0	*	18 - 23 Months	7	*
24 - 35 Months	0	*	24 - 35 Months	17	*
36 - 59 Months	0	*	36 - 59 Months	23	*
Total	0	*	Total	93	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Nevada
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 029

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups	112	15.2	
6 - 11 Months	78	*	
12 - 17 Months	37	*	
18 - 23 Months	84	*	
24 - 35 Months	129	9.3	
36 - 59 Months			
Total	440	11.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Orange
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 030

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	46		*	6 - 11 Months	21		*
12 - 17 Months	71		*	12 - 17 Months	27		*
18 - 23 Months	26		*	18 - 23 Months	19		*
24 - 35 Months	64		*	24 - 35 Months	39		*
36 - 59 Months	140		5.7	36 - 59 Months	102		4.9
Total	347		11.2	Total	208		9.1
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	9		*	6 - 11 Months	3		*
12 - 17 Months	8		*	12 - 17 Months	4		*
18 - 23 Months	6		*	18 - 23 Months	1		*
24 - 35 Months	13		*	24 - 35 Months	1		*
36 - 59 Months	24		*	36 - 59 Months	10		*
Total	60		*	Total	19		*
Hispanic				Filipino			
6 - 11 Months	1,013		19.2	6 - 11 Months	4		*
12 - 17 Months	1,576		15.6	12 - 17 Months	8		*
18 - 23 Months	771		17.6	18 - 23 Months	4		*
24 - 35 Months	1,952		15.5	24 - 35 Months	4		*
36 - 59 Months	4,689		10.5	36 - 59 Months	21		*
Total	10,001		13.7	Total	41		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	4		*	6 - 11 Months	74		*
12 - 17 Months	1		*	12 - 17 Months	88		*
18 - 23 Months	1		*	18 - 23 Months	32		*
24 - 35 Months	2		*	24 - 35 Months	96		*
36 - 59 Months	4		*	36 - 59 Months	174		13.2
Total	12		*	Total	464		16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Orange
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 030

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups	1,174	19.0
6 - 11 Months	1,783	15.2
12 - 17 Months	860	17.6
18 - 23 Months	2,171	15.8
24 - 35 Months	5,164	10.4
36 - 59 Months		
Total	11,152	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Pasadena
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 063

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	6		*	6 - 11 Months	0		*
12 - 17 Months	10		*	12 - 17 Months	2		*
18 - 23 Months	3		*	18 - 23 Months	1		*
24 - 35 Months	7		*	24 - 35 Months	1		*
36 - 59 Months	14		*	36 - 59 Months	5		*
Total	40		*	Total	9		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	8		*	6 - 11 Months	0		*
12 - 17 Months	57		*	12 - 17 Months	1		*
18 - 23 Months	17		*	18 - 23 Months	0		*
24 - 35 Months	41		*	24 - 35 Months	0		*
36 - 59 Months	81		*	36 - 59 Months	1		*
Total	204	12.7		Total	2		*
Hispanic				Filipino			
6 - 11 Months	44		*	6 - 11 Months	1		*
12 - 17 Months	144	12.5		12 - 17 Months	3		*
18 - 23 Months	43		*	18 - 23 Months	0		*
24 - 35 Months	104	5.8		24 - 35 Months	0		*
36 - 59 Months	211	2.8		36 - 59 Months	3		*
Total	546	7.9		Total	7		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	58		*
12 - 17 Months	0		*	12 - 17 Months	64		*
18 - 23 Months	0		*	18 - 23 Months	8		*
24 - 35 Months	0		*	24 - 35 Months	54		*
36 - 59 Months	0		*	36 - 59 Months	96		*
Total	0		*	Total	280	18.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Pasadena
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 063

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	117	17.9	
12 - 17 Months	281	14.9	
18 - 23 Months	72	*	
24 - 35 Months	207	11.1	
36 - 59 Months	411	7.3	
Total	1,088	11.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Placer
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 031

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	82		*	6 - 11 Months	1		*
12 - 17 Months	82		*	12 - 17 Months	1		*
18 - 23 Months	27		*	18 - 23 Months	0		*
24 - 35 Months	70		*	24 - 35 Months	2		*
36 - 59 Months	106		11.3	36 - 59 Months	3		*
Total	367		14.7	Total	7		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	2		*	6 - 11 Months	0		*
12 - 17 Months	3		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	1		*	24 - 35 Months	1		*
36 - 59 Months	3		*	36 - 59 Months	0		*
Total	10		*	Total	1		*
Hispanic				Filipino			
6 - 11 Months	165		23.6	6 - 11 Months	0		*
12 - 17 Months	186		21.0	12 - 17 Months	1		*
18 - 23 Months	41		*	18 - 23 Months	0		*
24 - 35 Months	143		21.7	24 - 35 Months	0		*
36 - 59 Months	253		18.2	36 - 59 Months	1		*
Total	788		21.1	Total	2		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	190		15.8
12 - 17 Months	0		*	12 - 17 Months	128		13.3
18 - 23 Months	0		*	18 - 23 Months	50		*
24 - 35 Months	0		*	24 - 35 Months	128		14.8
36 - 59 Months	0		*	36 - 59 Months	130		13.8
Total	0		*	Total	626		13.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Placer
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 031

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	440	18.6	
12 - 17 Months	401	17.5	
18 - 23 Months	119	16.0	
24 - 35 Months	345	18.0	
36 - 59 Months	496	15.3	
Total	1,801	17.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Plumas
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 032

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	17		*	6 - 11 Months	0		*
12 - 17 Months	19		*	12 - 17 Months	0		*
18 - 23 Months	2		*	18 - 23 Months	0		*
24 - 35 Months	10		*	24 - 35 Months	0		*
36 - 59 Months	35		*	36 - 59 Months	1		*
Total	83		*	Total	1		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	1		*	24 - 35 Months	0		*
36 - 59 Months	1		*	36 - 59 Months	0		*
Total	4		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	14		*	6 - 11 Months	0		*
12 - 17 Months	9		*	12 - 17 Months	0		*
18 - 23 Months	2		*	18 - 23 Months	0		*
24 - 35 Months	10		*	24 - 35 Months	1		*
36 - 59 Months	20		*	36 - 59 Months	0		*
Total	55		*	Total	1		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	1		*	6 - 11 Months	3		*
12 - 17 Months	0		*	12 - 17 Months	3		*
18 - 23 Months	0		*	18 - 23 Months	3		*
24 - 35 Months	1		*	24 - 35 Months	3		*
36 - 59 Months	1		*	36 - 59 Months	7		*
Total	3		*	Total	19		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Plumas
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 032

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	36	*	
6 - 11 Months	31	*	
12 - 17 Months	8	*	
18 - 23 Months	26	*	
24 - 35 Months	65	*	
36 - 59 Months			
Total	166	9.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Riverside
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 033

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian		
6 - 11 Months	192	17.2	6 - 11 Months	11	*
12 - 17 Months	220	15.0	12 - 17 Months	8	*
18 - 23 Months	78	*	18 - 23 Months	3	*
24 - 35 Months	198	17.7	24 - 35 Months	8	*
36 - 59 Months	438	9.1	36 - 59 Months	34	*
Total	1,126	13.1	Total	64	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	79	*	6 - 11 Months	1	*
12 - 17 Months	76	*	12 - 17 Months	1	*
18 - 23 Months	38	*	18 - 23 Months	1	*
24 - 35 Months	112	15.2	24 - 35 Months	2	*
36 - 59 Months	243	21.0	36 - 59 Months	7	*
Total	548	18.4	Total	12	*
Hispanic			Filipino		
6 - 11 Months	1,633	23.6	6 - 11 Months	3	*
12 - 17 Months	2,175	16.3	12 - 17 Months	5	*
18 - 23 Months	1,140	15.1	18 - 23 Months	0	*
24 - 35 Months	2,419	16.6	24 - 35 Months	4	*
36 - 59 Months	5,151	11.3	36 - 59 Months	14	*
Total	12,518	15.1	Total	26	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	136	16.9
12 - 17 Months	0	*	12 - 17 Months	155	11.0
18 - 23 Months	0	*	18 - 23 Months	68	*
24 - 35 Months	2	*	24 - 35 Months	169	14.8
36 - 59 Months	3	*	36 - 59 Months	353	12.7
Total	6	*	Total	881	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Riverside
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 033

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	2,056	22.0	
12 - 17 Months	2,640	15.9	
18 - 23 Months	1,328	14.7	
24 - 35 Months	2,914	16.5	
36 - 59 Months	6,243	11.5	
Total	15,181	14.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sacramento
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 034

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	365	21.6	6 - 11 Months	255	14.1		
12 - 17 Months	303	23.8	12 - 17 Months	233	19.3		
18 - 23 Months	171	21.1	18 - 23 Months	105	22.9		
24 - 35 Months	395	21.5	24 - 35 Months	297	22.6		
36 - 59 Months	768	16.0	36 - 59 Months	622	15.6		
Total	2,002	19.7	Total	1,512	17.8		
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	404	18.3	6 - 11 Months	14	*		
12 - 17 Months	310	17.1	12 - 17 Months	9	*		
18 - 23 Months	150	26.0	18 - 23 Months	4	*		
24 - 35 Months	331	23.6	24 - 35 Months	7	*		
36 - 59 Months	672	15.8	36 - 59 Months	24	*		
Total	1,867	18.7	Total	58	*		
Hispanic				Filipino			
6 - 11 Months	1,138	23.8	6 - 11 Months	8	*		
12 - 17 Months	1,109	20.5	12 - 17 Months	3	*		
18 - 23 Months	623	19.7	18 - 23 Months	2	*		
24 - 35 Months	1,078	22.6	24 - 35 Months	5	*		
36 - 59 Months	2,451	12.8	36 - 59 Months	14	*		
Total	6,399	18.4	Total	32	*		
American Indian/Alaskan Native				All Other			
6 - 11 Months	3	*	6 - 11 Months	1,593	18.1		
12 - 17 Months	1	*	12 - 17 Months	1,293	20.1		
18 - 23 Months	0	*	18 - 23 Months	757	20.6		
24 - 35 Months	0	*	24 - 35 Months	1,302	20.6		
36 - 59 Months	5	*	36 - 59 Months	2,756	16.3		
Total	9	*	Total	7,701	18.5		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sacramento
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 034

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups	3,780	20.0	
6 - 11 Months	3,261	20.2	
12 - 17 Months	1,812	21.0	
18 - 23 Months	3,415	21.8	
24 - 35 Months	7,312	15.0	
36 - 59 Months			
Total	19,580	18.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Benito
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 8 / 14 / 08

State: California

County: 035

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	7	*		6 - 11 Months	0	*
12 - 17 Months	13	*		12 - 17 Months	0	*
18 - 23 Months	3	*		18 - 23 Months	0	*
24 - 35 Months	5	*		24 - 35 Months	0	*
36 - 59 Months	14	*		36 - 59 Months	2	*
Total	42	*		Total	2	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	1	*		6 - 11 Months	1	*
12 - 17 Months	1	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	1	*
24 - 35 Months	2	*		24 - 35 Months	1	*
36 - 59 Months	3	*		36 - 59 Months	0	*
Total	7	*		Total	3	*
Hispanic				Filipino		
6 - 11 Months	54	*		6 - 11 Months	0	*
12 - 17 Months	114	12.3		12 - 17 Months	0	*
18 - 23 Months	41	*		18 - 23 Months	0	*
24 - 35 Months	80	*		24 - 35 Months	0	*
36 - 59 Months	120	14.2		36 - 59 Months	0	*
Total	409	13.2		Total	0	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	11	*
12 - 17 Months	0	*		12 - 17 Months	16	*
18 - 23 Months	0	*		18 - 23 Months	6	*
24 - 35 Months	0	*		24 - 35 Months	10	*
36 - 59 Months	0	*		36 - 59 Months	21	*
Total	0	*		Total	64	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Benito
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 035

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	74	*	
6 - 11 Months	144	10.4	
12 - 17 Months	51	*	
18 - 23 Months	98	*	
24 - 35 Months	160	12.5	
36 - 59 Months			
Total	527	12.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Bernardino
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 036

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian		
6 - 11 Months	130	20.0	6 - 11 Months	25	*
12 - 17 Months	177	19.8	12 - 17 Months	21	*
18 - 23 Months	70	*	18 - 23 Months	10	*
24 - 35 Months	195	20.0	24 - 35 Months	32	*
36 - 59 Months	431	10.7	36 - 59 Months	77	*
Total	1,003	15.1	Total	165	10.3
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	106	29.2	6 - 11 Months	5	*
12 - 17 Months	141	19.1	12 - 17 Months	3	*
18 - 23 Months	83	*	18 - 23 Months	0	*
24 - 35 Months	186	23.1	24 - 35 Months	3	*
36 - 59 Months	340	19.7	36 - 59 Months	8	*
Total	856	22.7	Total	19	*
Hispanic			Filipino		
6 - 11 Months	1,732	23.2	6 - 11 Months	3	*
12 - 17 Months	2,353	17.4	12 - 17 Months	5	*
18 - 23 Months	1,233	17.0	18 - 23 Months	3	*
24 - 35 Months	2,763	16.4	24 - 35 Months	4	*
36 - 59 Months	5,514	11.7	36 - 59 Months	12	*
Total	13,595	15.6	Total	27	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	267	16.9
12 - 17 Months	1	*	12 - 17 Months	308	9.1
18 - 23 Months	2	*	18 - 23 Months	204	10.3
24 - 35 Months	4	*	24 - 35 Months	377	14.1
36 - 59 Months	5	*	36 - 59 Months	739	11.1
Total	13	*	Total	1,895	12.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Bernardino
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 036

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	2,269	22.3	
12 - 17 Months	3,009	16.8	
18 - 23 Months	1,605	16.4	
24 - 35 Months	3,564	16.7	
36 - 59 Months	7,126	12.0	
Total	17,573	15.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Diego
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 037

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	733	12.6		6 - 11 Months	69	*	
12 - 17 Months	841	9.0		12 - 17 Months	81	*	
18 - 23 Months	420	11.0		18 - 23 Months	34	*	
24 - 35 Months	876	10.3		24 - 35 Months	75	*	
36 - 59 Months	1,649	7.5		36 - 59 Months	193	11.4	
Total	4,519	9.5		Total	452	14.4	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	284	14.8		6 - 11 Months	9	*	
12 - 17 Months	294	15.3		12 - 17 Months	9	*	
18 - 23 Months	177	18.1		18 - 23 Months	6	*	
24 - 35 Months	293	20.1		24 - 35 Months	10	*	
36 - 59 Months	530	17.0		36 - 59 Months	24	*	
Total	1,578	17.0		Total	58	*	
Hispanic				Filipino			
6 - 11 Months	4,291	17.6		6 - 11 Months	49	*	
12 - 17 Months	4,904	11.5		12 - 17 Months	59	*	
18 - 23 Months	2,118	11.2		18 - 23 Months	24	*	
24 - 35 Months	4,290	13.4		24 - 35 Months	47	*	
36 - 59 Months	8,414	8.0		36 - 59 Months	105	3.8	
Total	24,017	11.7		Total	284	9.2	
American Indian/Alaskan Native				All Other			
6 - 11 Months	9	*		6 - 11 Months	1,763	14.1	
12 - 17 Months	23	*		12 - 17 Months	1,282	13.4	
18 - 23 Months	6	*		18 - 23 Months	452	13.1	
24 - 35 Months	23	*		24 - 35 Months	1,079	14.5	
36 - 59 Months	28	*		36 - 59 Months	1,964	10.0	
Total	89	*		Total	6,540	12.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Diego
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 037

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
Total All Race/Ethnic Groups					
6 - 11 Months	7,207	16.1			
12 - 17 Months	7,493	11.7			
18 - 23 Months	3,237	11.8			
24 - 35 Months	6,693	13.5			
36 - 59 Months	12,907	8.7			
Total	37,537	11.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Francisco
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 038

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	2		*	6 - 11 Months	95		*
12 - 17 Months	8		*	12 - 17 Months	217	6.9	
18 - 23 Months	1		*	18 - 23 Months	34		*
24 - 35 Months	6		*	24 - 35 Months	158	8.2	
36 - 59 Months	3		*	36 - 59 Months	340	11.8	
Total	20		*	Total	844	9.2	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	5		*	6 - 11 Months	0		*
12 - 17 Months	12		*	12 - 17 Months	4		*
18 - 23 Months	8		*	18 - 23 Months	0		*
24 - 35 Months	15		*	24 - 35 Months	1		*
36 - 59 Months	34		*	36 - 59 Months	7		*
Total	74		*	Total	12		*
Hispanic				Filipino			
6 - 11 Months	30		*	6 - 11 Months	1		*
12 - 17 Months	128	11.7		12 - 17 Months	3		*
18 - 23 Months	42		*	18 - 23 Months	1		*
24 - 35 Months	114	18.4		24 - 35 Months	4		*
36 - 59 Months	204	7.4		36 - 59 Months	4		*
Total	518	12.4		Total	13		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	12		*
12 - 17 Months	0		*	12 - 17 Months	16		*
18 - 23 Months	1		*	18 - 23 Months	11		*
24 - 35 Months	2		*	24 - 35 Months	22		*
36 - 59 Months	0		*	36 - 59 Months	61		*
Total	3		*	Total	122	16.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Francisco
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 038

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	145 9.7	
6 - 11 Months	388 8.8	
12 - 17 Months	98 *	
18 - 23 Months	322 14.3	
24 - 35 Months	653 11.5	
36 - 59 Months		
Total	1,606 11.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Joaquin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 039

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	116	15.5	6 - 11 Months	51	*
12 - 17 Months	220	14.5	12 - 17 Months	74	*
18 - 23 Months	78	*	18 - 23 Months	42	*
24 - 35 Months	159	8.8	24 - 35 Months	81	*
36 - 59 Months	331	7.6	36 - 59 Months	150	7.3
Total	904	10.5	Total	398	12.8
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	68	*	6 - 11 Months	3	*
12 - 17 Months	72	*	12 - 17 Months	4	*
18 - 23 Months	52	*	18 - 23 Months	3	*
24 - 35 Months	93	*	24 - 35 Months	4	*
36 - 59 Months	169	14.8	36 - 59 Months	9	*
Total	454	17.8	Total	23	*
Hispanic			Filipino		
6 - 11 Months	966	23.2	6 - 11 Months	5	*
12 - 17 Months	1,345	21.0	12 - 17 Months	7	*
18 - 23 Months	476	16.2	18 - 23 Months	4	*
24 - 35 Months	1,163	18.6	24 - 35 Months	10	*
36 - 59 Months	2,170	11.6	36 - 59 Months	27	*
Total	6,120	17.2	Total	53	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	434	10.4
12 - 17 Months	0	*	12 - 17 Months	648	12.3
18 - 23 Months	1	*	18 - 23 Months	249	12.0
24 - 35 Months	2	*	24 - 35 Months	535	12.9
36 - 59 Months	3	*	36 - 59 Months	952	9.3
Total	7	*	Total	2,818	11.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Joaquin
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 039

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	1,644	18.6	
12 - 17 Months	2,370	17.6	
18 - 23 Months	905	15.4	
24 - 35 Months	2,047	16.4	
36 - 59 Months	3,811	10.7	
Total	10,777	14.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Luis Obispo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 040

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	121	17.4		6 - 11 Months	0	*
12 - 17 Months	100	15.0		12 - 17 Months	1	*
18 - 23 Months	42	*		18 - 23 Months	0	*
24 - 35 Months	54	*		24 - 35 Months	2	*
36 - 59 Months	194	9.8		36 - 59 Months	2	*
Total	511	14.3		Total	5	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	2	*		6 - 11 Months	1	*
12 - 17 Months	6	*		12 - 17 Months	0	*
18 - 23 Months	0	*		18 - 23 Months	0	*
24 - 35 Months	3	*		24 - 35 Months	0	*
36 - 59 Months	13	*		36 - 59 Months	0	*
Total	24	*		Total	1	*
Hispanic				Filipino		
6 - 11 Months	311	19.9		6 - 11 Months	2	*
12 - 17 Months	348	18.7		12 - 17 Months	1	*
18 - 23 Months	146	26.0		18 - 23 Months	1	*
24 - 35 Months	226	12.4		24 - 35 Months	1	*
36 - 59 Months	561	9.4		36 - 59 Months	4	*
Total	1,592	15.5		Total	9	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	0	*		6 - 11 Months	93	*
12 - 17 Months	0	*		12 - 17 Months	64	*
18 - 23 Months	0	*		18 - 23 Months	8	*
24 - 35 Months	0	*		24 - 35 Months	58	*
36 - 59 Months	1	*		36 - 59 Months	97	*
Total	1	*		Total	320	21.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Luis Obispo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 040

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	530	20.6	
12 - 17 Months	520	17.7	
18 - 23 Months	197	22.8	
24 - 35 Months	344	16.3	
36 - 59 Months	872	10.4	
Total	2,463	16.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Mateo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 041

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	14		*	6 - 11 Months	2		*
12 - 17 Months	10		*	12 - 17 Months	4		*
18 - 23 Months	6		*	18 - 23 Months	2		*
24 - 35 Months	7		*	24 - 35 Months	2		*
36 - 59 Months	7		*	36 - 59 Months	7		*
Total	44		*	Total	17		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	15		*	6 - 11 Months	19		*
12 - 17 Months	10		*	12 - 17 Months	12		*
18 - 23 Months	8		*	18 - 23 Months	3		*
24 - 35 Months	13		*	24 - 35 Months	11		*
36 - 59 Months	28		*	36 - 59 Months	18		*
Total	74		*	Total	63		*
Hispanic				Filipino			
6 - 11 Months	741	13.9		6 - 11 Months	11		*
12 - 17 Months	558	10.9		12 - 17 Months	3		*
18 - 23 Months	316	11.1		18 - 23 Months	1		*
24 - 35 Months	498	8.8		24 - 35 Months	1		*
36 - 59 Months	858	5.6		36 - 59 Months	8		*
Total	2,971	9.8		Total	24		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	1		*	6 - 11 Months	302	10.3	
12 - 17 Months	0		*	12 - 17 Months	253	7.5	
18 - 23 Months	0		*	18 - 23 Months	111	11.7	
24 - 35 Months	1		*	24 - 35 Months	166	16.3	
36 - 59 Months	0		*	36 - 59 Months	404	17.6	
Total	2		*	Total	1,236	13.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
San Mateo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 041

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	1,105	12.9	
12 - 17 Months	850	9.5	
18 - 23 Months	447	11.6	
24 - 35 Months	699	10.9	
36 - 59 Months	1,330	9.4	
Total	4,431	10.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Santa Barbara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 042

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	92		*	6 - 11 Months	6		*
12 - 17 Months	94		*	12 - 17 Months	2		*
18 - 23 Months	32		*	18 - 23 Months	5		*
24 - 35 Months	78		*	24 - 35 Months	7		*
36 - 59 Months	144		9.0	36 - 59 Months	7		*
Total	440		14.3	Total	27		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	14		*	6 - 11 Months	0		*
12 - 17 Months	15		*	12 - 17 Months	1		*
18 - 23 Months	10		*	18 - 23 Months	2		*
24 - 35 Months	16		*	24 - 35 Months	0		*
36 - 59 Months	32		*	36 - 59 Months	4		*
Total	87		*	Total	7		*
Hispanic				Filipino			
6 - 11 Months	1,915		22.7	6 - 11 Months	4		*
12 - 17 Months	1,583		20.9	12 - 17 Months	1		*
18 - 23 Months	579		19.5	18 - 23 Months	0		*
24 - 35 Months	1,666		16.9	24 - 35 Months	3		*
36 - 59 Months	2,996		12.5	36 - 59 Months	4		*
Total	8,739		17.6	Total	12		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	6		*	6 - 11 Months	447		18.8
12 - 17 Months	3		*	12 - 17 Months	440		14.3
18 - 23 Months	0		*	18 - 23 Months	95		*
24 - 35 Months	1		*	24 - 35 Months	448		9.4
36 - 59 Months	11		*	36 - 59 Months	665		8.4
Total	21		*	Total	2,095		12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Santa Barbara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 042

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	2,484	21.7	
12 - 17 Months	2,139	19.1	
18 - 23 Months	723	18.0	
24 - 35 Months	2,219	15.5	
36 - 59 Months	3,863	11.6	
Total	11,428	16.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Santa Clara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 043

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	62	*	6 - 11 Months	190	19.5
12 - 17 Months	53	*	12 - 17 Months	159	9.4
18 - 23 Months	29	*	18 - 23 Months	81	*
24 - 35 Months	70	*	24 - 35 Months	154	18.8
36 - 59 Months	96	*	36 - 59 Months	386	13.0
Total	310	11.6	Total	970	15.1
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	35	*	6 - 11 Months	3	*
12 - 17 Months	16	*	12 - 17 Months	2	*
18 - 23 Months	20	*	18 - 23 Months	1	*
24 - 35 Months	21	*	24 - 35 Months	5	*
36 - 59 Months	49	*	36 - 59 Months	9	*
Total	141	13.5	Total	20	*
Hispanic			Filipino		
6 - 11 Months	2,082	15.2	6 - 11 Months	10	*
12 - 17 Months	1,692	12.8	12 - 17 Months	16	*
18 - 23 Months	875	11.9	18 - 23 Months	14	*
24 - 35 Months	1,807	11.2	24 - 35 Months	14	*
36 - 59 Months	3,112	5.9	36 - 59 Months	19	*
Total	9,568	10.7	Total	73	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	3	*	6 - 11 Months	461	13.7
12 - 17 Months	8	*	12 - 17 Months	360	14.2
18 - 23 Months	8	*	18 - 23 Months	160	18.8
24 - 35 Months	8	*	24 - 35 Months	365	12.6
36 - 59 Months	16	*	36 - 59 Months	734	6.1
Total	43	*	Total	2,080	11.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Santa Clara
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 043

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups	2,846 15.1	2,306 12.9
6 - 11 Months	2,306 12.9	1,188 13.6
12 - 17 Months	1,188 13.6	2,444 12.1
18 - 23 Months	2,444 12.1	4,421 6.6
24 - 35 Months	4,421 6.6	
36 - 59 Months		
Total	13,205 11.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Santa Cruz
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 044

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	17	*	6 - 11 Months	0	*
12 - 17 Months	21	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	10	*	24 - 35 Months	0	*
36 - 59 Months	9	*	36 - 59 Months	1	*
Total	59	*	Total	1	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	2	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	1	*
Total	4	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	132	19.7	6 - 11 Months	0	*
12 - 17 Months	138	17.4	12 - 17 Months	0	*
18 - 23 Months	77	*	18 - 23 Months	0	*
24 - 35 Months	128	12.5	24 - 35 Months	1	*
36 - 59 Months	208	7.7	36 - 59 Months	0	*
Total	683	13.6	Total	1	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	32	*
12 - 17 Months	0	*	12 - 17 Months	14	*
18 - 23 Months	0	*	18 - 23 Months	7	*
24 - 35 Months	0	*	24 - 35 Months	31	*
36 - 59 Months	0	*	36 - 59 Months	30	*
Total	2	*	Total	114	9.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Santa Cruz
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 044

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	184	18.5	
12 - 17 Months	175	18.9	
18 - 23 Months	86	*	
24 - 35 Months	170	10.6	
36 - 59 Months	250	7.2	
Total	865	13.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Shasta
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 045

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	435	14.0		6 - 11 Months	16	*	
12 - 17 Months	450	12.9		12 - 17 Months	19	*	
18 - 23 Months	176	9.1		18 - 23 Months	8	*	
24 - 35 Months	371	9.2		24 - 35 Months	20	*	
36 - 59 Months	716	8.8		36 - 59 Months	33	*	
Total	2,148	10.8		Total	96	*	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	11	*		6 - 11 Months	1	*	
12 - 17 Months	9	*		12 - 17 Months	1	*	
18 - 23 Months	5	*		18 - 23 Months	0	*	
24 - 35 Months	13	*		24 - 35 Months	0	*	
36 - 59 Months	25	*		36 - 59 Months	3	*	
Total	63	*		Total	5	*	
Hispanic				Filipino			
6 - 11 Months	64	*		6 - 11 Months	1	*	
12 - 17 Months	78	*		12 - 17 Months	1	*	
18 - 23 Months	38	*		18 - 23 Months	0	*	
24 - 35 Months	78	*		24 - 35 Months	0	*	
36 - 59 Months	128	15.6		36 - 59 Months	3	*	
Total	386	13.7		Total	5	*	
American Indian/Alaskan Native				All Other			
6 - 11 Months	23	*		6 - 11 Months	77	*	
12 - 17 Months	19	*		12 - 17 Months	73	*	
18 - 23 Months	11	*		18 - 23 Months	30	*	
24 - 35 Months	17	*		24 - 35 Months	77	*	
36 - 59 Months	46	*		36 - 59 Months	147	9.5	
Total	116	23.3		Total	404	13.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Shasta
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 045

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups			
6 - 11 Months	628	15.6	
12 - 17 Months	650	12.9	
18 - 23 Months	268	10.4	
24 - 35 Months	576	11.6	
36 - 59 Months	1,101	11.1	
Total	3,223	12.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sierra
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 046

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	2		*	6 - 11 Months	0		*
12 - 17 Months	1		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	4		*	36 - 59 Months	0		*
Total	8		*	Total	0		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	0		*	36 - 59 Months	0		*
Total	0		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	1		*	6 - 11 Months	0		*
12 - 17 Months	2		*	12 - 17 Months	0		*
18 - 23 Months	1		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	3		*	36 - 59 Months	0		*
Total	7		*	Total	0		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	0		*
12 - 17 Months	0		*	12 - 17 Months	0		*
18 - 23 Months	0		*	18 - 23 Months	0		*
24 - 35 Months	0		*	24 - 35 Months	0		*
36 - 59 Months	0		*	36 - 59 Months	2		*
Total	0		*	Total	2		*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sierra
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 046

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	3	*	
6 - 11 Months	3	*	
12 - 17 Months	2	*	
18 - 23 Months	0	*	
24 - 35 Months	9	*	
36 - 59 Months	17	*	
Total	17	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Siskiyou
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 047

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	87		*	6 - 11 Months	4	*
12 - 17 Months	65		*	12 - 17 Months	1	*
18 - 23 Months	32		*	18 - 23 Months	0	*
24 - 35 Months	80		*	24 - 35 Months	2	*
36 - 59 Months	100		11.0	36 - 59 Months	0	*
Total	364		16.2	Total	7	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	2		*	6 - 11 Months	1	*
12 - 17 Months	1		*	12 - 17 Months	0	*
18 - 23 Months	2		*	18 - 23 Months	0	*
24 - 35 Months	1		*	24 - 35 Months	2	*
36 - 59 Months	3		*	36 - 59 Months	0	*
Total	9		*	Total	3	*
Hispanic				Filipino		
6 - 11 Months	12		*	6 - 11 Months	0	*
12 - 17 Months	34		*	12 - 17 Months	0	*
18 - 23 Months	8		*	18 - 23 Months	0	*
24 - 35 Months	23		*	24 - 35 Months	0	*
36 - 59 Months	38		*	36 - 59 Months	0	*
Total	115		15.7	Total	0	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	3		*	6 - 11 Months	52	*
12 - 17 Months	7		*	12 - 17 Months	65	*
18 - 23 Months	0		*	18 - 23 Months	31	*
24 - 35 Months	6		*	24 - 35 Months	58	*
36 - 59 Months	6		*	36 - 59 Months	89	*
Total	22		*	Total	295	15.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Siskiyou
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 047

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	161	16.1	
6 - 11 Months	173	17.3	
12 - 17 Months	73	*	
18 - 23 Months	172	17.4	
24 - 35 Months	236	12.3	
36 - 59 Months			
Total	815	15.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Solano
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 048

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	48	*	6 - 11 Months	13	*
12 - 17 Months	62	*	12 - 17 Months	24	*
18 - 23 Months	23	*	18 - 23 Months	4	*
24 - 35 Months	43	*	24 - 35 Months	11	*
36 - 59 Months	99	*	36 - 59 Months	23	*
Total	275	12.0	Total	75	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	55	*	6 - 11 Months	5	*
12 - 17 Months	93	*	12 - 17 Months	2	*
18 - 23 Months	58	*	18 - 23 Months	3	*
24 - 35 Months	92	*	24 - 35 Months	1	*
36 - 59 Months	201	17.9	36 - 59 Months	7	*
Total	499	16.8	Total	18	*
Hispanic			Filipino		
6 - 11 Months	321	19.9	6 - 11 Months	8	*
12 - 17 Months	474	15.6	12 - 17 Months	5	*
18 - 23 Months	225	16.4	18 - 23 Months	5	*
24 - 35 Months	412	14.3	24 - 35 Months	7	*
36 - 59 Months	702	9.1	36 - 59 Months	19	*
Total	2,134	14.0	Total	44	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	65	*
12 - 17 Months	1	*	12 - 17 Months	84	*
18 - 23 Months	0	*	18 - 23 Months	27	*
24 - 35 Months	1	*	24 - 35 Months	57	*
36 - 59 Months	3	*	36 - 59 Months	133	11.3
Total	6	*	Total	366	12.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
 Solano
Anemia Indicators by Race/Ethnicity and Age
 Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 048

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	516	18.8	
6 - 11 Months	745	15.2	
12 - 17 Months	345	15.7	
18 - 23 Months	624	13.3	
24 - 35 Months	1,187	11.0	
Total	3,417	14.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sonoma
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 049

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	52		*	6 - 11 Months	3		*
12 - 17 Months	47		*	12 - 17 Months	3		*
18 - 23 Months	24		*	18 - 23 Months	1		*
24 - 35 Months	32		*	24 - 35 Months	1		*
36 - 59 Months	78		*	36 - 59 Months	6		*
Total	233		18.5	Total	14		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	7		*	6 - 11 Months	0		*
12 - 17 Months	6		*	12 - 17 Months	0		*
18 - 23 Months	2		*	18 - 23 Months	0		*
24 - 35 Months	5		*	24 - 35 Months	0		*
36 - 59 Months	4		*	36 - 59 Months	0		*
Total	24		*	Total	0		*
Hispanic				Filipino			
6 - 11 Months	463	25.5		6 - 11 Months	0		*
12 - 17 Months	395	17.7		12 - 17 Months	0		*
18 - 23 Months	221	19.9		18 - 23 Months	0		*
24 - 35 Months	348	15.8		24 - 35 Months	1		*
36 - 59 Months	689	13.4		36 - 59 Months	1		*
Total	2,116	17.9		Total	2		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	3		*	6 - 11 Months	91		*
12 - 17 Months	17		*	12 - 17 Months	67		*
18 - 23 Months	7		*	18 - 23 Months	21		*
24 - 35 Months	13		*	24 - 35 Months	45		*
36 - 59 Months	27		*	36 - 59 Months	116	7.8	
Total	67		*	Total	340	10.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sonoma
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 049

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	619	23.3	
12 - 17 Months	535	17.6	
18 - 23 Months	276	17.8	
24 - 35 Months	445	16.0	
36 - 59 Months	921	13.1	
Total	2,796	17.1	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Stanislaus
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 050

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	478	22.4		6 - 11 Months	38 *
12 - 17 Months	357	22.7		12 - 17 Months	45 *
18 - 23 Months	129	11.6		18 - 23 Months	7 *
24 - 35 Months	381	23.6		24 - 35 Months	21 *
36 - 59 Months	744	13.2		36 - 59 Months	68 *
Total	2,089	18.7		Total	179 25.7
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	46	*		6 - 11 Months	7 *
12 - 17 Months	35	*		12 - 17 Months	3 *
18 - 23 Months	25	*		18 - 23 Months	3 *
24 - 35 Months	50	*		24 - 35 Months	5 *
36 - 59 Months	105	26.7		36 - 59 Months	9 *
Total	261	30.3		Total	27 *
Hispanic				Filipino	
6 - 11 Months	1,099	23.7		6 - 11 Months	3 *
12 - 17 Months	1,006	18.1		12 - 17 Months	0 *
18 - 23 Months	407	21.4		18 - 23 Months	0 *
24 - 35 Months	1,010	21.9		24 - 35 Months	2 *
36 - 59 Months	2,091	12.9		36 - 59 Months	4 *
Total	5,613	18.2		Total	9 *
American Indian/Alaskan Native				All Other	
6 - 11 Months	3	*		6 - 11 Months	728 35.4
12 - 17 Months	4	*		12 - 17 Months	687 28.4
18 - 23 Months	0	*		18 - 23 Months	272 25.4
24 - 35 Months	2	*		24 - 35 Months	601 29.5
36 - 59 Months	4	*		36 - 59 Months	1,095 19.6
Total	13	*		Total	3,383 27.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Stanislaus
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 050

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	2,402	27.1	
12 - 17 Months	2,137	22.7	
18 - 23 Months	843	21.6	
24 - 35 Months	2,072	25.0	
36 - 59 Months	4,120	15.2	
Total	11,574	21.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sutter
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 051

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	112	13.4		6 - 11 Months	33 *
12 - 17 Months	107	15.0		12 - 17 Months	31 *
18 - 23 Months	51	*		18 - 23 Months	10 *
24 - 35 Months	96	*		24 - 35 Months	21 *
36 - 59 Months	171	9.9		36 - 59 Months	35 *
Total	537	12.1		Total	130 17.7
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	8	*		6 - 11 Months	0 *
12 - 17 Months	9	*		12 - 17 Months	0 *
18 - 23 Months	2	*		18 - 23 Months	0 *
24 - 35 Months	10	*		24 - 35 Months	0 *
36 - 59 Months	10	*		36 - 59 Months	1 *
Total	39	*		Total	1 *
Hispanic				Filipino	
6 - 11 Months	203	12.3		6 - 11 Months	0 *
12 - 17 Months	199	9.5		12 - 17 Months	2 *
18 - 23 Months	67	*		18 - 23 Months	0 *
24 - 35 Months	173	11.0		24 - 35 Months	0 *
36 - 59 Months	358	8.7		36 - 59 Months	0 *
Total	1,000	9.9		Total	2 *
American Indian/Alaskan Native				All Other	
6 - 11 Months	0	*		6 - 11 Months	46 *
12 - 17 Months	0	*		12 - 17 Months	54 *
18 - 23 Months	1	*		18 - 23 Months	17 *
24 - 35 Months	1	*		24 - 35 Months	27 *
36 - 59 Months	6	*		36 - 59 Months	64 *
Total	8	*		Total	208 13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Sutter
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 051

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	402	13.2	
6 - 11 Months	402	10.9	
12 - 17 Months	148	9.5	
18 - 23 Months	328	13.7	
24 - 35 Months	645	9.8	
36 - 59 Months			
Total	1,925	11.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Tehama
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 052

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	33	*	6 - 11 Months	0	*
12 - 17 Months	47	*	12 - 17 Months	0	*
18 - 23 Months	32	*	18 - 23 Months	0	*
24 - 35 Months	45	*	24 - 35 Months	0	*
36 - 59 Months	124	12.9	36 - 59 Months	0	*
Total	281	15.7	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	1	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	4	*	36 - 59 Months	0	*
Total	6	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	63	*	6 - 11 Months	1	*
12 - 17 Months	93	*	12 - 17 Months	0	*
18 - 23 Months	50	*	18 - 23 Months	0	*
24 - 35 Months	80	*	24 - 35 Months	0	*
36 - 59 Months	199	22.1	36 - 59 Months	0	*
Total	485	20.6	Total	1	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	202	9.4
12 - 17 Months	0	*	12 - 17 Months	89	*
18 - 23 Months	0	*	18 - 23 Months	63	*
24 - 35 Months	2	*	24 - 35 Months	142	4.9
36 - 59 Months	5	*	36 - 59 Months	218	5.5
Total	7	*	Total	714	6.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Tehama
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 052

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	%	Anemia Low Hb/Hct Number
Total All Race/Ethnic Groups	299	13.0	
6 - 11 Months	231	12.6	
12 - 17 Months	145	14.5	
18 - 23 Months	270	13.0	
24 - 35 Months	550	13.6	
36 - 59 Months			
Total	1,495	13.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Trinity
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 053

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian		
6 - 11 Months	15	*	6 - 11 Months	0	*
12 - 17 Months	12	*	12 - 17 Months	0	*
18 - 23 Months	4	*	18 - 23 Months	1	*
24 - 35 Months	7	*	24 - 35 Months	0	*
36 - 59 Months	18	*	36 - 59 Months	0	*
Total	56	*	Total	1	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	2	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	5	*	12 - 17 Months	0	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	5	*	36 - 59 Months	0	*
Total	14	*	Total	0	*
American Indian/Alaskan Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	11	*
12 - 17 Months	2	*	12 - 17 Months	5	*
18 - 23 Months	1	*	18 - 23 Months	3	*
24 - 35 Months	0	*	24 - 35 Months	5	*
36 - 59 Months	4	*	36 - 59 Months	18	*
Total	8	*	Total	42	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
 Trinity
Anemia Indicators by Race/Ethnicity and Age
 Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 053

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	29	*	
6 - 11 Months	24	*	
12 - 17 Months	13	*	
18 - 23 Months	12	*	
24 - 35 Months	45	*	
36 - 59 Months			
Total	123	12.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Tulare
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 054

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	251	27.5		6 - 11 Months	61	*	
12 - 17 Months	299	15.1		12 - 17 Months	49	*	
18 - 23 Months	145	15.9		18 - 23 Months	26	*	
24 - 35 Months	238	17.6		24 - 35 Months	45	*	
36 - 59 Months	515	18.4		36 - 59 Months	93	*	
Total	1,448	18.9		Total	274	24.8	
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	41	*		6 - 11 Months	1	*	
12 - 17 Months	20	*		12 - 17 Months	4	*	
18 - 23 Months	17	*		18 - 23 Months	2	*	
24 - 35 Months	27	*		24 - 35 Months	1	*	
36 - 59 Months	52	*		36 - 59 Months	4	*	
Total	157	26.8		Total	12	*	
Hispanic				Filipino			
6 - 11 Months	2,183	26.8		6 - 11 Months	13	*	
12 - 17 Months	2,804	21.7		12 - 17 Months	7	*	
18 - 23 Months	1,327	21.1		18 - 23 Months	4	*	
24 - 35 Months	2,463	21.8		24 - 35 Months	6	*	
36 - 59 Months	5,221	15.0		36 - 59 Months	20	*	
Total	13,998	20.0		Total	50	*	
American Indian/Alaskan Native				All Other			
6 - 11 Months	6	*		6 - 11 Months	239	18.0	
12 - 17 Months	19	*		12 - 17 Months	296	18.2	
18 - 23 Months	5	*		18 - 23 Months	149	19.5	
24 - 35 Months	14	*		24 - 35 Months	305	19.7	
36 - 59 Months	32	*		36 - 59 Months	467	12.4	
Total	76	*		Total	1,456	16.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Tulare
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 054

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	2,795	26.3	
12 - 17 Months	3,498	20.7	
18 - 23 Months	1,675	20.6	
24 - 35 Months	3,099	21.5	
36 - 59 Months	6,404	15.3	
Total	17,471	19.7	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Tuolumne
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 055

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct %				
		Number		Number	Anemia Low Hb/Hct %	
White, Not Hispanic				Asian		
6 - 11 Months	34		*	6 - 11 Months	0	*
12 - 17 Months	17		*	12 - 17 Months	0	*
18 - 23 Months	10		*	18 - 23 Months	0	*
24 - 35 Months	19		*	24 - 35 Months	0	*
36 - 59 Months	32		*	36 - 59 Months	0	*
Total	112		16.1	Total	0	*
Black, Not Hispanic				Pacific Islander		
6 - 11 Months	0		*	6 - 11 Months	0	*
12 - 17 Months	0		*	12 - 17 Months	0	*
18 - 23 Months	2		*	18 - 23 Months	0	*
24 - 35 Months	1		*	24 - 35 Months	0	*
36 - 59 Months	0		*	36 - 59 Months	0	*
Total	3		*	Total	0	*
Hispanic				Filipino		
6 - 11 Months	7		*	6 - 11 Months	0	*
12 - 17 Months	7		*	12 - 17 Months	0	*
18 - 23 Months	4		*	18 - 23 Months	0	*
24 - 35 Months	7		*	24 - 35 Months	0	*
36 - 59 Months	8		*	36 - 59 Months	0	*
Total	33		*	Total	0	*
American Indian/Alaskan Native				All Other		
6 - 11 Months	1		*	6 - 11 Months	1	*
12 - 17 Months	0		*	12 - 17 Months	5	*
18 - 23 Months	0		*	18 - 23 Months	1	*
24 - 35 Months	0		*	24 - 35 Months	0	*
36 - 59 Months	1		*	36 - 59 Months	4	*
Total	2		*	Total	11	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
 Tuolumne
Anemia Indicators by Race/Ethnicity and Age
 Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 055

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups	43	*	
6 - 11 Months	29	*	
12 - 17 Months	17	*	
18 - 23 Months	27	*	
24 - 35 Months	45	*	
36 - 59 Months			
Total	161	19.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Ventura
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 056

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	136	8.8		6 - 11 Months	5 *
12 - 17 Months	241	11.6		12 - 17 Months	2 *
18 - 23 Months	78	*		18 - 23 Months	1 *
24 - 35 Months	148	8.1		24 - 35 Months	10 *
36 - 59 Months	267	6.0		36 - 59 Months	14 *
Total	870	9.0		Total	32 *
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	9	*		6 - 11 Months	0 *
12 - 17 Months	27	*		12 - 17 Months	2 *
18 - 23 Months	6	*		18 - 23 Months	0 *
24 - 35 Months	11	*		24 - 35 Months	1 *
36 - 59 Months	29	*		36 - 59 Months	3 *
Total	82	*		Total	6 *
Hispanic				Filipino	
6 - 11 Months	2,441	16.5		6 - 11 Months	3 *
12 - 17 Months	3,233	12.6		12 - 17 Months	5 *
18 - 23 Months	1,010	12.3		18 - 23 Months	2 *
24 - 35 Months	2,351	11.1		24 - 35 Months	5 *
36 - 59 Months	4,040	8.1		36 - 59 Months	3 *
Total	13,075	11.7		Total	18 *
American Indian/Alaskan Native				All Other	
6 - 11 Months	0	*		6 - 11 Months	130 17.7
12 - 17 Months	1	*		12 - 17 Months	198 10.6
18 - 23 Months	0	*		18 - 23 Months	55 *
24 - 35 Months	0	*		24 - 35 Months	149 10.7
36 - 59 Months	0	*		36 - 59 Months	224 8.9
Total	1	*		Total	756 11.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Ventura
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 056

Anemia Indicators by Race/Ethnicity and Age (3, 4)			
	Anemia Low Hb/Hct Number	%	
	Number	Anemia Low Hb/Hct %	
Total All Race/Ethnic Groups			
6 - 11 Months	2,724	16.2	
12 - 17 Months	3,709	12.5	
18 - 23 Months	1,152	12.3	
24 - 35 Months	2,675	11.0	
36 - 59 Months	4,580	8.1	
Total	14,840	11.5	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Yolo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 057

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
		Anemia Low Hb/Hct %				Anemia Low Hb/Hct %	
		Number		Number		Number	
White, Not Hispanic				Asian			
6 - 11 Months	96		*	6 - 11 Months	7		*
12 - 17 Months	62		*	12 - 17 Months	5		*
18 - 23 Months	27		*	18 - 23 Months	1		*
24 - 35 Months	63		*	24 - 35 Months	5		*
36 - 59 Months	143		15.4	36 - 59 Months	12		*
Total	391		15.9	Total	30		*
Black, Not Hispanic				Pacific Islander			
6 - 11 Months	3		*	6 - 11 Months	1		*
12 - 17 Months	4		*	12 - 17 Months	1		*
18 - 23 Months	5		*	18 - 23 Months	0		*
24 - 35 Months	12		*	24 - 35 Months	1		*
36 - 59 Months	20		*	36 - 59 Months	1		*
Total	44		*	Total	4		*
Hispanic				Filipino			
6 - 11 Months	367		12.0	6 - 11 Months	0		*
12 - 17 Months	303		14.2	12 - 17 Months	0		*
18 - 23 Months	150		11.3	18 - 23 Months	0		*
24 - 35 Months	307		20.8	24 - 35 Months	1		*
36 - 59 Months	588		9.4	36 - 59 Months	2		*
Total	1,715		13.0	Total	3		*
American Indian/Alaskan Native				All Other			
6 - 11 Months	0		*	6 - 11 Months	101		15.8
12 - 17 Months	0		*	12 - 17 Months	66		*
18 - 23 Months	0		*	18 - 23 Months	32		*
24 - 35 Months	0		*	24 - 35 Months	67		*
36 - 59 Months	2		*	36 - 59 Months	147		23.8
Total	2		*	Total	413		21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Yolo
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 057

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
Total All Race/Ethnic Groups					
6 - 11 Months	575	13.0			
12 - 17 Months	441	15.6			
18 - 23 Months	215	13.5			
24 - 35 Months	456	22.4			
36 - 59 Months	915	13.0			
Total	2,602	15.1			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Yuba
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 14 / 08

State: California

County: 058

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
		Anemia Low Hb/Hct %			
		Number		Number	Anemia Low Hb/Hct %
White, Not Hispanic				Asian	
6 - 11 Months	130	16.2	6 - 11 Months	15	*
12 - 17 Months	126	13.5	12 - 17 Months	17	*
18 - 23 Months	60	*	18 - 23 Months	8	*
24 - 35 Months	117	17.1	24 - 35 Months	19	*
36 - 59 Months	247	7.7	36 - 59 Months	44	*
Total	680	12.5	Total	103	14.6
Black, Not Hispanic				Pacific Islander	
6 - 11 Months	7	*	6 - 11 Months	2	*
12 - 17 Months	8	*	12 - 17 Months	2	*
18 - 23 Months	2	*	18 - 23 Months	1	*
24 - 35 Months	5	*	24 - 35 Months	0	*
36 - 59 Months	15	*	36 - 59 Months	2	*
Total	37	*	Total	7	*
Hispanic				Filipino	
6 - 11 Months	132	22.7	6 - 11 Months	0	*
12 - 17 Months	165	19.4	12 - 17 Months	2	*
18 - 23 Months	72	*	18 - 23 Months	1	*
24 - 35 Months	142	12.7	24 - 35 Months	0	*
36 - 59 Months	281	10.3	36 - 59 Months	3	*
Total	792	15.3	Total	6	*
American Indian/Alaskan Native				All Other	
6 - 11 Months	3	*	6 - 11 Months	16	*
12 - 17 Months	4	*	12 - 17 Months	30	*
18 - 23 Months	0	*	18 - 23 Months	11	*
24 - 35 Months	3	*	24 - 35 Months	23	*
36 - 59 Months	1	*	36 - 59 Months	49	*
Total	11	*	Total	129	19.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2007 Pediatric Nutrition Surveillance (1)
Yuba
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 2
 Run Date: 8 / 14 / 08

State: California

County: 058

Anemia Indicators by Race/Ethnicity and Age (3, 4)		
	Anemia Low Hb/Hct Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	305	18.7
12 - 17 Months	354	16.4
18 - 23 Months	155	15.5
24 - 35 Months	309	15.9
36 - 59 Months	642	10.0
Total	1,765	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

