

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|----------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Obese (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 42,890 | 6.0 | 42,890 | 8.9 | 42,890 | 10.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 17,904 | 4.7 | 17,904 | 5.0 | 17,904 | 15.5 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 24,990 | 4.0 | 24,990 | 5.3 | 24,990 | 13.6 | 24,990 | 15.0 | 13.6 |
| Total | 85,784 | 5.1 | 85,784 | 7.0 | 85,784 | 12.5 | 24,990 | 15.0 | 13.6 |
| Black, Not Hispanic | | | | | | | | | |
| 0 - 11 Months | 22,572 | 9.7 | 22,572 | 8.2 | 22,572 | 13.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 8,999 | 6.3 | 8,999 | 5.9 | 8,999 | 17.6 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 14,005 | 3.6 | 14,005 | 5.9 | 14,005 | 13.2 | 14,005 | 14.9 | 13.2 |
| Total | 45,576 | 7.2 | 45,576 | 7.0 | 45,576 | 14.3 | 14,005 | 14.9 | 13.2 |
| Hispanic | | | | | | | | | |
| 0 - 11 Months | 307,362 | 5.7 | 307,362 | 5.8 | 307,362 | 14.5 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 136,516 | 5.3 | 136,516 | 3.7 | 136,516 | 19.5 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 203,364 | 3.5 | 203,364 | 3.9 | 203,364 | 18.5 | 203,364 | 16.5 | 18.5 |
| Total | 647,242 | 4.9 | 647,242 | 4.8 | 647,242 | 16.8 | 203,364 | 16.5 | 18.5 |
| American Indian/Alaskan Native | | | | | | | | | |
| 0 - 11 Months | 1,398 | 5.7 | 1,398 | 8.2 | 1,398 | 13.2 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 674 | 6.1 | 674 | 3.6 | 674 | 17.8 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 1,012 | 3.8 | 1,012 | 4.1 | 1,012 | 20.6 | 1,012 | 17.9 | 20.6 |
| Total | 3,084 | 5.1 | 3,084 | 5.8 | 3,084 | 16.6 | 1,012 | 17.9 | 20.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|----------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Obese (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Asian | | | | | | | | | |
| 0 - 11 Months | 14,635 | 6.7 | 14,635 | 6.2 | 14,635 | 12.7 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 6,943 | 7.6 | 6,943 | 6.3 | 6,943 | 11.2 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 10,978 | 6.3 | 10,978 | 5.5 | 10,978 | 13.2 | 10,978 | 13.3 | 13.2 |
| Total | 32,556 | 6.8 | 32,556 | 6.0 | 32,556 | 12.5 | 10,978 | 13.3 | 13.2 |
| Pacific Islander | | | | | | | | | |
| 0 - 11 Months | 850 | 5.5 | 850 | 7.2 | 850 | 14.6 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 376 | 4.0 | 376 | 3.2 | 376 | 23.7 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 500 | 3.2 | 500 | 3.6 | 500 | 25.4 | 500 | 20.6 | 25.4 |
| Total | 1,726 | 4.5 | 1,726 | 5.3 | 1,726 | 19.7 | 500 | 20.6 | 25.4 |
| Filipino | | | | | | | | | |
| 0 - 11 Months | 2,055 | 6.8 | 2,055 | 7.4 | 2,055 | 11.1 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 915 | 7.8 | 915 | 7.1 | 915 | 10.2 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 1,271 | 6.1 | 1,271 | 6.9 | 1,271 | 15.0 | 1,271 | 13.8 | 15.0 |
| Total | 4,241 | 6.8 | 4,241 | 7.2 | 4,241 | 12.1 | 1,271 | 13.8 | 15.0 |
| All Other | | | | | | | | | |
| 0 - 11 Months | 88,530 | 5.6 | 88,530 | 9.1 | 88,530 | 10.5 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 35,329 | 4.5 | 35,329 | 6.4 | 35,329 | 14.8 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 45,523 | 4.0 | 45,523 | 5.1 | 45,523 | 15.6 | 45,523 | 15.2 | 15.6 |
| Total | 169,382 | 5.0 | 169,382 | 7.5 | 169,382 | 12.8 | 45,523 | 15.2 | 15.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | | | |
|---|----------------------|------------|--------------------|------------|----------------|-------------|---------------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Obese (5) | | ≥ 2 Yrs Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % ≥95th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | | | |
| 0 - 11 Months | 480,292 | 6.0 | 480,292 | 6.8 | 480,292 | 13.3 | 0 | 0.0 | 0.0 |
| 12 - 23 Months | 207,656 | 5.2 | 207,656 | 4.4 | 207,656 | 17.9 | 0 | 0.0 | 0.0 |
| 24 - 59 Months | 301,643 | 3.8 | 301,643 | 4.4 | 301,643 | 17.3 | 301,643 | 16.0 | 17.3 |
| Total | 989,591 | 5.1 | 989,591 | 5.6 | 989,591 | 15.5 | 301,643 | 16.0 | 17.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| White, Not Hispanic | | | | | | | |
| 5 - 8 Years | 13,599 | 5.0 | 13,599 | 3.2 | 13,599 | 16.7 | 16.5 |
| 9 - 11 Years | 6,681 | 4.3 | 6,681 | 3.0 | 6,681 | 17.6 | 22.6 |
| 12 - 14 Years | 7,397 | 6.3 | 7,397 | 2.2 | 7,397 | 18.3 | 23.3 |
| 15 - 19 Years | 7,274 | 7.1 | 7,274 | 2.5 | 7,274 | 18.5 | 21.1 |
| Total | 34,951 | 5.6 | 34,951 | 2.8 | 34,951 | 17.6 | 20.1 |
| Black, Not Hispanic | | | | | | | |
| 5 - 8 Years | 9,827 | 2.7 | 9,827 | 3.4 | 9,827 | 16.8 | 16.0 |
| 9 - 11 Years | 5,798 | 2.9 | 5,798 | 2.0 | 5,798 | 17.2 | 24.0 |
| 12 - 14 Years | 6,474 | 4.1 | 6,474 | 1.8 | 6,474 | 19.6 | 24.1 |
| 15 - 19 Years | 6,980 | 6.6 | 6,980 | 1.7 | 6,980 | 17.6 | 23.4 |
| Total | 29,079 | 4.0 | 29,079 | 2.4 | 29,079 | 17.7 | 21.2 |
| Hispanic | | | | | | | |
| 5 - 8 Years | 122,468 | 4.5 | 122,468 | 2.5 | 122,468 | 17.6 | 22.5 |
| 9 - 11 Years | 63,806 | 3.8 | 63,806 | 2.0 | 63,806 | 19.9 | 28.9 |
| 12 - 14 Years | 63,056 | 6.1 | 63,056 | 1.5 | 63,056 | 20.0 | 26.6 |
| 15 - 19 Years | 63,831 | 13.0 | 63,831 | 1.8 | 63,831 | 19.0 | 21.2 |
| Total | 313,161 | 6.4 | 313,161 | 2.1 | 313,161 | 18.9 | 24.4 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| American Indian/Alaska Native | | | | | | | |
| 5 - 8 Years | 545 | 5.5 | 545 | 2.8 | 545 | 18.5 | 22.0 |
| 9 - 11 Years | 277 | 3.2 | 277 | 2.2 | 277 | 20.2 | 30.0 |
| 12 - 14 Years | 290 | 6.2 | 290 | 1.4 | 290 | 20.0 | 31.7 |
| 15 - 19 Years | 283 | 7.1 | 283 | 2.1 | 283 | 23.0 | 24.7 |
| Total | 1,395 | 5.5 | 1,395 | 2.2 | 1,395 | 20.1 | 26.2 |
| Asian | | | | | | | |
| 5 - 8 Years | 7,518 | 10.5 | 7,518 | 5.1 | 7,518 | 13.0 | 13.9 |
| 9 - 11 Years | 4,961 | 9.2 | 4,961 | 4.5 | 4,961 | 16.3 | 16.1 |
| 12 - 14 Years | 6,400 | 10.8 | 6,400 | 3.4 | 6,400 | 15.4 | 13.1 |
| 15 - 19 Years | 8,503 | 19.7 | 8,503 | 5.5 | 8,503 | 12.7 | 12.0 |
| Total | 27,382 | 13.2 | 27,382 | 4.7 | 27,382 | 14.1 | 13.5 |
| Pacific Islander | | | | | | | |
| 5 - 8 Years | 365 | 3.8 | 365 | 1.6 | 365 | 20.5 | 32.1 |
| 9 - 11 Years | 186 | 2.7 | 186 | 1.6 | 186 | 20.4 | 34.9 |
| 12 - 14 Years | 181 | 5.0 | 181 | 2.2 | 181 | 24.3 | 36.5 |
| 15 - 19 Years | 181 | 6.6 | 181 | 1.7 | 181 | 19.3 | 42.0 |
| Total | 913 | 4.4 | 913 | 1.8 | 913 | 21.0 | 35.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2008 Pediatric Nutrition Surveillance (1)
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

| Growth Indicators by Race/Ethnicity and Age (3) | | | | | | | |
|--|----------------------|-------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Filipino | | | | | | | |
| 5 - 8 Years | 1,018 | 10.2 | 1,018 | 5.2 | 1,018 | 14.1 | 17.9 |
| 9 - 11 Years | 559 | 7.7 | 559 | 3.8 | 559 | 14.0 | 24.5 |
| 12 - 14 Years | 553 | 11.2 | 553 | 3.3 | 553 | 17.9 | 18.1 |
| 15 - 19 Years | 542 | 18.1 | 542 | 6.1 | 542 | 12.9 | 16.1 |
| Total | 2,672 | 11.5 | 2,672 | 4.7 | 2,672 | 14.6 | 18.9 |
| All Other | | | | | | | |
| 5 - 8 Years | 24,863 | 5.8 | 24,863 | 3.4 | 24,863 | 17.0 | 19.0 |
| 9 - 11 Years | 12,554 | 4.9 | 12,554 | 2.9 | 12,554 | 18.9 | 25.1 |
| 12 - 14 Years | 12,604 | 6.8 | 12,604 | 2.5 | 12,604 | 18.9 | 23.6 |
| 15 - 19 Years | 11,881 | 10.4 | 11,881 | 2.7 | 11,881 | 17.8 | 21.2 |
| Total | 61,902 | 6.7 | 61,902 | 3.0 | 61,902 | 17.9 | 21.6 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
California
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

| Growth Indicators by Race/Ethnicity and Age ⁽³⁾ | | | | | | | |
|---|----------------------|------------|--------------------|------------|-------------------|-------------------|-------------|
| | Short Stature (4) | | Underweight (5) | | Overweight (5) | | |
| | Number | % <5th | Number | % <5th | Number | % 85th - <95th | % ≥95th |
| Total All Race/Ethnic Groups | | | | | | | |
| 5 - 8 Years | 180,203 | 4.9 | 180,203 | 2.9 | 180,203 | 17.2 | 20.9 |
| 9 - 11 Years | 94,822 | 4.2 | 94,822 | 2.3 | 94,822 | 19.2 | 26.9 |
| 12 - 14 Years | 96,955 | 6.4 | 96,955 | 1.8 | 96,955 | 19.4 | 24.9 |
| 15 - 19 Years | 99,475 | 12.4 | 99,475 | 2.3 | 99,475 | 18.1 | 20.6 |
| Total | 471,455 | 6.6 | 471,455 | 2.4 | 471,455 | 18.3 | 22.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

