

Table 21C
2008 Pediatric Nutrition Surveillance (1)
California

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2008	77,224	19.6		2008	39,626	14.2
	2007	81,547	18.8		2007	39,193	15.2
	2006	90,357	18.3		2006	41,478	14.8
	2005	84,184	17.0		2005	34,454	14.4
	2004	83,881	18.2		2004	35,733	15.0
	2003	82,345	17.3		2003	37,538	15.1
	2002	79,546	16.9		2002	37,819	14.7
	2001	72,890	17.2		2001	35,859	15.3
	2000	90,251	17.0		2000	43,825	15.2
	1999	95,410	16.2		1999	48,650	14.6
12 - 17 Months				24 - 35 Months			
	2008	92,785	15.0		2008	87,182	15.5
	2007	90,461	15.4		2007	88,262	15.5
	2006	98,958	14.9		2006	100,783	15.7
	2005	85,694	14.2		2005	97,686	15.3
	2004	88,178	15.1		2004	97,796	16.2
	2003	82,616	14.6		2003	98,630	16.0
	2002	78,938	14.3		2002	94,957	15.2
	2001	71,556	14.9		2001	86,398	16.0
	2000	89,041	14.6		2000	103,927	15.4
	1999	91,497	14.6		1999	107,722	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2008 Pediatric Nutrition Surveillance (1)
California

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2008	169,711	10.8		2008	466,528	14.3
	2007	175,099	10.7		2007	474,562	14.2
	2006	196,292	10.5		2006	527,868	14.0
	2005	191,268	10.2		2005	493,286	13.4
	2004	197,924	10.6		2004	503,512	14.0
	2003	199,379	10.5		2003	500,508	13.7
	2002	191,822	9.7		2002	483,082	13.1
	2001	179,090	10.3		2001	445,793	13.7
	2000	223,723	9.9		2000	550,767	13.3
	1999	238,934	9.8		1999	582,213	13.0
All Other/Unknown							
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				
	1999	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2008 Pediatric Nutrition Surveillance (1)
California
Summary of Trends in Anemia by Age
Children Aged 5 to <20 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
5 - 8 Years	2008	154,898	13.0	12 - 14 Years - Girls	2008	42,428	9.3
	2007	159,015	13.1		2007	41,340	9.6
	2006	176,829	12.9		2006	42,584	10.2
	2005	173,756	12.5		2005	42,055	9.2
	2004	179,948	12.9		2004	43,954	9.4
	2003	187,473	13.2		2003	45,637	9.0
	2002	187,390	12.1		2002	42,748	8.1
	2001	178,718	12.5		2001	36,983	8.6
	2000	217,537	12.7		2000	43,883	8.6
	1999	225,579	12.1		1999	47,265	8.1
9 - 11 Years	2008	83,078	11.2	12 - 14 Years - Boys	2008	40,702	13.5
	2007	80,412	11.8		2007	40,146	14.5
	2006	86,132	11.8		2006	43,240	14.3
	2005	90,559	11.5		2005	43,623	14.1
	2004	95,905	11.8		2004	45,846	14.6
	2003	106,223	11.4		2003	46,580	14.9
	2002	107,377	11.0		2002	44,291	14.4
	2001	99,566	11.3		2001	38,553	15.3
	2000	114,434	11.5		2000	45,103	15.7
	1999	120,324	10.8		1999	49,787	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2008 Pediatric Nutrition Surveillance (1)
California
Summary of Trends in Anemia by Age
Children Aged 5 to <20 Years (2)

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)		
		Number	%			Number	%	
15 - 19 Years	- Girls			Total All Age Groups				
		2008	43,422		14.1	2008	403,883	12.5
		2007	41,873		14.0	2007	400,067	12.9
		2006	39,957		14.7	2006	424,886	12.9
		2005	38,124		13.7	2005	422,990	12.5
		2004	31,635		13.7	2004	426,825	12.7
		2003	32,047		12.9	2003	448,437	12.7
		2002	29,619		12.0	2002	440,239	12.0
		2001	26,538		11.9	2001	406,633	12.4
		2000	33,051		12.0	2000	486,065	12.6
		1999	34,791		11.1	1999	512,607	11.9
15 - 19 Years	- Boys							
		2008	39,355	14.2				
		2007	37,281	14.9				
		2006	36,144	15.4				
		2005	34,873	15.4				
		2004	29,537	15.9				
		2003	30,477	16.3				
		2002	28,814	16.4				
		2001	26,275	18.0				
		2000	32,057	18.0				
	1999	34,861	17.2					

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

