

Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 8/6/2010

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	326	4.9	326	12.6	326	6.7	0	0.0	0.0
12 - 23 Months	160	8.1	160	3.1	160	14.4	0	0.0	0.0
24 - 59 Months	227	3.5	227	4.0	227	10.1	227	16.3	10.1
Total	713	5.2	713	7.7	713	9.5	227	16.3	10.1
Black, Not Hispanic									
0 - 11 Months	1,388	9.7	1,388	5.3	1,388	12.4	0	0.0	0.0
12 - 23 Months	522	4.4	522	4.4	522	17.0	0	0.0	0.0
24 - 59 Months	843	2.8	843	3.2	843	13.0	843	15.8	13.0
Total	2,753	6.6	2,753	4.5	2,753	13.5	843	15.8	13.0
Hispanic									
0 - 11 Months	5,024	3.8	5,024	6.6	5,024	10.9	0	0.0	0.0
12 - 23 Months	2,695	3.5	2,695	5.2	2,695	15.3	0	0.0	0.0
24 - 59 Months	3,976	3.0	3,976	3.1	3,976	18.4	3,976	17.5	18.4
Total	11,695	3.5	11,695	5.1	11,695	14.5	3,976	17.5	18.4
American Indian/Alaska Native									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	48	*	48	*	48	*	23	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,151	3.0	1,151	7.4	1,151	7.0	0	0.0	0.0
12 - 23 Months	533	3.6	533	9.9	533	9.2	0	0.0	0.0
24 - 59 Months	863	3.6	863	6.7	863	9.6	863	10.5	9.6
Total	2,547	3.3	2,547	7.7	2,547	8.4	863	10.5	9.6
Pacific Islander									
0 - 11 Months	79	*	79	*	79	*	0	*	*
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	36	*	36	*	36	*	36	*	*
Total	156	5.1	156	1.9	156	19.9	36	*	*
Filipino									
0 - 11 Months	104	10.6	104	6.7	104	16.3	0	0.0	0.0
12 - 23 Months	35	*	35	*	35	*	0	*	*
24 - 59 Months	74	*	74	*	74	*	74	*	*
Total	213	9.4	213	6.1	213	16.4	74	*	*
All Other									
0 - 11 Months	4,709	5.0	4,709	11.1	4,709	8.3	0	0.0	0.0
12 - 23 Months	2,014	3.6	2,014	7.3	2,014	12.9	0	0.0	0.0
24 - 59 Months	2,627	3.4	2,627	5.1	2,627	15.3	2,627	15.9	15.3
Total	9,350	4.3	9,350	8.6	9,350	11.2	2,627	15.9	15.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 8/6/2010

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	12,799	4.9	12,799	8.3	12,799	9.7	0	0.0	0.0
12 - 23 Months	6,007	3.8	6,007	6.2	6,007	14.1	0	0.0	0.0
24 - 59 Months	8,669	3.2	8,669	4.1	8,669	15.8	8,669	16.1	15.8
Total	27,475	4.1	27,475	6.5	27,475	12.6	8,669	16.1	15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	7	*	7	*	7	*	3	*	*
Black, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	5	*	5	*	5	*	2	*	*
Hispanic									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	43	*	43	*	43	*	15	*	*
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	22	*	22	*	22	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 8/6/2010

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	22	*	22	*	22	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	78	*	78	*	78	*	31	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	241	7.1	241	6.2	241	10.4	0	0.0	0.0
12 - 23 Months	104	5.8	104	7.7	104	17.3	0	0.0	0.0
24 - 59 Months	136	5.9	136	0.7	136	16.9	136	16.9	16.9
Total	481	6.4	481	5.0	481	13.7	136	16.9	16.9
Black, Not Hispanic									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	15	*	15	*	15	*	5	*	*
Hispanic									
0 - 11 Months	62	*	62	*	62	*	0	*	*
12 - 23 Months	35	*	35	*	35	*	0	*	*
24 - 59 Months	85	*	85	*	85	*	85	*	*
Total	182	6.0	182	7.1	182	17.6	85	*	*
American Indian/Alaska Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 8/6/2010

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	15	*	15	*	15	*	4	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	25	*	25	*	25	*	25	*	*
Total	70	*	70	*	70	*	25	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 9
Run Date: 8/6/2010

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	351	7.4	351	7.4	351	10.8	0	0.0	0.0
12 - 23 Months	164	4.9	164	6.7	164	18.9	0	0.0	0.0
24 - 59 Months	257	5.1	257	2.7	257	19.1	257	17.9	19.1
Total	772	6.1	772	5.7	772	15.3	257	17.9	19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 8/6/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,307	3.9	2,307	11.1	2,307	7.3	0	0.0	0.0
12 - 23 Months	1,178	2.0	1,178	5.3	1,178	13.2	0	0.0	0.0
24 - 59 Months	1,716	3.4	1,716	4.0	1,716	11.8	1,716	13.3	11.8
Total	5,201	3.3	5,201	7.4	5,201	10.1	1,716	13.3	11.8
Black, Not Hispanic									
0 - 11 Months	176	5.7	176	9.7	176	8.5	0	0.0	0.0
12 - 23 Months	106	2.8	106	4.7	106	16.0	0	0.0	0.0
24 - 59 Months	143	3.5	143	1.4	143	11.9	143	20.3	11.9
Total	425	4.2	425	5.6	425	11.5	143	20.3	11.9
Hispanic									
0 - 11 Months	773	2.3	773	11.0	773	10.1	0	0.0	0.0
12 - 23 Months	417	4.1	417	6.7	417	18.5	0	0.0	0.0
24 - 59 Months	705	3.1	705	3.3	705	19.7	705	18.7	19.7
Total	1,895	3.0	1,895	7.2	1,895	15.5	705	18.7	19.7
American Indian/Alaska Native									
0 - 11 Months	72	*	72	*	72	*	0	*	*
12 - 23 Months	48	*	48	*	48	*	0	*	*
24 - 59 Months	82	*	82	*	82	*	82	*	*
Total	202	5.0	202	6.9	202	11.9	82	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 8/6/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	296	4.7	296	4.1	296	11.5	0	0.0	0.0
12 - 23 Months	116	6.0	116	5.2	116	12.1	0	0.0	0.0
24 - 59 Months	224	6.3	224	4.0	224	21.9	224	16.5	21.9
Total	636	5.5	636	4.2	636	15.3	224	16.5	21.9
Pacific Islander									
0 - 11 Months	26	*	26	*	26	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	46	*	46	*	46	*	12	*	*
Filipino									
0 - 11 Months	19	*	19	*	19	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	45	*	45	*	45	*	17	*	*
All Other									
0 - 11 Months	489	4.1	489	6.3	489	10.8	0	0.0	0.0
12 - 23 Months	253	4.3	253	5.1	253	21.3	0	0.0	0.0
24 - 59 Months	382	2.6	382	4.7	382	12.3	382	17.5	12.3
Total	1,124	3.6	1,124	5.5	1,124	13.7	382	17.5	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 12
Run Date: 8/6/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,158	3.8	4,158	10.0	4,158	8.6	0	0.0	0.0
12 - 23 Months	2,135	3.1	2,135	5.6	2,135	15.4	0	0.0	0.0
24 - 59 Months	3,281	3.5	3,281	3.8	3,281	14.4	3,281	15.5	14.4
Total	9,574	3.5	9,574	6.9	9,574	12.1	3,281	15.5	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 13
Run Date: 8/6/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	173	6.9	173	11.0	173	11.0	0	0.0	0.0
12 - 23 Months	105	2.9	105	12.4	105	8.6	0	0.0	0.0
24 - 59 Months	95	*	95	*	95	*	95	*	*
Total	373	4.3	373	11.0	373	10.5	95	*	*
Black, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	22	*	22	*	22	*	13	*	*
Hispanic									
0 - 11 Months	238	9.2	238	2.5	238	17.2	0	0.0	0.0
12 - 23 Months	120	8.3	120	0.8	120	20.0	0	0.0	0.0
24 - 59 Months	284	5.3	284	1.8	284	23.9	284	16.9	23.9
Total	642	7.3	642	1.9	642	20.7	284	16.9	23.9
American Indian/Alaska Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	6	*	6	*	6	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 14
Run Date: 8/6/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	40	*	40	*	40	*	40	*	*
Total	86	*	86	*	86	*	40	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	187	4.3	187	14.4	187	4.8	0	0.0	0.0
12 - 23 Months	124	0.8	124	9.7	124	16.1	0	0.0	0.0
24 - 59 Months	221	2.7	221	5.9	221	14.9	221	10.9	14.9
Total	532	2.8	532	9.8	532	11.7	221	10.9	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 15
Run Date: 8/6/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	640	7.2	640	8.8	640	11.9	0	0.0	0.0
12 - 23 Months	368	4.1	368	7.1	368	15.5	0	0.0	0.0
24 - 59 Months	655	3.5	655	5.2	655	18.6	655	15.0	18.6
Total	1,663	5.1	1,663	7.0	1,663	15.3	655	15.0	18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 16
Run Date: 8/6/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	13	*	13	*	13	*	4	*	*
Black, Not Hispanic									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	8	*	8	*	8	*	4	*	*
Hispanic									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	25	*	25	*	25	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	85	*	85	*	85	*	26	*	*
American Indian/Alaska Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 17
Run Date: 8/6/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	17	*	17	*	17	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	29	*	29	*	29	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 18
Run Date: 8/6/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	61	*	61	*	61	*	0	*	*
12 - 23 Months	33	*	33	*	33	*	0	*	*
24 - 59 Months	42	*	42	*	42	*	42	*	*
Total	136	5.9	136	10.3	136	10.3	42	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 19
Run Date: 8/6/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	51	*	51	*	51	*	0	*	*
12 - 23 Months	27	*	27	*	27	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	104	1.9	104	4.8	104	5.8	26	*	*
Black, Not Hispanic									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	42	*	42	*	42	*	15	*	*
Hispanic									
0 - 11 Months	464	4.3	464	9.9	464	12.7	0	0.0	0.0
12 - 23 Months	249	1.2	249	4.4	249	21.3	0	0.0	0.0
24 - 59 Months	318	1.3	318	7.9	318	14.5	318	15.1	14.5
Total	1,031	2.6	1,031	8.0	1,031	15.3	318	15.1	14.5
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 20
Run Date: 8/6/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	170	4.7	170	8.2	170	8.8	0	0.0	0.0
12 - 23 Months	89	*	89	*	89	*	0	*	*
24 - 59 Months	143	1.4	143	9.1	143	13.3	143	15.4	13.3
Total	402	2.7	402	7.7	402	12.9	143	15.4	13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 21
Run Date: 8/6/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	710	4.6	710	9.0	710	11.1	0	0.0	0.0
12 - 23 Months	377	1.6	377	4.0	377	21.2	0	0.0	0.0
24 - 59 Months	505	1.2	505	8.5	505	13.1	505	15.0	13.1
Total	1,592	2.8	1,592	7.7	1,592	14.1	505	15.0	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 22
Run Date: 8/6/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	658	4.3	658	13.2	658	6.4	0	0.0	0.0
12 - 23 Months	286	1.7	286	8.0	286	12.9	0	0.0	0.0
24 - 59 Months	295	1.4	295	6.4	295	14.2	295	13.9	14.2
Total	1,239	3.0	1,239	10.4	1,239	9.8	295	13.9	14.2
Black, Not Hispanic									
0 - 11 Months	789	6.8	789	10.3	789	11.7	0	0.0	0.0
12 - 23 Months	313	5.8	313	10.9	313	17.6	0	0.0	0.0
24 - 59 Months	409	2.0	409	5.9	409	11.5	409	15.9	11.5
Total	1,511	5.3	1,511	9.2	1,511	12.8	409	15.9	11.5
Hispanic									
0 - 11 Months	3,294	3.6	3,294	10.8	3,294	9.6	0	0.0	0.0
12 - 23 Months	1,683	3.3	1,683	9.6	1,683	14.1	0	0.0	0.0
24 - 59 Months	1,815	2.7	1,815	5.4	1,815	17.0	1,815	16.0	17.0
Total	6,792	3.3	6,792	9.1	6,792	12.7	1,815	16.0	17.0
American Indian/Alaska Native									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	14	*	14	*	14	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 23
Run Date: 8/6/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	109	1.8	109	20.2	109	5.5	0	0.0	0.0
12 - 23 Months	43	*	43	*	43	*	0	*	*
24 - 59 Months	46	*	46	*	46	*	46	*	*
Total	198	1.5	198	16.7	198	9.1	46	*	*
Pacific Islander									
0 - 11 Months	57	*	57	*	57	*	0	*	*
12 - 23 Months	22	*	22	*	22	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	105	1.9	105	8.6	105	17.1	26	*	*
Filipino									
0 - 11 Months	75	*	75	*	75	*	0	*	*
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	142	7.7	142	7.0	142	8.5	26	*	*
All Other									
0 - 11 Months	1,540	5.3	1,540	9.9	1,540	8.4	0	0.0	0.0
12 - 23 Months	576	5.0	576	8.5	576	12.5	0	0.0	0.0
24 - 59 Months	755	4.2	755	4.6	755	14.3	755	13.0	14.3
Total	2,871	4.9	2,871	8.2	2,871	10.8	755	13.0	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 24
Run Date: 8/6/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	6,530	4.4	6,530	10.9	6,530	9.2	0	0.0	0.0
12 - 23 Months	2,966	3.8	2,966	9.3	2,966	14.1	0	0.0	0.0
24 - 59 Months	3,376	2.8	3,376	5.5	3,376	15.4	3,376	15.0	15.4
Total	12,872	3.9	12,872	9.1	12,872	12.0	3,376	15.0	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 25
Run Date: 8/6/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	100	7.0	100	10.0	100	10.0	0	0.0	0.0
12 - 23 Months	83	*	83	*	83	*	0	*	*
24 - 59 Months	165	3.6	165	3.0	165	10.3	165	18.8	10.3
Total	348	3.7	348	4.9	348	13.8	165	18.8	10.3
Black, Not Hispanic									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*
Hispanic									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	57	*	57	*	57	*	57	*	*
Total	111	4.5	111	3.6	111	17.1	57	*	*
American Indian/Alaska Native									
0 - 11 Months	52	*	52	*	52	*	0	*	*
12 - 23 Months	35	*	35	*	35	*	0	*	*
24 - 59 Months	45	*	45	*	45	*	45	*	*
Total	132	3.8	132	4.5	132	22.7	45	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 26
Run Date: 8/6/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	67	*	67	*	67	*	23	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	51	*	51	*	51	*	27	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 27
Run Date: 8/6/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	230	5.7	230	8.3	230	11.3	0	0.0	0.0
12 - 23 Months	164	1.2	164	1.8	164	24.4	0	0.0	0.0
24 - 59 Months	319	5.0	319	2.8	319	17.6	319	18.2	17.6
Total	713	4.3	713	4.3	713	17.1	319	18.2	17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 28
Run Date: 8/6/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	511	4.5	511	14.1	511	7.4	0	0.0	0.0
12 - 23 Months	250	4.4	250	10.8	250	11.6	0	0.0	0.0
24 - 59 Months	335	5.4	335	3.9	335	13.4	335	12.5	13.4
Total	1,096	4.7	1,096	10.2	1,096	10.2	335	12.5	13.4
Black, Not Hispanic									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	21	*	21	*	21	*	9	*	*
Hispanic									
0 - 11 Months	501	2.4	501	12.2	501	7.6	0	0.0	0.0
12 - 23 Months	297	3.0	297	6.1	297	11.4	0	0.0	0.0
24 - 59 Months	425	4.0	425	5.6	425	13.6	425	16.7	13.6
Total	1,223	3.1	1,223	8.4	1,223	10.6	425	16.7	13.6
American Indian/Alaska Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 29
Run Date: 8/6/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	15	*	15	*	15	*	3	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	5	*	5	*	5	*	1	*	*
All Other									
0 - 11 Months	444	6.1	444	14.9	444	5.0	0	0.0	0.0
12 - 23 Months	216	1.9	216	9.7	216	9.7	0	0.0	0.0
24 - 59 Months	243	7.0	243	8.2	243	11.5	243	9.9	11.5
Total	903	5.3	903	11.8	903	7.9	243	9.9	11.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 30
Run Date: 8/6/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,479	4.4	1,479	13.6	1,479	6.6	0	0.0	0.0
12 - 23 Months	772	3.1	772	8.7	772	10.9	0	0.0	0.0
24 - 59 Months	1,018	5.1	1,018	5.7	1,018	13.0	1,018	13.6	13.0
Total	3,269	4.3	3,269	10.0	3,269	9.6	1,018	13.6	13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 31
Run Date: 8/6/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,896	7.2	2,896	5.7	2,896	14.1	0	0.0	0.0
12 - 23 Months	1,339	4.0	1,339	2.8	1,339	18.4	0	0.0	0.0
24 - 59 Months	1,813	3.9	1,813	4.7	1,813	14.9	1,813	15.2	14.9
Total	6,048	5.5	6,048	4.8	6,048	15.3	1,813	15.2	14.9
Black, Not Hispanic									
0 - 11 Months	1,235	10.0	1,235	4.5	1,235	15.8	0	0.0	0.0
12 - 23 Months	683	6.0	683	4.7	683	19.2	0	0.0	0.0
24 - 59 Months	1,069	3.9	1,069	6.3	1,069	13.9	1,069	14.8	13.9
Total	2,987	6.9	2,987	5.2	2,987	15.9	1,069	14.8	13.9
Hispanic									
0 - 11 Months	16,551	6.3	16,551	5.2	16,551	14.4	0	0.0	0.0
12 - 23 Months	9,252	5.9	9,252	3.1	9,252	21.9	0	0.0	0.0
24 - 59 Months	14,893	3.7	14,893	3.9	14,893	18.4	14,893	16.7	18.4
Total	40,696	5.3	40,696	4.2	40,696	17.6	14,893	16.7	18.4
American Indian/Alaska Native									
0 - 11 Months	118	4.2	118	4.2	118	17.8	0	0.0	0.0
12 - 23 Months	77	*	77	*	77	*	0	*	*
24 - 59 Months	115	3.5	115	4.3	115	16.5	115	19.1	16.5
Total	310	3.9	310	3.2	310	20.3	115	19.1	16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 32
Run Date: 8/6/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,300	8.5	1,300	3.0	1,300	16.4	0	0.0	0.0
12 - 23 Months	554	10.6	554	3.4	554	20.0	0	0.0	0.0
24 - 59 Months	959	9.2	959	4.9	959	16.9	959	16.0	16.9
Total	2,813	9.1	2,813	3.7	2,813	17.3	959	16.0	16.9
Pacific Islander									
0 - 11 Months	33	*	33	*	33	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	36	*	36	*	36	*	36	*	*
Total	83	*	83	*	83	*	36	*	*
Filipino									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	14	*	14	*	14	*	14	*	*
Total	49	*	49	*	49	*	14	*	*
All Other									
0 - 11 Months	4,041	7.0	4,041	5.9	4,041	12.5	0	0.0	0.0
12 - 23 Months	1,945	6.9	1,945	4.9	1,945	17.8	0	0.0	0.0
24 - 59 Months	2,689	4.2	2,689	6.1	2,689	14.8	2,689	12.8	14.8
Total	8,675	6.1	8,675	5.7	8,675	14.4	2,689	12.8	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 33
Run Date: 8/6/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	26,198	6.8	26,198	5.2	26,198	14.3	0	0.0	0.0
12 - 23 Months	13,875	6.1	13,875	3.4	13,875	20.8	0	0.0	0.0
24 - 59 Months	21,588	4.0	21,588	4.4	21,588	17.4	21,588	16.0	17.4
Total	61,661	5.7	61,661	4.5	61,661	16.8	21,588	16.0	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	243	4.1	243	6.2	243	11.5	0	0.0	0.0
12 - 23 Months	135	3.0	135	3.0	135	14.8	0	0.0	0.0
24 - 59 Months	162	2.5	162	3.7	162	14.8	162	17.3	14.8
Total	540	3.3	540	4.6	540	13.3	162	17.3	14.8
Black, Not Hispanic									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	13	*	13	*	13	*	5	*	*
Hispanic									
0 - 11 Months	398	3.3	398	7.5	398	13.1	0	0.0	0.0
12 - 23 Months	230	7.8	230	3.9	230	25.7	0	0.0	0.0
24 - 59 Months	338	5.6	338	2.7	338	20.1	338	22.5	20.1
Total	966	5.2	966	5.0	966	18.5	338	22.5	20.1
American Indian/Alaska Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	15	*	15	*	15	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 35
Run Date: 8/6/2010

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	14	*	14	*	14	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	33	*	33	*	33	*	10	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	133	0.8	133	3.8	133	12.0	0	0.0	0.0
12 - 23 Months	56	*	56	*	56	*	0	*	*
24 - 59 Months	55	*	55	*	55	*	55	*	*
Total	244	1.6	244	4.1	244	15.6	55	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 36
Run Date: 8/6/2010

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	797	3.1	797	6.4	797	12.4	0	0.0	0.0
12 - 23 Months	440	6.1	440	3.9	440	21.4	0	0.0	0.0
24 - 59 Months	574	4.4	574	3.1	574	18.1	574	20.0	18.1
Total	1,811	4.3	1,811	4.7	1,811	16.4	574	20.0	18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 37
Run Date: 8/6/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	724	5.5	724	7.7	724	10.5	0	0.0	0.0
12 - 23 Months	384	6.0	384	6.3	384	12.8	0	0.0	0.0
24 - 59 Months	440	3.2	440	3.2	440	12.7	440	12.0	12.7
Total	1,548	5.0	1,548	6.1	1,548	11.7	440	12.0	12.7
Black, Not Hispanic									
0 - 11 Months	20	*	20	*	20	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	37	*	37	*	37	*	8	*	*
Hispanic									
0 - 11 Months	188	7.4	188	1.1	188	14.9	0	0.0	0.0
12 - 23 Months	105	4.8	105	2.9	105	21.0	0	0.0	0.0
24 - 59 Months	143	3.5	143	0.0	143	17.5	143	23.8	17.5
Total	436	5.5	436	1.1	436	17.2	143	23.8	17.5
American Indian/Alaska Native									
0 - 11 Months	116	9.5	116	5.2	116	19.8	0	0.0	0.0
12 - 23 Months	94	*	94	*	94	*	0	*	*
24 - 59 Months	130	3.8	130	0.0	130	35.4	130	16.9	35.4
Total	340	7.1	340	2.4	340	29.1	130	16.9	35.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 38
Run Date: 8/6/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	16	*	16	*	16	*	2	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	6	*	6	*	6	*	3	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	7	*	7	*	7	*	4	*	*
All Other									
0 - 11 Months	898	4.5	898	5.0	898	7.5	0	0.0	0.0
12 - 23 Months	443	2.9	443	3.8	443	14.9	0	0.0	0.0
24 - 59 Months	640	4.1	640	2.7	640	16.6	640	18.6	16.6
Total	1,981	4.0	1,981	4.0	1,981	12.1	640	18.6	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 39
Run Date: 8/6/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,957	5.5	1,957	5.7	1,957	10.2	0	0.0	0.0
12 - 23 Months	1,044	4.8	1,044	4.5	1,044	16.1	0	0.0	0.0
24 - 59 Months	1,370	3.9	1,370	2.3	1,370	17.3	1,370	17.0	17.3
Total	4,371	4.9	4,371	4.3	4,371	13.8	1,370	17.0	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 40
Run Date: 8/6/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	58	*	58	*	58	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	49	*	49	*	49	*	49	*	*
Total	128	7.8	128	4.7	128	14.8	49	*	*
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	27	*	27	*	27	*	10	*	*
Hispanic									
0 - 11 Months	3,097	2.9	3,097	7.7	3,097	11.7	0	0.0	0.0
12 - 23 Months	1,572	2.6	1,572	3.7	1,572	19.7	0	0.0	0.0
24 - 59 Months	2,769	1.8	2,769	5.9	2,769	14.3	2,769	14.9	14.3
Total	7,438	2.4	7,438	6.2	7,438	14.3	2,769	14.9	14.3
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	7	*	7	*	7	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 41
Run Date: 8/6/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	12	*	12	*	12	*	5	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	69	*	69	*	69	*	0	*	*
12 - 23 Months	43	*	43	*	43	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	151	2.6	151	2.0	151	11.3	39	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 42
Run Date: 8/6/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	3,236	3.2	3,236	7.5	3,236	11.8	0	0.0	0.0
12 - 23 Months	1,651	2.7	1,651	3.6	1,651	19.4	0	0.0	0.0
24 - 59 Months	2,876	1.8	2,876	5.9	2,876	14.2	2,876	14.8	14.2
Total	7,763	2.6	7,763	6.1	7,763	14.3	2,876	14.8	14.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	72	*	72	*	72	*	0	*	*
12 - 23 Months	25	*	25	*	25	*	0	*	*
24 - 59 Months	44	*	44	*	44	*	44	*	*
Total	141	5.0	141	5.7	141	9.2	44	*	*
Black, Not Hispanic									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	10	*	10	*	10	*	3	*	*
Hispanic									
0 - 11 Months	85	*	85	*	85	*	0	*	*
12 - 23 Months	52	*	52	*	52	*	0	*	*
24 - 59 Months	98	*	98	*	98	*	98	*	*
Total	235	5.1	235	7.7	235	16.2	98	*	*
American Indian/Alaska Native									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	35	*	35	*	35	*	35	*	*
Total	82	*	82	*	82	*	35	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 44
Run Date: 8/6/2010

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	15	*	15	*	15	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 45
Run Date: 8/6/2010

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	197	8.1	197	5.1	197	12.2	0	0.0	0.0
12 - 23 Months	100	5.0	100	9.0	100	13.0	0	0.0	0.0
24 - 59 Months	187	2.1	187	7.0	187	19.3	187	17.1	19.3
Total	484	5.2	484	6.6	484	15.1	187	17.1	19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 46
Run Date: 8/6/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,734	6.4	2,734	9.1	2,734	10.5	0	0.0	0.0
12 - 23 Months	1,167	6.1	1,167	4.5	1,167	18.0	0	0.0	0.0
24 - 59 Months	1,879	4.2	1,879	5.4	1,879	11.9	1,879	16.0	11.9
Total	5,780	5.6	5,780	7.0	5,780	12.5	1,879	16.0	11.9
Black, Not Hispanic									
0 - 11 Months	1,059	9.4	1,059	9.3	1,059	12.0	0	0.0	0.0
12 - 23 Months	460	4.8	460	4.8	460	16.1	0	0.0	0.0
24 - 59 Months	895	2.7	895	10.9	895	9.1	895	13.6	9.1
Total	2,414	6.0	2,414	9.1	2,414	11.7	895	13.6	9.1
Hispanic									
0 - 11 Months	14,725	6.3	14,725	5.2	14,725	15.6	0	0.0	0.0
12 - 23 Months	7,397	4.3	7,397	3.3	7,397	22.8	0	0.0	0.0
24 - 59 Months	12,174	3.5	12,174	4.7	12,174	17.6	12,174	15.2	17.6
Total	34,296	4.9	34,296	4.6	34,296	17.9	12,174	15.2	17.6
American Indian/Alaska Native									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	43	*	43	*	43	*	15	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 47
Run Date: 8/6/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	70	*	70	*	70	*	0	*	*
12 - 23 Months	26	*	26	*	26	*	0	*	*
24 - 59 Months	43	*	43	*	43	*	43	*	*
Total	139	5.8	139	5.8	139	7.2	43	*	*
Pacific Islander									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	48	*	48	*	48	*	12	*	*
Filipino									
0 - 11 Months	47	*	47	*	47	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	28	*	28	*	28	*	28	*	*
Total	94	*	94	*	94	*	28	*	*
All Other									
0 - 11 Months	1,445	5.3	1,445	6.6	1,445	11.2	0	0.0	0.0
12 - 23 Months	818	1.7	818	2.9	818	16.9	0	0.0	0.0
24 - 59 Months	1,043	3.3	1,043	5.6	1,043	13.4	1,043	14.3	13.4
Total	3,306	3.8	3,306	5.4	3,306	13.3	1,043	14.3	13.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 48
Run Date: 8/6/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	20,129	6.4	20,129	6.1	20,129	14.3	0	0.0	0.0
12 - 23 Months	9,902	4.3	9,902	3.5	9,902	21.3	0	0.0	0.0
24 - 59 Months	16,089	3.5	16,089	5.2	16,089	16.1	16,089	15.2	16.1
Total	46,120	5.0	46,120	5.2	46,120	16.5	16,089	15.2	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 49
Run Date: 8/6/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	181	12.2	181	6.1	181	11.6	0	0.0	0.0
12 - 23 Months	95	*	95	*	95	*	0	*	*
24 - 59 Months	165	4.8	165	3.0	165	17.0	165	13.9	17.0
Total	441	9.5	441	4.1	441	15.6	165	13.9	17.0
Black, Not Hispanic									
0 - 11 Months	56	*	56	*	56	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	63	*	63	*	63	*	63	*	*
Total	161	8.1	161	3.1	161	21.1	63	*	*
Hispanic									
0 - 11 Months	1,784	6.2	1,784	4.4	1,784	13.3	0	0.0	0.0
12 - 23 Months	950	6.6	950	1.5	950	29.4	0	0.0	0.0
24 - 59 Months	1,329	3.2	1,329	4.7	1,329	21.7	1,329	19.0	21.7
Total	4,063	5.3	4,063	3.8	4,063	19.8	1,329	19.0	21.7
American Indian/Alaska Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	13	*	13	*	13	*	5	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 50
Run Date: 8/6/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	17	*	17	*	17	*	8	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	3	*	3	*	3	*	2	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	3	*	*
All Other									
0 - 11 Months	351	7.1	351	4.8	351	16.0	0	0.0	0.0
12 - 23 Months	138	7.2	138	3.6	138	26.1	0	0.0	0.0
24 - 59 Months	205	7.8	205	4.4	205	19.0	205	16.1	19.0
Total	694	7.3	694	4.5	694	18.9	205	16.1	19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 51
Run Date: 8/6/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,387	7.0	2,387	4.6	2,387	13.7	0	0.0	0.0
12 - 23 Months	1,233	7.1	1,233	1.9	1,233	28.1	0	0.0	0.0
24 - 59 Months	1,780	4.0	1,780	4.3	1,780	20.8	1,780	18.0	20.8
Total	5,400	6.0	5,400	3.9	5,400	19.3	1,780	18.0	20.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 52
Run Date: 8/6/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	431	7.9	431	7.2	431	13.2	0	0.0	0.0
12 - 23 Months	85	*	85	*	85	*	0	*	*
24 - 59 Months	118	5.9	118	2.5	118	16.1	118	13.6	16.1
Total	634	6.8	634	6.0	634	15.0	118	13.6	16.1
Black, Not Hispanic									
0 - 11 Months	445	11.9	445	5.2	445	17.5	0	0.0	0.0
12 - 23 Months	90	*	90	*	90	*	0	*	*
24 - 59 Months	140	2.1	140	5.7	140	8.6	140	15.0	8.6
Total	675	9.6	675	5.0	675	15.7	140	15.0	8.6
Hispanic									
0 - 11 Months	27,147	7.2	27,147	4.2	27,147	16.7	0	0.0	0.0
12 - 23 Months	4,978	5.3	4,978	2.0	4,978	24.8	0	0.0	0.0
24 - 59 Months	8,561	3.2	8,561	3.9	8,561	16.8	8,561	16.8	16.8
Total	40,686	6.1	40,686	3.9	40,686	17.7	8,561	16.8	16.8
American Indian/Alaska Native									
0 - 11 Months	15	*	15	*	15	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	21	*	21	*	21	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 53
Run Date: 8/6/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,085	6.5	1,085	4.5	1,085	13.6	0	0.0	0.0
12 - 23 Months	146	5.5	146	3.4	146	15.1	0	0.0	0.0
24 - 59 Months	206	3.4	206	12.1	206	8.7	206	10.7	8.7
Total	1,437	6.0	1,437	5.5	1,437	13.1	206	10.7	8.7
Pacific Islander									
0 - 11 Months	20	*	20	*	20	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	38	*	38	*	38	*	16	*	*
Filipino									
0 - 11 Months	141	9.9	141	6.4	141	17.0	0	0.0	0.0
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	210	9.0	210	5.7	210	13.8	39	*	*
All Other									
0 - 11 Months	2,772	6.6	2,772	4.3	2,772	14.2	0	0.0	0.0
12 - 23 Months	321	5.3	321	2.8	321	22.4	0	0.0	0.0
24 - 59 Months	474	5.3	474	2.5	474	16.5	474	16.2	16.5
Total	3,567	6.3	3,567	3.9	3,567	15.3	474	16.2	16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 54
Run Date: 8/6/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	32,056	7.2	32,056	4.3	32,056	16.4	0	0.0	0.0
12 - 23 Months	5,656	5.4	5,656	2.2	5,656	24.2	0	0.0	0.0
24 - 59 Months	9,556	3.3	9,556	4.0	9,556	16.4	9,556	16.5	16.4
Total	47,268	6.2	47,268	4.0	47,268	17.3	9,556	16.5	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 55
Run Date: 8/6/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,050	5.1	1,050	9.8	1,050	6.8	0	0.0	0.0
12 - 23 Months	169	3.6	169	5.3	169	16.0	0	0.0	0.0
24 - 59 Months	282	3.9	282	7.1	282	12.1	282	15.2	12.1
Total	1,501	4.7	1,501	8.8	1,501	8.8	282	15.2	12.1
Black, Not Hispanic									
0 - 11 Months	565	18.1	565	7.6	565	26.9	0	0.0	0.0
12 - 23 Months	100	18.0	100	3.0	100	18.0	0	0.0	0.0
24 - 59 Months	178	1.1	178	6.2	178	7.9	178	7.3	7.9
Total	843	14.5	843	6.8	843	21.8	178	7.3	7.9
Hispanic									
0 - 11 Months	10,535	7.0	10,535	5.9	10,535	15.6	0	0.0	0.0
12 - 23 Months	1,658	7.2	1,658	2.2	1,658	25.0	0	0.0	0.0
24 - 59 Months	3,317	3.5	3,317	4.4	3,317	19.9	3,317	16.6	19.9
Total	15,510	6.2	15,510	5.2	15,510	17.5	3,317	16.6	19.9
American Indian/Alaska Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	5	*	5	*	5	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 56
Run Date: 8/6/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	198	6.6	198	6.6	198	14.6	0	0.0	0.0
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	40	*	40	*	40	*	40	*	*
Total	267	6.7	267	9.0	267	11.6	40	*	*
Pacific Islander									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	8	*	8	*	8	*	4	*	*
Filipino									
0 - 11 Months	77	*	77	*	77	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	114	6.1	114	10.5	114	8.8	20	*	*
All Other									
0 - 11 Months	4,820	7.9	4,820	3.7	4,820	13.7	0	0.0	0.0
12 - 23 Months	540	6.7	540	3.0	540	18.9	0	0.0	0.0
24 - 59 Months	702	4.6	702	4.0	702	16.8	702	14.2	16.8
Total	6,062	7.4	6,062	3.6	6,062	14.5	702	14.2	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 57
Run Date: 8/6/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	17,254	7.5	17,254	5.6	17,254	14.9	0	0.0	0.0
12 - 23 Months	2,513	7.3	2,513	2.8	2,513	22.6	0	0.0	0.0
24 - 59 Months	4,543	3.6	4,543	4.7	4,543	18.2	4,543	15.7	18.2
Total	24,310	6.7	24,310	5.2	24,310	16.3	4,543	15.7	18.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 58
Run Date: 8/6/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,990	4.0	1,990	7.1	1,990	12.2	0	0.0	0.0
12 - 23 Months	1,647	3.5	1,647	4.6	1,647	16.6	0	0.0	0.0
24 - 59 Months	2,251	2.9	2,251	5.7	2,251	13.6	2,251	14.7	13.6
Total	5,888	3.4	5,888	5.9	5,888	14.0	2,251	14.7	13.6
Black, Not Hispanic									
0 - 11 Months	3,419	9.6	3,419	6.6	3,419	16.7	0	0.0	0.0
12 - 23 Months	2,795	5.7	2,795	5.2	2,795	20.7	0	0.0	0.0
24 - 59 Months	4,212	3.0	4,212	5.7	4,212	13.8	4,212	14.9	13.8
Total	10,426	5.9	10,426	5.9	10,426	16.6	4,212	14.9	13.8
Hispanic									
0 - 11 Months	47,519	5.7	47,519	4.2	47,519	17.4	0	0.0	0.0
12 - 23 Months	41,836	5.4	41,836	2.9	41,836	22.3	0	0.0	0.0
24 - 59 Months	64,716	2.9	64,716	3.9	64,716	19.9	64,716	16.6	19.9
Total	154,071	4.4	154,071	3.7	154,071	19.8	64,716	16.6	19.9
American Indian/Alaska Native									
0 - 11 Months	40	*	40	*	40	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	47	*	47	*	47	*	47	*	*
Total	129	6.2	129	3.9	129	26.4	47	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 59
Run Date: 8/6/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,527	4.3	1,527	5.8	1,527	11.8	0	0.0	0.0
12 - 23 Months	1,649	4.7	1,649	7.2	1,649	10.2	0	0.0	0.0
24 - 59 Months	2,151	2.9	2,151	8.0	2,151	11.3	2,151	10.5	11.3
Total	5,327	3.9	5,327	7.1	5,327	11.1	2,151	10.5	11.3
Pacific Islander									
0 - 11 Months	195	7.2	195	12.3	195	12.3	0	0.0	0.0
12 - 23 Months	162	9.3	162	5.6	162	22.8	0	0.0	0.0
24 - 59 Months	252	4.0	252	5.6	252	18.3	252	15.1	18.3
Total	609	6.4	609	7.7	609	17.6	252	15.1	18.3
Filipino									
0 - 11 Months	258	8.5	258	6.2	258	8.5	0	0.0	0.0
12 - 23 Months	223	10.8	223	6.7	223	9.0	0	0.0	0.0
24 - 59 Months	267	5.6	267	7.1	267	14.2	267	12.0	14.2
Total	748	8.2	748	6.7	748	10.7	267	12.0	14.2
All Other									
0 - 11 Months	5,396	6.6	5,396	7.3	5,396	14.5	0	0.0	0.0
12 - 23 Months	4,085	5.3	4,085	4.4	4,085	19.2	0	0.0	0.0
24 - 59 Months	5,382	3.8	5,382	5.1	5,382	16.4	5,382	15.0	16.4
Total	14,863	5.2	14,863	5.7	14,863	16.5	5,382	15.0	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 60
Run Date: 8/6/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	60,344	5.9	60,344	4.8	60,344	16.7	0	0.0	0.0
12 - 23 Months	52,439	5.3	52,439	3.4	52,439	21.3	0	0.0	0.0
24 - 59 Months	79,278	3.0	79,278	4.2	79,278	18.9	79,278	16.1	18.9
Total	192,061	4.6	192,061	4.2	192,061	18.9	79,278	16.1	18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 61
Run Date: 8/6/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	364	6.0	364	15.4	364	7.7	0	0.0	0.0
12 - 23 Months	57	*	57	*	57	*	0	*	*
24 - 59 Months	119	4.2	119	5.0	119	10.1	119	14.3	10.1
Total	540	5.4	540	11.9	540	8.5	119	14.3	10.1
Black, Not Hispanic									
0 - 11 Months	3,708	12.2	3,708	6.0	3,708	15.1	0	0.0	0.0
12 - 23 Months	531	9.8	531	2.3	531	23.0	0	0.0	0.0
24 - 59 Months	810	5.4	810	6.9	810	11.6	810	13.2	11.6
Total	5,049	10.9	5,049	5.8	5,049	15.4	810	13.2	11.6
Hispanic									
0 - 11 Months	24,094	7.1	24,094	4.3	24,094	17.1	0	0.0	0.0
12 - 23 Months	4,053	6.5	4,053	2.3	4,053	25.0	0	0.0	0.0
24 - 59 Months	7,288	3.5	7,288	3.7	7,288	18.7	7,288	16.2	18.7
Total	35,435	6.3	35,435	4.0	35,435	18.4	7,288	16.2	18.7
American Indian/Alaska Native									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	21	*	21	*	21	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 62
Run Date: 8/6/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	483	5.4	483	4.3	483	16.8	0	0.0	0.0
12 - 23 Months	108	2.8	108	0.9	108	11.1	0	0.0	0.0
24 - 59 Months	127	3.1	127	7.9	127	11.0	127	10.2	11.0
Total	718	4.6	718	4.5	718	14.9	127	10.2	11.0
Pacific Islander									
0 - 11 Months	55	*	55	*	55	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	80	*	80	*	80	*	15	*	*
Filipino									
0 - 11 Months	132	6.8	132	5.3	132	10.6	0	0.0	0.0
12 - 23 Months	31	*	31	*	31	*	0	*	*
24 - 59 Months	45	*	45	*	45	*	45	*	*
Total	208	7.2	208	3.8	208	13.0	45	*	*
All Other									
0 - 11 Months	2,234	6.8	2,234	6.4	2,234	13.8	0	0.0	0.0
12 - 23 Months	294	6.8	294	5.4	294	15.3	0	0.0	0.0
24 - 59 Months	496	3.6	496	5.8	496	14.1	496	16.1	14.1
Total	3,024	6.3	3,024	6.2	3,024	14.0	496	16.1	14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 63
Run Date: 8/6/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	31,083	7.7	31,083	4.8	31,083	16.5	0	0.0	0.0
12 - 23 Months	5,086	6.7	5,086	2.5	5,086	23.8	0	0.0	0.0
24 - 59 Months	8,906	3.7	8,906	4.2	8,906	17.5	8,906	15.8	17.5
Total	45,075	6.8	45,075	4.4	45,075	17.5	8,906	15.8	17.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 64
Run Date: 8/6/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	179	4.5	179	8.4	179	14.0	0	0.0	0.0
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	40	*	40	*	40	*	40	*	*
Total	248	4.0	248	6.9	248	14.9	40	*	*
Black, Not Hispanic									
0 - 11 Months	394	18.5	394	5.6	394	20.6	0	0.0	0.0
12 - 23 Months	90	*	90	*	90	*	0	*	*
24 - 59 Months	168	2.4	168	4.8	168	10.1	168	13.1	10.1
Total	652	13.0	652	5.1	652	17.0	168	13.1	10.1
Hispanic									
0 - 11 Months	1,720	6.7	1,720	4.4	1,720	18.5	0	0.0	0.0
12 - 23 Months	361	5.5	361	1.4	361	25.5	0	0.0	0.0
24 - 59 Months	672	3.4	672	3.4	672	19.3	672	18.9	19.3
Total	2,753	5.8	2,753	3.8	2,753	19.6	672	18.9	19.3
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 65
Run Date: 8/6/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	65	*	65	*	65	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	89	*	89	*	89	*	16	*	*
Pacific Islander									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	18	*	18	*	18	*	0	*	*
Filipino									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	49	*	49	*	49	*	8	*	*
All Other									
0 - 11 Months	243	6.2	243	6.6	243	16.5	0	0.0	0.0
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	43	*	43	*	43	*	43	*	*
Total	327	6.4	327	7.0	327	18.7	43	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 66
Run Date: 8/6/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,655	8.3	2,655	5.0	2,655	18.0	0	0.0	0.0
12 - 23 Months	536	5.6	536	2.1	536	24.4	0	0.0	0.0
24 - 59 Months	947	3.5	947	3.9	947	17.0	947	17.2	17.0
Total	4,138	6.8	4,138	4.3	4,138	18.6	947	17.2	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 67
Run Date: 8/6/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	160	6.3	160	8.8	160	8.1	0	0.0	0.0
12 - 23 Months	112	8.9	112	8.0	112	18.8	0	0.0	0.0
24 - 59 Months	168	4.8	168	6.5	168	15.5	168	13.1	15.5
Total	440	6.4	440	7.7	440	13.6	168	13.1	15.5
Black, Not Hispanic									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	22	*	22	*	22	*	6	*	*
Hispanic									
0 - 11 Months	114	5.3	114	14.9	114	8.8	0	0.0	0.0
12 - 23 Months	54	*	54	*	54	*	0	*	*
24 - 59 Months	120	4.2	120	2.5	120	14.2	120	15.8	14.2
Total	288	4.5	288	9.0	288	11.5	120	15.8	14.2
American Indian/Alaska Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	23	*	23	*	23	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 68
Run Date: 8/6/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	17	*	17	*	17	*	11	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	3	*	3	*	3	*	2	*	*
All Other									
0 - 11 Months	205	2.9	205	18.5	205	8.3	0	0.0	0.0
12 - 23 Months	107	2.8	107	13.1	107	15.9	0	0.0	0.0
24 - 59 Months	141	3.5	141	5.0	141	15.6	141	12.1	15.6
Total	453	3.1	453	13.0	453	12.4	141	12.1	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 69
Run Date: 8/6/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	500	5.0	500	14.0	500	8.8	0	0.0	0.0
12 - 23 Months	288	5.2	288	10.1	288	15.3	0	0.0	0.0
24 - 59 Months	460	4.3	460	4.6	460	15.7	460	14.3	15.7
Total	1,248	4.8	1,248	9.6	1,248	12.8	460	14.3	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 70
Run Date: 8/6/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	198	5.6	198	14.6	198	4.0	0	0.0	0.0
12 - 23 Months	104	2.9	104	6.7	104	12.5	0	0.0	0.0
24 - 59 Months	95	*	95	*	95	*	95	*	*
Total	397	5.3	397	11.8	397	7.3	95	*	*
Black, Not Hispanic									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	13	*	13	*	13	*	4	*	*
Hispanic									
0 - 11 Months	42	*	42	*	42	*	0	*	*
12 - 23 Months	32	*	32	*	32	*	0	*	*
24 - 59 Months	42	*	42	*	42	*	42	*	*
Total	116	1.7	116	9.5	116	19.8	42	*	*
American Indian/Alaska Native									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	48	*	48	*	48	*	18	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 71
Run Date: 8/6/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*
Pacific Islander									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	11	*	11	*	11	*	3	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
All Other									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	38	*	38	*	38	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 72
Run Date: 8/6/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	284	5.3	284	15.5	284	6.7	0	0.0	0.0
12 - 23 Months	168	3.0	168	4.8	168	16.7	0	0.0	0.0
24 - 59 Months	176	6.3	176	9.1	176	13.1	176	11.4	13.1
Total	628	4.9	628	10.8	628	11.1	176	11.4	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 73
Run Date: 8/6/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	116	4.3	116	6.0	116	12.1	0	0.0	0.0
12 - 23 Months	50	*	50	*	50	*	0	*	*
24 - 59 Months	78	*	78	*	78	*	78	*	*
Total	244	3.3	244	4.9	244	15.6	78	*	*
Black, Not Hispanic									
0 - 11 Months	711	8.6	711	5.8	711	13.6	0	0.0	0.0
12 - 23 Months	253	7.1	253	3.2	253	22.9	0	0.0	0.0
24 - 59 Months	333	4.8	333	5.4	333	20.7	333	19.8	20.7
Total	1,297	7.3	1,297	5.2	1,297	17.3	333	19.8	20.7
Hispanic									
0 - 11 Months	3,626	5.9	3,626	4.9	3,626	14.4	0	0.0	0.0
12 - 23 Months	1,222	5.9	1,222	2.7	1,222	27.4	0	0.0	0.0
24 - 59 Months	1,878	4.0	1,878	2.4	1,878	23.0	1,878	19.9	23.0
Total	6,726	5.4	6,726	3.8	6,726	19.2	1,878	19.9	23.0
American Indian/Alaska Native									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	12	*	12	*	12	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 74
Run Date: 8/6/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	261	10.0	261	6.9	261	12.3	0	0.0	0.0
12 - 23 Months	85	*	85	*	85	*	0	*	*
24 - 59 Months	135	5.9	135	5.9	135	13.3	135	15.6	13.3
Total	481	9.1	481	6.0	481	12.5	135	15.6	13.3
Pacific Islander									
0 - 11 Months	62	*	62	*	62	*	0	*	*
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	30	*	30	*	30	*	30	*	*
Total	112	1.8	112	2.7	112	26.8	30	*	*
Filipino									
0 - 11 Months	58	*	58	*	58	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	100	18.0	100	8.0	100	12.0	31	*	*
All Other									
0 - 11 Months	1,229	6.3	1,229	6.5	1,229	13.4	0	0.0	0.0
12 - 23 Months	414	3.6	414	5.3	414	19.1	0	0.0	0.0
24 - 59 Months	433	3.5	433	3.7	433	20.3	433	11.3	20.3
Total	2,076	5.2	2,076	5.7	2,076	16.0	433	11.3	20.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 75
Run Date: 8/6/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	6,072	6.5	6,072	5.5	6,072	13.9	0	0.0	0.0
12 - 23 Months	2,055	5.7	2,055	3.6	2,055	24.4	0	0.0	0.0
24 - 59 Months	2,921	4.2	2,921	3.1	2,921	21.8	2,921	18.6	21.8
Total	11,048	5.7	11,048	4.5	11,048	18.0	2,921	18.6	21.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 76
Run Date: 8/6/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	326	6.1	326	10.4	326	8.6	0	0.0	0.0
12 - 23 Months	171	7.6	171	3.5	171	18.7	0	0.0	0.0
24 - 59 Months	264	4.5	264	7.2	264	15.5	264	14.4	15.5
Total	761	5.9	761	7.8	761	13.3	264	14.4	15.5
Black, Not Hispanic									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	25	*	25	*	25	*	25	*	*
Total	62	*	62	*	62	*	25	*	*
Hispanic									
0 - 11 Months	3,518	4.9	3,518	6.0	3,518	12.2	0	0.0	0.0
12 - 23 Months	1,914	5.6	1,914	3.2	1,914	19.3	0	0.0	0.0
24 - 59 Months	3,314	3.4	3,314	3.6	3,314	15.1	3,314	15.9	15.1
Total	8,746	4.5	8,746	4.5	8,746	14.8	3,314	15.9	15.1
American Indian/Alaska Native									
0 - 11 Months	20	*	20	*	20	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	57	*	57	*	57	*	23	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 77
Run Date: 8/6/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	11	*	11	*	11	*	6	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
All Other									
0 - 11 Months	148	4.1	148	10.1	148	8.8	0	0.0	0.0
12 - 23 Months	79	*	79	*	79	*	0	*	*
24 - 59 Months	98	*	98	*	98	*	98	*	*
Total	325	5.5	325	7.1	325	14.5	98	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 78
Run Date: 8/6/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,048	4.9	4,048	6.6	4,048	11.6	0	0.0	0.0
12 - 23 Months	2,187	5.7	2,187	3.5	2,187	19.1	0	0.0	0.0
24 - 59 Months	3,731	3.7	3,731	3.9	3,731	15.3	3,731	15.8	15.3
Total	9,966	4.6	9,966	4.9	9,966	14.6	3,731	15.8	15.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 79
Run Date: 8/6/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	85	*	85	*	85	*	0	*	*
12 - 23 Months	66	*	66	*	66	*	0	*	*
24 - 59 Months	64	*	64	*	64	*	64	*	*
Total	215	1.9	215	7.0	215	13.5	64	*	*
Black, Not Hispanic									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	13	*	13	*	13	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	35	*	35	*	35	*	9	*	*
Hispanic									
0 - 11 Months	383	4.4	383	7.3	383	11.2	0	0.0	0.0
12 - 23 Months	431	4.6	431	7.4	431	15.1	0	0.0	0.0
24 - 59 Months	337	4.7	337	4.7	337	16.3	337	15.4	16.3
Total	1,151	4.6	1,151	6.6	1,151	14.2	337	15.4	16.3
American Indian/Alaska Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 80
Run Date: 8/6/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	25	*	25	*	25	*	13	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
All Other									
0 - 11 Months	573	4.5	573	8.4	573	10.3	0	0.0	0.0
12 - 23 Months	81	*	81	*	81	*	0	*	*
24 - 59 Months	76	*	76	*	76	*	76	*	*
Total	730	4.5	730	8.5	730	10.5	76	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 81
Run Date: 8/6/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,064	4.4	1,064	8.1	1,064	10.4	0	0.0	0.0
12 - 23 Months	596	4.2	596	7.4	596	15.4	0	0.0	0.0
24 - 59 Months	500	4.4	500	5.2	500	14.8	500	15.2	14.8
Total	2,160	4.4	2,160	7.2	2,160	12.8	500	15.2	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 82
Run Date: 8/6/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	54	*	54	*	54	*	0	*	*
12 - 23 Months	31	*	31	*	31	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	124	3.2	124	16.9	124	8.9	39	*	*
Black, Not Hispanic									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Hispanic									
0 - 11 Months	15	*	15	*	15	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	32	*	32	*	32	*	10	*	*
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	5	*	5	*	5	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 83
Run Date: 8/6/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	19	*	19	*	19	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 84
Run Date: 8/6/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	81	*	81	*	81	*	0	*	*
12 - 23 Months	42	*	42	*	42	*	0	*	*
24 - 59 Months	60	*	60	*	60	*	60	*	*
Total	183	4.4	183	15.8	183	8.2	60	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 85
Run Date: 8/6/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	105	2.9	105	19.0	105	4.8	0	0.0	0.0
12 - 23 Months	59	*	59	*	59	*	0	*	*
24 - 59 Months	94	*	94	*	94	*	94	*	*
Total	258	3.1	258	10.9	258	10.9	94	*	*
Black, Not Hispanic									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	6	*	6	*	6	*	0	*	*
Hispanic									
0 - 11 Months	75	*	75	*	75	*	0	*	*
12 - 23 Months	46	*	46	*	46	*	0	*	*
24 - 59 Months	109	4.6	109	4.6	109	22.0	109	17.4	22.0
Total	230	3.5	230	7.4	230	15.2	109	17.4	22.0
American Indian/Alaska Native									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	34	*	34	*	34	*	0	*	*
24 - 59 Months	60	*	60	*	60	*	60	*	*
Total	122	2.5	122	3.3	122	26.2	60	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 86
Run Date: 8/6/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	1,081	3.9	1,081	15.6	1,081	6.1	0	0.0	0.0
12 - 23 Months	546	2.6	546	9.0	546	12.3	0	0.0	0.0
24 - 59 Months	641	4.5	641	3.1	641	22.6	641	17.2	22.6
Total	2,268	3.7	2,268	10.5	2,268	12.3	641	17.2	22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 87
Run Date: 8/6/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,301	3.6	1,301	15.3	1,301	6.6	0	0.0	0.0
12 - 23 Months	686	2.8	686	9.2	686	13.1	0	0.0	0.0
24 - 59 Months	906	4.2	906	3.2	906	22.0	906	17.8	22.0
Total	2,893	3.6	2,893	10.1	2,893	13.0	906	17.8	22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 88
Run Date: 8/6/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,766	8.9	1,766	6.0	1,766	16.4	0	0.0	0.0
12 - 23 Months	675	6.2	675	2.7	675	17.8	0	0.0	0.0
24 - 59 Months	950	5.4	950	3.7	950	18.5	950	17.3	18.5
Total	3,391	7.4	3,391	4.7	3,391	17.3	950	17.3	18.5
Black, Not Hispanic									
0 - 11 Months	196	11.2	196	9.2	196	9.7	0	0.0	0.0
12 - 23 Months	88	*	88	*	88	*	0	*	*
24 - 59 Months	164	6.7	164	3.7	164	11.0	164	17.7	11.0
Total	448	8.0	448	6.5	448	11.4	164	17.7	11.0
Hispanic									
0 - 11 Months	2,874	6.2	2,874	5.6	2,874	13.8	0	0.0	0.0
12 - 23 Months	1,567	4.9	1,567	2.7	1,567	23.2	0	0.0	0.0
24 - 59 Months	2,366	4.2	2,366	3.9	2,366	20.5	2,366	16.7	20.5
Total	6,807	5.2	6,807	4.3	6,807	18.3	2,366	16.7	20.5
American Indian/Alaska Native									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	31	*	31	*	31	*	13	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 89
Run Date: 8/6/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	382	9.9	382	4.2	382	11.3	0	0.0	0.0
12 - 23 Months	182	8.8	182	1.6	182	15.9	0	0.0	0.0
24 - 59 Months	251	10.4	251	2.4	251	20.7	251	13.1	20.7
Total	815	9.8	815	3.1	815	15.2	251	13.1	20.7
Pacific Islander									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	35	*	35	*	35	*	12	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
All Other									
0 - 11 Months	886	5.4	886	7.2	886	10.8	0	0.0	0.0
12 - 23 Months	342	4.4	342	3.5	342	16.4	0	0.0	0.0
24 - 59 Months	379	3.4	379	5.3	379	13.2	379	10.8	13.2
Total	1,607	4.7	1,607	6.0	1,607	12.6	379	10.8	13.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 90
Run Date: 8/6/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	6,134	7.3	6,134	6.0	6,134	13.8	0	0.0	0.0
12 - 23 Months	2,867	5.4	2,867	2.8	2,867	20.4	0	0.0	0.0
24 - 59 Months	4,136	4.9	4,136	3.9	4,136	19.0	4,136	16.2	19.0
Total	13,137	6.1	13,137	4.6	13,137	16.9	4,136	16.2	19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 91
Run Date: 8/6/2010

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	65	*	65	*	65	*	0	*	*
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	55	*	55	*	55	*	55	*	*
Total	150	6.0	150	10.7	150	11.3	55	*	*
Black, Not Hispanic									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Hispanic									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	26	*	26	*	26	*	0	*	*
24 - 59 Months	43	*	43	*	43	*	43	*	*
Total	96	*	96	*	96	*	43	*	*
American Indian/Alaska Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	6	*	6	*	6	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	13	*	13	*	13	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	29	*	29	*	29	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 93
Run Date: 8/6/2010

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	107	6.5	107	8.4	107	9.3	0	0.0	0.0
12 - 23 Months	70	*	70	*	70	*	0	*	*
24 - 59 Months	107	1.9	107	5.6	107	9.3	107	20.6	9.3
Total	284	4.2	284	8.8	284	9.9	107	20.6	9.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 94
Run Date: 8/6/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	33	*	33	*	33	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	44	*	44	*	44	*	3	*	*
Black, Not Hispanic									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Hispanic									
0 - 11 Months	146	2.7	146	16.4	146	9.6	0	0.0	0.0
12 - 23 Months	103	1.9	103	15.5	103	9.7	0	0.0	0.0
24 - 59 Months	104	0.0	104	10.6	104	2.9	104	8.7	2.9
Total	353	1.7	353	14.4	353	7.6	104	8.7	2.9
American Indian/Alaska Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 95
Run Date: 8/6/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	13	*	13	*	13	*	5	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 96
Run Date: 8/6/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	188	3.2	188	18.6	188	8.0	0	0.0	0.0
12 - 23 Months	116	3.4	116	17.2	116	9.5	0	0.0	0.0
24 - 59 Months	114	0.0	114	9.6	114	2.6	114	11.4	2.6
Total	418	2.4	418	15.8	418	6.9	114	11.4	2.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 97
Run Date: 8/6/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	106	13.2	106	13.2	106	9.4	0	0.0	0.0
12 - 23 Months	31	*	31	*	31	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	163	8.6	163	10.4	163	11.0	26	*	*
Black, Not Hispanic									
0 - 11 Months	37	*	37	*	37	*	0	*	*
12 - 23 Months	15	*	15	*	15	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	60	*	60	*	60	*	8	*	*
Hispanic									
0 - 11 Months	4,439	7.3	4,439	3.3	4,439	14.7	0	0.0	0.0
12 - 23 Months	1,476	7.4	1,476	2.8	1,476	18.8	0	0.0	0.0
24 - 59 Months	1,282	3.9	1,282	3.0	1,282	19.0	1,282	16.0	19.0
Total	7,197	6.7	7,197	3.1	7,197	16.3	1,282	16.0	19.0
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 98
Run Date: 8/6/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	24	*	24	*	24	*	5	*	*
Pacific Islander									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	14	*	14	*	14	*	2	*	*
Filipino									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	8	*	8	*	8	*	2	*	*
All Other									
0 - 11 Months	208	9.6	208	3.8	208	13.5	0	0.0	0.0
12 - 23 Months	81	*	81	*	81	*	0	*	*
24 - 59 Months	72	*	72	*	72	*	72	*	*
Total	361	7.2	361	3.9	361	14.1	72	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 99
Run Date: 8/6/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,816	7.6	4,816	3.7	4,816	14.5	0	0.0	0.0
12 - 23 Months	1,615	7.1	1,615	2.8	1,615	18.6	0	0.0	0.0
24 - 59 Months	1,397	3.9	1,397	3.1	1,397	18.5	1,397	16.1	18.5
Total	7,828	6.8	7,828	3.4	7,828	16.1	1,397	16.1	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 100
Run Date: 8/6/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	79	*	79	*	79	*	0	*	*
12 - 23 Months	52	*	52	*	52	*	0	*	*
24 - 59 Months	81	*	81	*	81	*	81	*	*
Total	212	5.2	212	6.1	212	10.8	81	*	*
Black, Not Hispanic									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	18	*	18	*	18	*	9	*	*
Hispanic									
0 - 11 Months	518	2.9	518	12.4	518	5.8	0	0.0	0.0
12 - 23 Months	299	1.7	299	8.0	299	17.7	0	0.0	0.0
24 - 59 Months	470	5.1	470	4.5	470	20.0	470	19.6	20.0
Total	1,287	3.4	1,287	8.5	1,287	13.8	470	19.6	20.0
American Indian/Alaska Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	6	*	6	*	6	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 101
Run Date: 8/6/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	9	*	9	*	9	*	3	*	*
Pacific Islander									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	6	*	6	*	6	*	1	*	*
Filipino									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	13	*	13	*	13	*	2	*	*
All Other									
0 - 11 Months	1,033	3.6	1,033	12.5	1,033	5.7	0	0.0	0.0
12 - 23 Months	426	1.9	426	6.1	426	14.1	0	0.0	0.0
24 - 59 Months	401	2.2	401	6.0	401	13.7	401	15.7	13.7
Total	1,860	2.9	1,860	9.6	1,860	9.4	401	15.7	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 102
Run Date: 8/6/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,650	3.5	1,650	12.4	1,650	5.8	0	0.0	0.0
12 - 23 Months	794	1.9	794	6.9	794	15.0	0	0.0	0.0
24 - 59 Months	967	3.8	967	5.1	967	17.2	967	17.3	17.2
Total	3,411	3.2	3,411	9.0	3,411	11.1	967	17.3	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 103
Run Date: 8/6/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	675	4.7	675	12.9	675	5.0	0	0.0	0.0
12 - 23 Months	298	3.7	298	10.4	298	8.1	0	0.0	0.0
24 - 59 Months	336	3.6	336	6.5	336	11.6	336	13.1	11.6
Total	1,309	4.2	1,309	10.7	1,309	7.4	336	13.1	11.6
Black, Not Hispanic									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	11	*	11	*	11	*	5	*	*
Hispanic									
0 - 11 Months	133	5.3	133	9.8	133	6.8	0	0.0	0.0
12 - 23 Months	73	*	73	*	73	*	0	*	*
24 - 59 Months	107	5.6	107	1.9	107	13.1	107	13.1	13.1
Total	313	4.8	313	7.7	313	8.3	107	13.1	13.1
American Indian/Alaska Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 104
Run Date: 8/6/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	40	*	40	*	40	*	0	*	*
12 - 23 Months	24	*	24	*	24	*	0	*	*
24 - 59 Months	30	*	30	*	30	*	30	*	*
Total	94	*	94	*	94	*	30	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 105
Run Date: 8/6/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	856	4.7	856	12.3	856	5.6	0	0.0	0.0
12 - 23 Months	400	3.8	400	10.5	400	7.3	0	0.0	0.0
24 - 59 Months	478	4.2	478	5.9	478	11.9	478	12.1	11.9
Total	1,734	4.3	1,734	10.1	1,734	7.7	478	12.1	11.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 106
Run Date: 8/6/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	516	6.4	516	11.6	516	9.9	0	0.0	0.0
12 - 23 Months	179	3.9	179	4.5	179	13.4	0	0.0	0.0
24 - 59 Months	346	3.2	346	5.8	346	11.8	346	13.6	11.8
Total	1,041	4.9	1,041	8.5	1,041	11.1	346	13.6	11.8
Black, Not Hispanic									
0 - 11 Months	75	*	75	*	75	*	0	*	*
12 - 23 Months	28	*	28	*	28	*	0	*	*
24 - 59 Months	53	*	53	*	53	*	53	*	*
Total	156	4.5	156	8.3	156	10.9	53	*	*
Hispanic									
0 - 11 Months	11,043	5.2	11,043	9.1	11,043	11.7	0	0.0	0.0
12 - 23 Months	3,247	5.2	3,247	3.4	3,247	20.1	0	0.0	0.0
24 - 59 Months	5,748	3.3	5,748	4.0	5,748	17.7	5,748	16.2	17.7
Total	20,038	4.6	20,038	6.7	20,038	14.8	5,748	16.2	17.7
American Indian/Alaska Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	17	*	17	*	17	*	10	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 107
Run Date: 8/6/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	435	5.5	435	12.9	435	7.6	0	0.0	0.0
12 - 23 Months	133	6.0	133	11.3	133	12.0	0	0.0	0.0
24 - 59 Months	234	4.7	234	6.0	234	9.8	234	12.4	9.8
Total	802	5.4	802	10.6	802	9.0	234	12.4	9.8
Pacific Islander									
0 - 11 Months	20	*	20	*	20	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	14	*	14	*	14	*	14	*	*
Total	39	*	39	*	39	*	14	*	*
Filipino									
0 - 11 Months	36	*	36	*	36	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	86	*	86	*	86	*	31	*	*
All Other									
0 - 11 Months	1,424	5.1	1,424	10.8	1,424	7.8	0	0.0	0.0
12 - 23 Months	305	3.3	305	3.9	305	14.8	0	0.0	0.0
24 - 59 Months	395	3.5	395	6.3	395	12.7	395	13.7	12.7
Total	2,124	4.6	2,124	9.0	2,124	9.7	395	13.7	12.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 108
Run Date: 8/6/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	13,554	5.3	13,554	9.5	13,554	11.1	0	0.0	0.0
12 - 23 Months	3,918	5.0	3,918	3.8	3,918	19.1	0	0.0	0.0
24 - 59 Months	6,831	3.3	6,831	4.3	6,831	16.8	6,831	15.9	16.8
Total	24,303	4.7	24,303	7.1	24,303	14.0	6,831	15.9	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 109
Run Date: 8/6/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	45	*	45	*	45	*	11	*	*
Black, Not Hispanic									
0 - 11 Months	73	*	73	*	73	*	0	*	*
12 - 23 Months	45	*	45	*	45	*	0	*	*
24 - 59 Months	49	*	49	*	49	*	49	*	*
Total	167	2.4	167	7.2	167	12.6	49	*	*
Hispanic									
0 - 11 Months	350	2.9	350	15.4	350	9.1	0	0.0	0.0
12 - 23 Months	192	2.6	192	8.3	192	15.1	0	0.0	0.0
24 - 59 Months	197	2.5	197	3.6	197	19.3	197	19.3	19.3
Total	739	2.7	739	10.4	739	13.4	197	19.3	19.3
American Indian/Alaska Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 110
Run Date: 8/6/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	8	*	8	*	8	*	2	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
All Other									
0 - 11 Months	478	6.9	478	15.7	478	3.1	0	0.0	0.0
12 - 23 Months	134	1.5	134	13.4	134	9.0	0	0.0	0.0
24 - 59 Months	210	1.9	210	4.3	210	19.0	210	20.0	19.0
Total	822	4.7	822	12.4	822	8.2	210	20.0	19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 111
Run Date: 8/6/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	928	5.3	928	15.0	928	5.9	0	0.0	0.0
12 - 23 Months	384	2.1	384	10.2	384	13.3	0	0.0	0.0
24 - 59 Months	471	1.9	471	3.6	471	18.7	471	18.5	18.7
Total	1,783	3.7	1,783	10.9	1,783	10.9	471	18.5	18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 112
Run Date: 8/6/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	582	5.5	582	8.6	582	12.2	0	0.0	0.0
12 - 23 Months	321	4.0	321	5.6	321	16.8	0	0.0	0.0
24 - 59 Months	354	4.5	354	4.5	354	9.0	354	11.9	9.0
Total	1,257	4.9	1,257	6.7	1,257	12.5	354	11.9	9.0
Black, Not Hispanic									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	22	*	22	*	22	*	10	*	*
Hispanic									
0 - 11 Months	425	5.4	425	11.1	425	8.0	0	0.0	0.0
12 - 23 Months	283	4.2	283	6.7	283	14.1	0	0.0	0.0
24 - 59 Months	347	5.5	347	4.0	347	15.3	347	17.3	15.3
Total	1,055	5.1	1,055	7.6	1,055	12.0	347	17.3	15.3
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 113
Run Date: 8/6/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	17	*	17	*	17	*	7	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	1,112	4.7	1,112	9.8	1,112	10.3	0	0.0	0.0
12 - 23 Months	495	4.4	495	6.3	495	11.1	0	0.0	0.0
24 - 59 Months	664	2.9	664	4.5	664	12.7	664	13.0	12.7
Total	2,271	4.1	2,271	7.5	2,271	11.2	664	13.0	12.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 114
Run Date: 8/6/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,137	5.1	2,137	9.7	2,137	10.3	0	0.0	0.0
12 - 23 Months	1,108	4.2	1,108	6.2	1,108	13.4	0	0.0	0.0
24 - 59 Months	1,384	4.0	1,384	4.3	1,384	12.3	1,384	13.9	12.3
Total	4,629	4.5	4,629	7.3	4,629	11.7	1,384	13.9	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 115
Run Date: 8/6/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	130	5.4	130	16.9	130	6.2	0	0.0	0.0
12 - 23 Months	54	*	54	*	54	*	0	*	*
24 - 59 Months	87	*	87	*	87	*	87	*	*
Total	271	5.5	271	14.4	271	8.9	87	*	*
Black, Not Hispanic									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	18	*	18	*	18	*	8	*	*
Hispanic									
0 - 11 Months	62	*	62	*	62	*	0	*	*
12 - 23 Months	29	*	29	*	29	*	0	*	*
24 - 59 Months	41	*	41	*	41	*	41	*	*
Total	132	4.5	132	7.6	132	6.8	41	*	*
American Indian/Alaska Native									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	16	*	16	*	16	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 116
Run Date: 8/6/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	53	*	53	*	53	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	85	*	85	*	85	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 117
Run Date: 8/6/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	262	6.9	262	14.1	262	6.5	0	0.0	0.0
12 - 23 Months	113	4.4	113	9.7	113	10.6	0	0.0	0.0
24 - 59 Months	152	5.9	152	7.2	152	10.5	152	10.5	10.5
Total	527	6.1	527	11.2	527	8.5	152	10.5	10.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 118
Run Date: 8/6/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,946	7.4	2,946	7.5	2,946	10.8	0	0.0	0.0
12 - 23 Months	581	4.8	581	3.8	581	15.5	0	0.0	0.0
24 - 59 Months	948	3.2	948	7.3	948	11.0	948	13.3	11.0
Total	4,475	6.1	4,475	7.0	4,475	11.4	948	13.3	11.0
Black, Not Hispanic									
0 - 11 Months	1,124	11.7	1,124	5.1	1,124	14.9	0	0.0	0.0
12 - 23 Months	267	4.5	267	5.6	267	21.0	0	0.0	0.0
24 - 59 Months	449	4.7	449	7.6	449	13.4	449	11.4	13.4
Total	1,840	9.0	1,840	5.8	1,840	15.4	449	11.4	13.4
Hispanic									
0 - 11 Months	16,245	7.4	16,245	4.6	16,245	16.1	0	0.0	0.0
12 - 23 Months	4,635	5.9	4,635	2.9	4,635	22.4	0	0.0	0.0
24 - 59 Months	7,678	3.1	7,678	4.7	7,678	16.2	7,678	15.0	16.2
Total	28,558	6.0	28,558	4.4	28,558	17.1	7,678	15.0	16.2
American Indian/Alaska Native									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	24	*	24	*	24	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 119
Run Date: 8/6/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	112	8.9	112	4.5	112	11.6	0	0.0	0.0
12 - 23 Months	37	*	37	*	37	*	0	*	*
24 - 59 Months	61	*	61	*	61	*	61	*	*
Total	210	6.7	210	9.0	210	14.3	61	*	*
Pacific Islander									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	38	*	38	*	38	*	10	*	*
Filipino									
0 - 11 Months	45	*	45	*	45	*	0	*	*
12 - 23 Months	18	*	18	*	18	*	0	*	*
24 - 59 Months	19	*	19	*	19	*	19	*	*
Total	82	*	82	*	82	*	19	*	*
All Other									
0 - 11 Months	3,897	6.6	3,897	9.2	3,897	12.4	0	0.0	0.0
12 - 23 Months	775	5.4	775	5.5	775	16.9	0	0.0	0.0
24 - 59 Months	1,024	5.4	1,024	5.7	1,024	14.2	1,024	14.6	14.2
Total	5,696	6.2	5,696	8.0	5,696	13.3	1,024	14.6	14.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 120
Run Date: 8/6/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	24,402	7.5	24,402	5.7	24,402	14.8	0	0.0	0.0
12 - 23 Months	6,328	5.6	6,328	3.5	6,328	21.0	0	0.0	0.0
24 - 59 Months	10,193	3.4	10,193	5.2	10,193	15.3	10,193	14.6	15.3
Total	40,923	6.2	40,923	5.3	40,923	15.9	10,193	14.6	15.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 121
Run Date: 8/6/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,060	5.2	2,060	10.7	2,060	7.0	0	0.0	0.0
12 - 23 Months	1,065	3.2	1,065	6.3	1,065	16.0	0	0.0	0.0
24 - 59 Months	1,782	2.7	1,782	8.1	1,782	10.8	1,782	12.3	10.8
Total	4,907	3.9	4,907	8.8	4,907	10.3	1,782	12.3	10.8
Black, Not Hispanic									
0 - 11 Months	1,854	8.3	1,854	12.4	1,854	9.1	0	0.0	0.0
12 - 23 Months	972	6.1	972	7.0	972	13.6	0	0.0	0.0
24 - 59 Months	1,543	5.2	1,543	6.9	1,543	14.6	1,543	16.8	14.6
Total	4,369	6.7	4,369	9.3	4,369	12.0	1,543	16.8	14.6
Hispanic									
0 - 11 Months	4,951	4.6	4,951	9.2	4,951	10.0	0	0.0	0.0
12 - 23 Months	2,797	3.4	2,797	6.4	2,797	15.6	0	0.0	0.0
24 - 59 Months	4,535	3.2	4,535	4.7	4,535	16.6	4,535	15.6	16.6
Total	12,283	3.8	12,283	6.9	12,283	13.7	4,535	15.6	16.6
American Indian/Alaska Native									
0 - 11 Months	185	5.4	185	17.8	185	6.5	0	0.0	0.0
12 - 23 Months	60	*	60	*	60	*	0	*	*
24 - 59 Months	125	5.6	125	5.6	125	25.6	125	19.2	25.6
Total	370	5.1	370	10.8	370	13.0	125	19.2	25.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 122
Run Date: 8/6/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,371	8.3	1,371	6.9	1,371	12.3	0	0.0	0.0
12 - 23 Months	751	6.4	751	6.4	751	12.1	0	0.0	0.0
24 - 59 Months	1,191	6.7	1,191	4.6	1,191	18.5	1,191	14.7	18.5
Total	3,313	7.3	3,313	5.9	3,313	14.5	1,191	14.7	18.5
Pacific Islander									
0 - 11 Months	61	*	61	*	61	*	0	*	*
12 - 23 Months	35	*	35	*	35	*	0	*	*
24 - 59 Months	50	*	50	*	50	*	50	*	*
Total	146	6.2	146	2.7	146	18.5	50	*	*
Filipino									
0 - 11 Months	39	*	39	*	39	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	47	*	47	*	47	*	47	*	*
Total	105	8.6	105	13.3	105	9.5	47	*	*
All Other									
0 - 11 Months	10,653	5.5	10,653	12.7	10,653	8.0	0	0.0	0.0
12 - 23 Months	4,310	3.9	4,310	7.2	4,310	13.9	0	0.0	0.0
24 - 59 Months	6,436	3.8	6,436	6.5	6,436	14.0	6,436	15.0	14.0
Total	21,399	4.7	21,399	9.7	21,399	11.0	6,436	15.0	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 123
Run Date: 8/6/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	21,174	5.7	21,174	11.3	21,174	8.7	0	0.0	0.0
12 - 23 Months	10,009	4.1	10,009	6.7	10,009	14.4	0	0.0	0.0
24 - 59 Months	15,709	3.9	15,709	6.1	15,709	14.9	15,709	15.1	14.9
Total	46,892	4.8	46,892	8.6	46,892	12.0	15,709	15.1	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 124
Run Date: 8/6/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	38	*	38	*	38	*	0	*	*
12 - 23 Months	18	*	18	*	18	*	0	*	*
24 - 59 Months	41	*	41	*	41	*	41	*	*
Total	97	*	97	*	97	*	41	*	*
Black, Not Hispanic									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	12	*	12	*	12	*	4	*	*
Hispanic									
0 - 11 Months	402	3.7	402	6.5	402	10.0	0	0.0	0.0
12 - 23 Months	244	2.5	244	6.6	244	18.0	0	0.0	0.0
24 - 59 Months	373	4.3	373	4.6	373	25.2	373	15.5	25.2
Total	1,019	3.6	1,019	5.8	1,019	17.5	373	15.5	25.2
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 125
Run Date: 8/6/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	2	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
All Other									
0 - 11 Months	67	*	67	*	67	*	0	*	*
12 - 23 Months	46	*	46	*	46	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	152	4.6	152	5.3	152	15.8	39	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 126
Run Date: 8/6/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	521	3.5	521	6.7	521	9.8	0	0.0	0.0
12 - 23 Months	311	2.9	311	6.8	311	17.4	0	0.0	0.0
24 - 59 Months	460	4.6	460	4.6	460	23.0	460	15.0	23.0
Total	1,292	3.7	1,292	6.0	1,292	16.3	460	15.0	23.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 127
Run Date: 8/6/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	2,403	9.0	2,403	8.9	2,403	12.3	0	0.0	0.0
12 - 23 Months	529	7.8	529	4.0	529	17.4	0	0.0	0.0
24 - 59 Months	763	4.7	763	5.0	763	11.4	763	15.1	11.4
Total	3,695	8.0	3,695	7.4	3,695	12.9	763	15.1	11.4
Black, Not Hispanic									
0 - 11 Months	1,750	10.5	1,750	7.9	1,750	14.5	0	0.0	0.0
12 - 23 Months	349	6.3	349	4.9	349	14.6	0	0.0	0.0
24 - 59 Months	560	3.9	560	6.3	560	10.4	560	12.0	10.4
Total	2,659	8.5	2,659	7.2	2,659	13.6	560	12.0	10.4
Hispanic									
0 - 11 Months	16,499	7.4	16,499	6.0	16,499	14.7	0	0.0	0.0
12 - 23 Months	4,127	6.2	4,127	2.9	4,127	23.1	0	0.0	0.0
24 - 59 Months	7,286	3.9	7,286	4.7	7,286	16.1	7,286	15.5	16.1
Total	27,912	6.3	27,912	5.2	27,912	16.3	7,286	15.5	16.1
American Indian/Alaska Native									
0 - 11 Months	17	*	17	*	17	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	26	*	26	*	26	*	6	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 128
Run Date: 8/6/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	171	7.6	171	9.9	171	9.4	0	0.0	0.0
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	73	*	73	*	73	*	73	*	*
Total	285	6.7	285	8.8	285	9.8	73	*	*
Pacific Islander									
0 - 11 Months	32	*	32	*	32	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	50	*	50	*	50	*	11	*	*
Filipino									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	19	*	19	*	19	*	19	*	*
Total	55	*	55	*	55	*	19	*	*
All Other									
0 - 11 Months	4,085	7.9	4,085	7.7	4,085	12.0	0	0.0	0.0
12 - 23 Months	916	8.0	916	3.3	916	19.9	0	0.0	0.0
24 - 59 Months	1,631	5.2	1,631	3.0	1,631	14.7	1,631	16.6	14.7
Total	6,632	7.2	6,632	5.9	6,632	13.8	1,631	16.6	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 129
Run Date: 8/6/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	24,984	7.8	24,984	6.7	24,984	14.0	0	0.0	0.0
12 - 23 Months	5,981	6.6	5,981	3.2	5,981	21.5	0	0.0	0.0
24 - 59 Months	10,349	4.2	10,349	4.5	10,349	15.1	10,349	15.4	15.1
Total	41,314	6.7	41,314	5.7	41,314	15.4	10,349	15.4	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 130
Run Date: 8/6/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	4,688	5.9	4,688	8.7	4,688	12.3	0	0.0	0.0
12 - 23 Months	2,135	6.2	2,135	5.2	2,135	17.8	0	0.0	0.0
24 - 59 Months	3,249	5.0	3,249	4.9	3,249	15.2	3,249	16.8	15.2
Total	10,072	5.7	10,072	6.7	10,072	14.4	3,249	16.8	15.2
Black, Not Hispanic									
0 - 11 Months	1,259	7.2	1,259	10.0	1,259	10.7	0	0.0	0.0
12 - 23 Months	611	3.6	611	7.7	611	14.9	0	0.0	0.0
24 - 59 Months	964	2.3	964	6.4	964	14.0	964	11.7	14.0
Total	2,834	4.8	2,834	8.3	2,834	12.7	964	11.7	14.0
Hispanic									
0 - 11 Months	16,771	4.8	16,771	6.7	16,771	12.5	0	0.0	0.0
12 - 23 Months	8,419	4.5	8,419	4.4	8,419	16.6	0	0.0	0.0
24 - 59 Months	12,893	3.7	12,893	3.7	12,893	16.4	12,893	16.6	16.4
Total	38,083	4.4	38,083	5.2	38,083	14.7	12,893	16.6	16.4
American Indian/Alaska Native									
0 - 11 Months	79	*	79	*	79	*	0	*	*
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	62	*	62	*	62	*	62	*	*
Total	182	4.9	182	6.0	182	13.2	62	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 131
Run Date: 8/6/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	530	6.8	530	10.6	530	10.8	0	0.0	0.0
12 - 23 Months	221	5.9	221	3.2	221	10.0	0	0.0	0.0
24 - 59 Months	334	5.1	334	5.4	334	14.4	334	12.3	14.4
Total	1,085	6.1	1,085	7.5	1,085	11.7	334	12.3	14.4
Pacific Islander									
0 - 11 Months	65	*	65	*	65	*	0	*	*
12 - 23 Months	46	*	46	*	46	*	0	*	*
24 - 59 Months	73	*	73	*	73	*	73	*	*
Total	184	7.1	184	8.7	184	14.1	73	*	*
Filipino									
0 - 11 Months	223	12.6	223	6.3	223	15.2	0	0.0	0.0
12 - 23 Months	120	11.7	120	5.8	120	13.3	0	0.0	0.0
24 - 59 Months	156	4.5	156	9.0	156	11.5	156	12.8	11.5
Total	499	9.8	499	7.0	499	13.6	156	12.8	11.5
All Other									
0 - 11 Months	10,575	5.2	10,575	11.1	10,575	9.2	0	0.0	0.0
12 - 23 Months	4,272	4.2	4,272	8.0	4,272	13.0	0	0.0	0.0
24 - 59 Months	5,341	3.7	5,341	5.5	5,341	14.3	5,341	15.6	14.3
Total	20,188	4.6	20,188	9.0	20,188	11.3	5,341	15.6	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 132
Run Date: 8/6/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	34,190	5.3	34,190	8.6	34,190	11.4	0	0.0	0.0
12 - 23 Months	15,865	4.7	15,865	5.6	15,865	15.6	0	0.0	0.0
24 - 59 Months	23,072	3.9	23,072	4.5	23,072	15.6	23,072	16.1	15.6
Total	73,127	4.7	73,127	6.6	73,127	13.6	23,072	16.1	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 133
Run Date: 8/6/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	245	6.1	245	12.2	245	13.1	0	0.0	0.0
12 - 23 Months	65	*	65	*	65	*	0	*	*
24 - 59 Months	85	*	85	*	85	*	85	*	*
Total	395	5.3	395	9.6	395	13.2	85	*	*
Black, Not Hispanic									
0 - 11 Months	536	11.8	536	9.9	536	12.1	0	0.0	0.0
12 - 23 Months	188	5.3	188	4.3	188	17.6	0	0.0	0.0
24 - 59 Months	316	4.1	316	4.4	316	14.9	316	18.0	14.9
Total	1,040	8.3	1,040	7.2	1,040	13.9	316	18.0	14.9
Hispanic									
0 - 11 Months	2,198	4.0	2,198	9.6	2,198	10.9	0	0.0	0.0
12 - 23 Months	1,107	4.7	1,107	4.8	1,107	16.0	0	0.0	0.0
24 - 59 Months	1,680	3.2	1,680	2.4	1,680	21.8	1,680	18.1	21.8
Total	4,985	3.9	4,985	6.1	4,985	15.7	1,680	18.1	21.8
American Indian/Alaska Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	4	*	4	*	4	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	11	*	11	*	11	*	5	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 134
Run Date: 8/6/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,331	4.2	1,331	7.4	1,331	9.8	0	0.0	0.0
12 - 23 Months	842	4.6	842	8.0	842	7.1	0	0.0	0.0
24 - 59 Months	1,232	2.8	1,232	6.3	1,232	8.0	1,232	14.0	8.0
Total	3,405	3.8	3,405	7.2	3,405	8.5	1,232	14.0	8.0
Pacific Islander									
0 - 11 Months	24	*	24	*	24	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	44	*	44	*	44	*	12	*	*
Filipino									
0 - 11 Months	44	*	44	*	44	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	29	*	29	*	29	*	29	*	*
Total	90	*	90	*	90	*	29	*	*
All Other									
0 - 11 Months	475	4.4	475	8.2	475	9.7	0	0.0	0.0
12 - 23 Months	260	5.0	260	6.9	260	11.9	0	0.0	0.0
24 - 59 Months	345	3.8	345	5.2	345	15.4	345	11.0	15.4
Total	1,080	4.4	1,080	6.9	1,080	12.0	345	11.0	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 135
Run Date: 8/6/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	4,855	5.0	4,855	9.1	4,855	10.7	0	0.0	0.0
12 - 23 Months	2,491	4.7	2,491	6.1	2,491	12.7	0	0.0	0.0
24 - 59 Months	3,704	3.2	3,704	4.2	3,704	15.7	3,704	16.2	15.7
Total	11,050	4.3	11,050	6.8	11,050	12.8	3,704	16.2	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 136
Run Date: 8/6/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,083	6.1	1,083	10.8	1,083	11.5	0	0.0	0.0
12 - 23 Months	493	4.5	493	5.1	493	21.1	0	0.0	0.0
24 - 59 Months	822	4.3	822	6.3	822	18.0	822	15.5	18.0
Total	2,398	5.1	2,398	8.1	2,398	15.7	822	15.5	18.0
Black, Not Hispanic									
0 - 11 Months	978	8.1	978	11.9	978	12.8	0	0.0	0.0
12 - 23 Months	516	6.8	516	5.8	516	25.0	0	0.0	0.0
24 - 59 Months	1,053	3.4	1,053	11.4	1,053	11.5	1,053	12.5	11.5
Total	2,547	5.9	2,547	10.4	2,547	14.7	1,053	12.5	11.5
Hispanic									
0 - 11 Months	6,240	4.0	6,240	9.8	6,240	12.9	0	0.0	0.0
12 - 23 Months	3,229	4.3	3,229	4.0	3,229	21.3	0	0.0	0.0
24 - 59 Months	6,163	3.4	6,163	6.5	6,163	17.6	6,163	14.9	17.6
Total	15,632	3.8	15,632	7.3	15,632	16.5	6,163	14.9	17.6
American Indian/Alaska Native									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	56	*	56	*	56	*	20	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 137
Run Date: 8/6/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	566	10.2	566	6.9	566	16.1	0	0.0	0.0
12 - 23 Months	311	11.9	311	3.9	311	21.2	0	0.0	0.0
24 - 59 Months	628	10.0	628	7.8	628	16.1	628	14.3	16.1
Total	1,505	10.5	1,505	6.6	1,505	17.1	628	14.3	16.1
Pacific Islander									
0 - 11 Months	55	*	55	*	55	*	0	*	*
12 - 23 Months	24	*	24	*	24	*	0	*	*
24 - 59 Months	49	*	49	*	49	*	49	*	*
Total	128	7.0	128	7.8	128	14.8	49	*	*
Filipino									
0 - 11 Months	137	12.4	137	5.8	137	21.2	0	0.0	0.0
12 - 23 Months	82	*	82	*	82	*	0	*	*
24 - 59 Months	107	7.5	107	10.3	107	13.1	107	15.0	13.1
Total	326	9.8	326	8.3	326	17.2	107	15.0	13.1
All Other									
0 - 11 Months	6,183	6.2	6,183	7.2	6,183	11.0	0	0.0	0.0
12 - 23 Months	2,940	4.3	2,940	5.3	2,940	16.2	0	0.0	0.0
24 - 59 Months	3,966	4.1	3,966	4.7	3,966	16.4	3,966	15.6	16.4
Total	13,089	5.2	13,089	6.0	13,089	13.8	3,966	15.6	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 138
Run Date: 8/6/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	15,267	5.7	15,267	8.8	15,267	12.2	0	0.0	0.0
12 - 23 Months	7,606	4.9	7,606	4.7	7,606	19.5	0	0.0	0.0
24 - 59 Months	12,808	4.0	12,808	6.4	12,808	16.6	12,808	14.9	16.6
Total	35,681	4.9	35,681	7.1	35,681	15.3	12,808	14.9	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 139
Run Date: 8/6/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	589	2.5	589	14.8	589	5.9	0	0.0	0.0
12 - 23 Months	282	2.1	282	9.6	282	10.6	0	0.0	0.0
24 - 59 Months	434	2.8	434	4.4	434	14.1	434	11.5	14.1
Total	1,305	2.5	1,305	10.2	1,305	9.7	434	11.5	14.1
Black, Not Hispanic									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	33	*	33	*	33	*	9	*	*
Hispanic									
0 - 11 Months	1,024	3.1	1,024	10.3	1,024	8.7	0	0.0	0.0
12 - 23 Months	540	5.7	540	5.0	540	13.3	0	0.0	0.0
24 - 59 Months	767	3.3	767	2.9	767	13.7	767	18.5	13.7
Total	2,331	3.8	2,331	6.6	2,331	11.4	767	18.5	13.7
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 140
Run Date: 8/6/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	13	*	13	*	13	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	31	*	31	*	31	*	11	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	10	*	10	*	10	*	6	*	*
All Other									
0 - 11 Months	593	5.2	593	10.5	593	9.1	0	0.0	0.0
12 - 23 Months	327	5.5	327	5.5	327	12.2	0	0.0	0.0
24 - 59 Months	366	3.8	366	5.7	366	10.9	366	13.4	10.9
Total	1,286	4.9	1,286	7.9	1,286	10.4	366	13.4	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 141
Run Date: 8/6/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,236	3.6	2,236	11.4	2,236	8.1	0	0.0	0.0
12 - 23 Months	1,170	4.7	1,170	6.2	1,170	12.5	0	0.0	0.0
24 - 59 Months	1,595	3.2	1,595	3.9	1,595	13.2	1,595	15.4	13.2
Total	5,001	3.7	5,001	7.8	5,001	10.7	1,595	15.4	13.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 142
Run Date: 8/6/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	154	5.8	154	7.8	154	5.2	0	0.0	0.0
12 - 23 Months	79	*	79	*	79	*	0	*	*
24 - 59 Months	70	*	70	*	70	*	70	*	*
Total	303	4.3	303	6.6	303	8.3	70	*	*
Black, Not Hispanic									
0 - 11 Months	87	*	87	*	87	*	0	*	*
12 - 23 Months	51	*	51	*	51	*	0	*	*
24 - 59 Months	75	*	75	*	75	*	75	*	*
Total	213	5.2	213	4.7	213	12.2	75	*	*
Hispanic									
0 - 11 Months	3,060	5.1	3,060	8.3	3,060	10.6	0	0.0	0.0
12 - 23 Months	1,756	3.0	1,756	6.2	1,756	14.2	0	0.0	0.0
24 - 59 Months	2,257	3.6	2,257	3.6	2,257	19.2	2,257	16.9	19.2
Total	7,073	4.1	7,073	6.3	7,073	14.3	2,257	16.9	19.2
American Indian/Alaska Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	5	*	5	*	5	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 143
Run Date: 8/6/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	76	*	76	*	76	*	0	*	*
12 - 23 Months	40	*	40	*	40	*	0	*	*
24 - 59 Months	46	*	46	*	46	*	46	*	*
Total	162	3.7	162	12.3	162	8.6	46	*	*
Pacific Islander									
0 - 11 Months	138	5.1	138	4.3	138	21.0	0	0.0	0.0
12 - 23 Months	52	*	52	*	52	*	0	*	*
24 - 59 Months	74	*	74	*	74	*	74	*	*
Total	264	3.8	264	2.7	264	22.0	74	*	*
Filipino									
0 - 11 Months	103	9.7	103	6.8	103	7.8	0	0.0	0.0
12 - 23 Months	50	*	50	*	50	*	0	*	*
24 - 59 Months	44	*	44	*	44	*	44	*	*
Total	197	9.1	197	8.6	197	7.1	44	*	*
All Other									
0 - 11 Months	2,279	2.8	2,279	9.4	2,279	8.3	0	0.0	0.0
12 - 23 Months	1,290	2.9	1,290	7.2	1,290	12.4	0	0.0	0.0
24 - 59 Months	1,548	4.1	1,548	5.0	1,548	15.8	1,548	16.9	15.8
Total	5,117	3.2	5,117	7.5	5,117	11.6	1,548	16.9	15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 144
Run Date: 8/6/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	5,902	4.4	5,902	8.6	5,902	9.7	0	0.0	0.0
12 - 23 Months	3,318	3.0	3,318	6.6	3,318	13.4	0	0.0	0.0
24 - 59 Months	4,114	3.7	4,114	4.2	4,114	17.5	4,114	17.5	17.5
Total	13,334	3.8	13,334	6.8	13,334	13.0	4,114	17.5	17.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 145
Run Date: 8/6/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	569	3.7	569	12.1	569	7.0	0	0.0	0.0
12 - 23 Months	296	2.0	296	6.1	296	15.9	0	0.0	0.0
24 - 59 Months	386	2.1	386	4.7	386	10.4	386	12.7	10.4
Total	1,251	2.8	1,251	8.4	1,251	10.2	386	12.7	10.4
Black, Not Hispanic									
0 - 11 Months	77	*	77	*	77	*	0	*	*
12 - 23 Months	39	*	39	*	39	*	0	*	*
24 - 59 Months	70	*	70	*	70	*	70	*	*
Total	186	6.5	186	7.5	186	16.7	70	*	*
Hispanic									
0 - 11 Months	6,430	4.6	6,430	8.9	6,430	9.4	0	0.0	0.0
12 - 23 Months	3,738	3.8	3,738	5.3	3,738	13.5	0	0.0	0.0
24 - 59 Months	5,629	4.7	5,629	3.9	5,629	17.5	5,629	17.4	17.5
Total	15,797	4.4	15,797	6.3	15,797	13.3	5,629	17.4	17.5
American Indian/Alaska Native									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	8	*	8	*	8	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	36	*	36	*	36	*	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 146
Run Date: 8/6/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	24	*	24	*	24	*	24	*	*
Total	77	*	77	*	77	*	24	*	*
Pacific Islander									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	5	*	5	*	5	*	0	*	*
Filipino									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	33	*	33	*	33	*	10	*	*
All Other									
0 - 11 Months	1,130	3.7	1,130	9.6	1,130	8.1	0	0.0	0.0
12 - 23 Months	737	6.4	737	5.6	737	13.7	0	0.0	0.0
24 - 59 Months	1,164	5.2	1,164	6.1	1,164	14.8	1,164	16.0	14.8
Total	3,031	4.9	3,031	7.3	3,031	12.0	1,164	16.0	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 147
Run Date: 8/6/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	8,264	4.5	8,264	9.2	8,264	9.0	0	0.0	0.0
12 - 23 Months	4,852	4.1	4,852	5.4	4,852	13.9	0	0.0	0.0
24 - 59 Months	7,300	4.7	7,300	4.4	7,300	16.7	7,300	16.8	16.7
Total	20,416	4.4	20,416	6.6	20,416	12.9	7,300	16.8	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 148
Run Date: 8/6/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	371	4.0	371	8.9	371	8.4	0	0.0	0.0
12 - 23 Months	174	4.0	174	1.1	174	20.7	0	0.0	0.0
24 - 59 Months	269	2.6	269	3.0	269	14.1	269	15.2	14.1
Total	814	3.6	814	5.3	814	12.9	269	15.2	14.1
Black, Not Hispanic									
0 - 11 Months	156	7.7	156	11.5	156	5.8	0	0.0	0.0
12 - 23 Months	94	*	94	*	94	*	0	*	*
24 - 59 Months	132	1.5	132	6.1	132	12.1	132	11.4	12.1
Total	382	4.7	382	8.6	382	11.5	132	11.4	12.1
Hispanic									
0 - 11 Months	6,555	4.1	6,555	7.5	6,555	10.4	0	0.0	0.0
12 - 23 Months	3,110	3.8	3,110	6.0	3,110	16.0	0	0.0	0.0
24 - 59 Months	4,424	3.2	4,424	3.8	4,424	18.4	4,424	17.5	18.4
Total	14,089	3.8	14,089	6.0	14,089	14.2	4,424	17.5	18.4
American Indian/Alaska Native									
0 - 11 Months	19	*	19	*	19	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	21	*	21	*	21	*	21	*	*
Total	47	*	47	*	47	*	21	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 149
Run Date: 8/6/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	1,204	9.0	1,204	6.7	1,204	13.3	0	0.0	0.0
12 - 23 Months	778	6.4	778	5.7	778	13.1	0	0.0	0.0
24 - 59 Months	1,261	3.6	1,261	6.0	1,261	14.3	1,261	12.2	14.3
Total	3,243	6.3	3,243	6.2	3,243	13.6	1,261	12.2	14.3
Pacific Islander									
0 - 11 Months	30	*	30	*	30	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	26	*	26	*	26	*	26	*	*
Total	75	*	75	*	75	*	26	*	*
Filipino									
0 - 11 Months	141	9.2	141	6.4	141	12.8	0	0.0	0.0
12 - 23 Months	86	*	86	*	86	*	0	*	*
24 - 59 Months	122	7.4	122	4.9	122	13.9	122	9.8	13.9
Total	349	7.7	349	6.0	349	13.8	122	9.8	13.9
All Other									
0 - 11 Months	7,065	6.1	7,065	6.9	7,065	10.5	0	0.0	0.0
12 - 23 Months	2,665	4.3	2,665	6.1	2,665	16.8	0	0.0	0.0
24 - 59 Months	3,669	3.9	3,669	4.9	3,669	17.1	3,669	16.3	17.1
Total	13,399	5.1	13,399	6.2	13,399	13.5	3,669	16.3	17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 150
Run Date: 8/6/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	15,541	5.4	15,541	7.3	15,541	10.6	0	0.0	0.0
12 - 23 Months	6,933	4.3	6,933	5.9	6,933	16.2	0	0.0	0.0
24 - 59 Months	9,924	3.5	9,924	4.5	9,924	17.2	9,924	16.1	17.2
Total	32,398	4.6	32,398	6.1	32,398	13.8	9,924	16.1	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 151
Run Date: 8/6/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	286	2.4	286	11.5	286	7.3	0	0.0	0.0
12 - 23 Months	83	*	83	*	83	*	0	*	*
24 - 59 Months	63	*	63	*	63	*	63	*	*
Total	432	2.3	432	11.3	432	7.6	63	*	*
Black, Not Hispanic									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	19	*	19	*	19	*	7	*	*
Hispanic									
0 - 11 Months	1,312	5.9	1,312	7.5	1,312	11.8	0	0.0	0.0
12 - 23 Months	430	5.1	430	2.8	430	17.9	0	0.0	0.0
24 - 59 Months	258	3.1	258	3.1	258	16.7	258	17.4	16.7
Total	2,000	5.4	2,000	6.0	2,000	13.8	258	17.4	16.7
American Indian/Alaska Native									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 152
Run Date: 8/6/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	12	*	12	*	12	*	3	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
All Other									
0 - 11 Months	309	9.1	309	8.7	309	14.9	0	0.0	0.0
12 - 23 Months	106	12.3	106	3.8	106	20.8	0	0.0	0.0
24 - 59 Months	91	*	91	*	91	*	91	*	*
Total	506	8.1	506	6.5	506	17.4	91	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 153
Run Date: 8/6/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,925	5.9	1,925	8.4	1,925	11.7	0	0.0	0.0
12 - 23 Months	625	6.1	625	4.6	625	17.4	0	0.0	0.0
24 - 59 Months	422	1.9	422	3.6	422	15.6	422	16.6	15.6
Total	2,972	5.3	2,972	6.9	2,972	13.5	422	16.6	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 154
Run Date: 8/6/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,886	6.4	1,886	6.0	1,886	10.6	0	0.0	0.0
12 - 23 Months	978	4.2	978	3.1	978	15.5	0	0.0	0.0
24 - 59 Months	1,354	5.5	1,354	3.2	1,354	14.1	1,354	15.3	14.1
Total	4,218	5.6	4,218	4.5	4,218	12.9	1,354	15.3	14.1
Black, Not Hispanic									
0 - 11 Months	62	*	62	*	62	*	0	*	*
12 - 23 Months	39	*	39	*	39	*	0	*	*
24 - 59 Months	66	*	66	*	66	*	66	*	*
Total	167	6.6	167	7.2	167	18.6	66	*	*
Hispanic									
0 - 11 Months	283	4.6	283	8.8	283	9.2	0	0.0	0.0
12 - 23 Months	149	4.0	149	6.0	149	18.8	0	0.0	0.0
24 - 59 Months	269	3.7	269	4.1	269	15.6	269	18.6	15.6
Total	701	4.1	701	6.4	701	13.7	269	18.6	15.6
American Indian/Alaska Native									
0 - 11 Months	113	5.3	113	8.8	113	8.0	0	0.0	0.0
12 - 23 Months	58	*	58	*	58	*	0	*	*
24 - 59 Months	77	*	77	*	77	*	77	*	*
Total	248	4.0	248	5.2	248	14.5	77	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 155
Run Date: 8/6/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	68	*	68	*	68	*	0	*	*
12 - 23 Months	44	*	44	*	44	*	0	*	*
24 - 59 Months	55	*	55	*	55	*	55	*	*
Total	167	9.6	167	6.0	167	17.4	55	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	0	*	*
Filipino									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	25	*	25	*	25	*	8	*	*
All Other									
0 - 11 Months	336	5.7	336	8.0	336	9.5	0	0.0	0.0
12 - 23 Months	172	4.1	172	4.7	172	19.8	0	0.0	0.0
24 - 59 Months	302	3.0	302	5.6	302	13.6	302	13.2	13.6
Total	810	4.3	810	6.4	810	13.2	302	13.2	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 156
Run Date: 8/6/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,759	6.1	2,759	6.6	2,759	10.6	0	0.0	0.0
12 - 23 Months	1,449	4.3	1,449	4.1	1,449	16.7	0	0.0	0.0
24 - 59 Months	2,131	5.0	2,131	3.8	2,131	14.7	2,131	15.7	14.7
Total	6,339	5.3	6,339	5.1	6,339	13.4	2,131	15.7	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 157
Run Date: 8/6/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	10	*	10	*	10	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	26	*	26	*	26	*	10	*	*
Black, Not Hispanic									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Hispanic									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	8	*	8	*	8	*	8	*	*
Total	20	*	20	*	20	*	8	*	*
American Indian/Alaska Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 158
Run Date: 8/6/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	9	*	9	*	9	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 159
Run Date: 8/6/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	26	*	26	*	26	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	21	*	21	*	21	*	21	*	*
Total	56	*	56	*	56	*	21	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 160
Run Date: 8/6/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	322	5.3	322	16.5	322	5.9	0	0.0	0.0
12 - 23 Months	189	2.6	189	10.1	189	6.3	0	0.0	0.0
24 - 59 Months	247	4.0	247	8.5	247	13.0	247	13.0	13.0
Total	758	4.2	758	12.3	758	8.3	247	13.0	13.0
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	10	*	10	*	10	*	10	*	*
Total	25	*	25	*	25	*	10	*	*
Hispanic									
0 - 11 Months	84	*	84	*	84	*	0	*	*
12 - 23 Months	50	*	50	*	50	*	0	*	*
24 - 59 Months	77	*	77	*	77	*	77	*	*
Total	211	2.4	211	3.8	211	10.0	77	*	*
American Indian/Alaska Native									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	68	*	68	*	68	*	23	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 161
Run Date: 8/6/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	193	3.1	193	15.0	193	2.6	0	0.0	0.0
12 - 23 Months	121	7.4	121	3.3	121	14.0	0	0.0	0.0
24 - 59 Months	201	3.5	201	4.0	201	13.4	201	18.9	13.4
Total	515	4.3	515	8.0	515	9.5	201	18.9	13.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 162
Run Date: 8/6/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	632	4.1	632	14.2	632	4.9	0	0.0	0.0
12 - 23 Months	387	4.4	387	7.2	387	8.8	0	0.0	0.0
24 - 59 Months	560	3.8	560	5.5	560	14.1	560	16.3	14.1
Total	1,579	4.1	1,579	9.4	1,579	9.1	560	16.3	14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 163
Run Date: 8/6/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	445	6.1	445	9.2	445	10.8	0	0.0	0.0
12 - 23 Months	185	1.1	185	7.6	185	17.3	0	0.0	0.0
24 - 59 Months	241	5.8	241	3.7	241	12.0	241	19.5	12.0
Total	871	4.9	871	7.3	871	12.5	241	19.5	12.0
Black, Not Hispanic									
0 - 11 Months	270	5.2	270	9.6	270	11.1	0	0.0	0.0
12 - 23 Months	117	1.7	117	8.5	117	12.8	0	0.0	0.0
24 - 59 Months	212	2.4	212	8.0	212	13.2	212	14.6	13.2
Total	599	3.5	599	8.8	599	12.2	212	14.6	13.2
Hispanic									
0 - 11 Months	929	3.2	929	8.2	929	9.4	0	0.0	0.0
12 - 23 Months	517	1.7	517	4.8	517	14.9	0	0.0	0.0
24 - 59 Months	865	2.4	865	3.2	865	18.6	865	17.2	18.6
Total	2,311	2.6	2,311	5.6	2,311	14.1	865	17.2	18.6
American Indian/Alaska Native									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 164
Run Date: 8/6/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	23	*	23	*	23	*	0	*	*
12 - 23 Months	14	*	14	*	14	*	0	*	*
24 - 59 Months	20	*	20	*	20	*	20	*	*
Total	57	*	57	*	57	*	20	*	*
Pacific Islander									
0 - 11 Months	20	*	20	*	20	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	9	*	9	*	9	*	9	*	*
Total	35	*	35	*	35	*	9	*	*
Filipino									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	10	*	10	*	10	*	0	*	*
24 - 59 Months	24	*	24	*	24	*	24	*	*
Total	62	*	62	*	62	*	24	*	*
All Other									
0 - 11 Months	1,476	7.2	1,476	8.2	1,476	8.6	0	0.0	0.0
12 - 23 Months	809	5.7	809	8.0	809	14.8	0	0.0	0.0
24 - 59 Months	1,209	5.0	1,209	4.8	1,209	14.6	1,209	13.5	14.6
Total	3,494	6.1	3,494	7.0	3,494	12.1	1,209	13.5	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 165
Run Date: 8/6/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	3,194	5.7	3,194	8.5	3,194	9.5	0	0.0	0.0
12 - 23 Months	1,660	3.7	1,660	7.3	1,660	14.9	0	0.0	0.0
24 - 59 Months	2,583	4.1	2,583	4.6	2,583	15.6	2,583	15.3	15.6
Total	7,437	4.7	7,437	6.9	7,437	12.8	2,583	15.3	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 166
Run Date: 8/6/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	533	5.1	533	9.4	533	9.9	0	0.0	0.0
12 - 23 Months	232	3.9	232	5.6	232	17.2	0	0.0	0.0
24 - 59 Months	290	3.4	290	7.2	290	15.2	290	14.1	15.2
Total	1,055	4.4	1,055	8.0	1,055	13.0	290	14.1	15.2
Black, Not Hispanic									
0 - 11 Months	35	*	35	*	35	*	0	*	*
12 - 23 Months	22	*	22	*	22	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	72	*	72	*	72	*	15	*	*
Hispanic									
0 - 11 Months	2,404	4.2	2,404	7.2	2,404	12.4	0	0.0	0.0
12 - 23 Months	1,240	4.3	1,240	5.3	1,240	16.5	0	0.0	0.0
24 - 59 Months	1,468	4.0	1,468	5.5	1,468	15.7	1,468	15.8	15.7
Total	5,112	4.1	5,112	6.3	5,112	14.3	1,468	15.8	15.7
American Indian/Alaska Native									
0 - 11 Months	98	*	98	*	98	*	0	*	*
12 - 23 Months	56	*	56	*	56	*	0	*	*
24 - 59 Months	52	*	52	*	52	*	52	*	*
Total	206	1.9	206	6.3	206	13.1	52	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 167
Run Date: 8/6/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	13	*	13	*	13	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	49	*	49	*	49	*	18	*	*
Pacific Islander									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	14	*	14	*	14	*	4	*	*
Filipino									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	11	*	11	*	11	*	4	*	*
All Other									
0 - 11 Months	870	4.6	870	6.1	870	12.1	0	0.0	0.0
12 - 23 Months	569	6.0	569	6.3	569	16.0	0	0.0	0.0
24 - 59 Months	586	2.4	586	4.1	586	14.5	586	17.2	14.5
Total	2,025	4.3	2,025	5.6	2,025	13.9	586	17.2	14.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 168
Run Date: 8/6/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	3,972	4.3	3,972	7.4	3,972	11.7	0	0.0	0.0
12 - 23 Months	2,135	4.8	2,135	5.5	2,135	16.7	0	0.0	0.0
24 - 59 Months	2,437	3.4	2,437	5.4	2,437	15.1	2,437	16.0	15.1
Total	8,544	4.2	8,544	6.3	8,544	13.9	2,437	16.0	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 169
Run Date: 8/6/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	3,400	7.7	3,400	8.9	3,400	11.5	0	0.0	0.0
12 - 23 Months	1,513	5.2	1,513	5.2	1,513	15.0	0	0.0	0.0
24 - 59 Months	2,157	4.1	2,157	4.3	2,157	17.2	2,157	15.9	17.2
Total	7,070	6.1	7,070	6.7	7,070	14.0	2,157	15.9	17.2
Black, Not Hispanic									
0 - 11 Months	254	9.1	254	9.8	254	12.6	0	0.0	0.0
12 - 23 Months	127	2.4	127	3.9	127	12.6	0	0.0	0.0
24 - 59 Months	215	3.3	215	3.3	215	19.5	215	14.4	19.5
Total	596	5.5	596	6.2	596	15.1	215	14.4	19.5
Hispanic									
0 - 11 Months	5,353	5.2	5,353	7.8	5,353	12.5	0	0.0	0.0
12 - 23 Months	2,937	3.7	2,937	4.9	2,937	18.1	0	0.0	0.0
24 - 59 Months	4,159	2.7	4,159	3.9	4,159	17.7	4,159	16.7	17.7
Total	12,449	4.0	12,449	5.8	12,449	15.6	4,159	16.7	17.7
American Indian/Alaska Native									
0 - 11 Months	34	*	34	*	34	*	0	*	*
12 - 23 Months	28	*	28	*	28	*	0	*	*
24 - 59 Months	24	*	24	*	24	*	24	*	*
Total	86	*	86	*	86	*	24	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 170
Run Date: 8/6/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	131	10.7	131	6.9	131	9.2	0	0.0	0.0
12 - 23 Months	68	*	68	*	68	*	0	*	*
24 - 59 Months	120	12.5	120	10.0	120	13.3	120	15.0	13.3
Total	319	10.7	319	8.5	319	11.6	120	15.0	13.3
Pacific Islander									
0 - 11 Months	52	*	52	*	52	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	91	*	91	*	91	*	23	*	*
Filipino									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	23	*	23	*	23	*	6	*	*
All Other									
0 - 11 Months	1,135	8.3	1,135	7.3	1,135	12.2	0	0.0	0.0
12 - 23 Months	567	4.8	567	7.1	567	14.3	0	0.0	0.0
24 - 59 Months	732	2.6	732	6.3	732	16.4	732	13.9	16.4
Total	2,434	5.8	2,434	6.9	2,434	13.9	732	13.9	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 171
Run Date: 8/6/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	10,370	6.5	10,370	8.1	10,370	12.1	0	0.0	0.0
12 - 23 Months	5,262	4.3	5,262	5.3	5,262	16.6	0	0.0	0.0
24 - 59 Months	7,436	3.3	7,436	4.3	7,436	17.4	7,436	16.2	17.4
Total	23,068	5.0	23,068	6.3	23,068	14.9	7,436	16.2	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 172
Run Date: 8/6/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	513	4.7	513	11.7	513	8.0	0	0.0	0.0
12 - 23 Months	248	4.8	248	5.6	248	21.4	0	0.0	0.0
24 - 59 Months	352	3.7	352	4.8	352	14.8	352	14.8	14.8
Total	1,113	4.4	1,113	8.2	1,113	13.1	352	14.8	14.8
Black, Not Hispanic									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	16	*	16	*	16	*	16	*	*
Total	52	*	52	*	52	*	16	*	*
Hispanic									
0 - 11 Months	865	2.7	865	6.1	865	10.9	0	0.0	0.0
12 - 23 Months	431	3.2	431	1.9	431	19.5	0	0.0	0.0
24 - 59 Months	567	2.6	567	4.4	567	18.9	567	16.8	18.9
Total	1,863	2.8	1,863	4.6	1,863	15.3	567	16.8	18.9
American Indian/Alaska Native									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	12	*	12	*	12	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 173
Run Date: 8/6/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	62	*	62	*	62	*	0	*	*
12 - 23 Months	28	*	28	*	28	*	0	*	*
24 - 59 Months	44	*	44	*	44	*	44	*	*
Total	134	5.2	134	12.7	134	10.4	44	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	4	*	4	*	4	*	2	*	*
Filipino									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	4	*	4	*	4	*	3	*	*
All Other									
0 - 11 Months	302	3.3	302	11.6	302	7.9	0	0.0	0.0
12 - 23 Months	179	2.8	179	10.6	179	14.0	0	0.0	0.0
24 - 59 Months	252	2.4	252	9.1	252	15.1	252	10.3	15.1
Total	733	2.9	733	10.5	733	11.9	252	10.3	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 174
Run Date: 8/6/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,776	3.5	1,776	9.0	1,776	9.4	0	0.0	0.0
12 - 23 Months	901	3.7	901	5.1	901	18.9	0	0.0	0.0
24 - 59 Months	1,238	2.7	1,238	5.7	1,238	16.5	1,238	14.7	16.5
Total	3,915	3.3	3,915	7.0	3,915	13.8	1,238	14.7	16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 175
Run Date: 8/6/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	240	3.8	240	8.8	240	8.8	0	0.0	0.0
12 - 23 Months	135	6.7	135	5.9	135	17.0	0	0.0	0.0
24 - 59 Months	235	3.8	235	6.4	235	8.9	235	15.3	8.9
Total	610	4.4	610	7.2	610	10.7	235	15.3	8.9
Black, Not Hispanic									
0 - 11 Months	8	*	8	*	8	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	6	*	6	*	6	*	6	*	*
Total	17	*	17	*	17	*	6	*	*
Hispanic									
0 - 11 Months	202	4.0	202	10.9	202	10.4	0	0.0	0.0
12 - 23 Months	118	1.7	118	5.9	118	22.0	0	0.0	0.0
24 - 59 Months	245	4.5	245	6.5	245	15.5	245	16.3	15.5
Total	565	3.7	565	8.0	565	15.0	245	16.3	15.5
American Indian/Alaska Native									
0 - 11 Months	6	*	6	*	6	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	15	*	15	*	15	*	15	*	*
Total	32	*	32	*	32	*	15	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 176
Run Date: 8/6/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	7	*	7	*	7	*	3	*	*
Pacific Islander									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Filipino									
0 - 11 Months	3	*	3	*	3	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	1	*	*
All Other									
0 - 11 Months	992	4.7	992	13.7	992	5.8	0	0.0	0.0
12 - 23 Months	429	2.3	429	7.2	429	11.9	0	0.0	0.0
24 - 59 Months	602	3.2	602	6.6	602	12.8	602	16.4	12.8
Total	2,023	3.8	2,023	10.2	2,023	9.2	602	16.4	12.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 177
Run Date: 8/6/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,455	4.5	1,455	12.4	1,455	7.0	0	0.0	0.0
12 - 23 Months	697	3.2	697	6.6	697	14.6	0	0.0	0.0
24 - 59 Months	1,108	3.5	1,108	6.5	1,108	13.0	1,108	16.1	13.0
Total	3,260	3.9	3,260	9.2	3,260	10.7	1,108	16.1	13.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 178
Run Date: 8/6/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	66	*	66	*	66	*	0	*	*
12 - 23 Months	30	*	30	*	30	*	0	*	*
24 - 59 Months	53	*	53	*	53	*	53	*	*
Total	149	8.1	149	10.7	149	12.8	53	*	*
Black, Not Hispanic									
0 - 11 Months	2	*	2	*	2	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	1	*	*
Hispanic									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	15	*	15	*	15	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	54	*	54	*	54	*	17	*	*
American Indian/Alaska Native									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	4	*	4	*	4	*	4	*	*
Total	5	*	5	*	5	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 179
Run Date: 8/6/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	17	*	17	*	17	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	14	*	14	*	14	*	14	*	*
Total	37	*	37	*	37	*	14	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 180
Run Date: 8/6/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	108	7.4	108	9.3	108	14.8	0	0.0	0.0
12 - 23 Months	51	*	51	*	51	*	0	*	*
24 - 59 Months	90	*	90	*	90	*	90	*	*
Total	249	6.8	249	8.4	249	14.9	90	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 181
Run Date: 8/6/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	1,298	6.8	1,298	7.6	1,298	14.3	0	0.0	0.0
12 - 23 Months	583	6.5	583	3.3	583	19.6	0	0.0	0.0
24 - 59 Months	888	3.7	888	5.3	888	12.7	888	14.4	12.7
Total	2,769	5.7	2,769	5.9	2,769	14.9	888	14.4	12.7
Black, Not Hispanic									
0 - 11 Months	157	6.4	157	7.0	157	14.0	0	0.0	0.0
12 - 23 Months	72	*	72	*	72	*	0	*	*
24 - 59 Months	111	3.6	111	6.3	111	11.7	111	17.1	11.7
Total	340	5.9	340	6.8	340	14.4	111	17.1	11.7
Hispanic									
0 - 11 Months	10,610	5.9	10,610	5.2	10,610	15.6	0	0.0	0.0
12 - 23 Months	5,546	6.9	5,546	2.5	5,546	24.4	0	0.0	0.0
24 - 59 Months	9,159	3.5	9,159	4.3	9,159	18.3	9,159	16.1	18.3
Total	25,315	5.3	25,315	4.3	25,315	18.5	9,159	16.1	18.3
American Indian/Alaska Native									
0 - 11 Months	51	*	51	*	51	*	0	*	*
12 - 23 Months	20	*	20	*	20	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	110	4.5	110	7.3	110	16.4	39	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 182
Run Date: 8/6/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	209	9.1	209	4.8	209	24.4	0	0.0	0.0
12 - 23 Months	101	11.9	101	2.0	101	25.7	0	0.0	0.0
24 - 59 Months	133	6.0	133	4.5	133	17.3	133	18.0	17.3
Total	443	8.8	443	4.1	443	22.6	133	18.0	17.3
Pacific Islander									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	12	*	12	*	12	*	0	*	*
24 - 59 Months	23	*	23	*	23	*	23	*	*
Total	60	*	60	*	60	*	23	*	*
Filipino									
0 - 11 Months	40	*	40	*	40	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	21	*	21	*	21	*	21	*	*
Total	72	*	72	*	72	*	21	*	*
All Other									
0 - 11 Months	1,273	8.1	1,273	5.3	1,273	14.1	0	0.0	0.0
12 - 23 Months	625	9.0	625	5.0	625	20.8	0	0.0	0.0
24 - 59 Months	945	4.6	945	5.4	945	15.0	945	14.0	15.0
Total	2,843	7.1	2,843	5.2	2,843	15.9	945	14.0	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 183
Run Date: 8/6/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	13,663	6.3	13,663	5.5	13,663	15.4	0	0.0	0.0
12 - 23 Months	6,970	7.1	6,970	2.8	6,970	23.7	0	0.0	0.0
24 - 59 Months	11,319	3.7	11,319	4.5	11,319	17.5	11,319	15.8	17.5
Total	31,952	5.6	31,952	4.6	31,952	18.0	11,319	15.8	17.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 184
Run Date: 8/6/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	314	5.1	314	18.2	314	5.1	0	0.0	0.0
12 - 23 Months	120	5.0	120	15.0	120	9.2	0	0.0	0.0
24 - 59 Months	161	2.5	161	3.7	161	15.5	161	13.7	15.5
Total	595	4.4	595	13.6	595	8.7	161	13.7	15.5
Black, Not Hispanic									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	0	*	*
Hispanic									
0 - 11 Months	26	*	26	*	26	*	0	*	*
12 - 23 Months	21	*	21	*	21	*	0	*	*
24 - 59 Months	27	*	27	*	27	*	27	*	*
Total	74	*	74	*	74	*	27	*	*
American Indian/Alaska Native									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 185
Run Date: 8/6/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	0	*	*
Pacific Islander									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other									
0 - 11 Months	80	*	80	*	80	*	0	*	*
12 - 23 Months	32	*	32	*	32	*	0	*	*
24 - 59 Months	43	*	43	*	43	*	43	*	*
Total	155	5.2	155	12.3	155	7.1	43	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 186
Run Date: 8/6/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	420	5.2	420	16.9	420	6.7	0	0.0	0.0
12 - 23 Months	179	5.0	179	13.4	179	7.3	0	0.0	0.0
24 - 59 Months	232	2.2	232	4.7	232	14.7	232	14.7	14.7
Total	831	4.3	831	12.8	831	9.0	232	14.7	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 187
Run Date: 8/6/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	750	4.3	750	9.6	750	9.5	0	0.0	0.0
12 - 23 Months	404	5.4	404	2.7	404	17.3	0	0.0	0.0
24 - 59 Months	485	2.9	485	5.2	485	12.2	485	17.1	12.2
Total	1,639	4.1	1,639	6.6	1,639	12.2	485	17.1	12.2
Black, Not Hispanic									
0 - 11 Months	69	*	69	*	69	*	0	*	*
12 - 23 Months	37	*	37	*	37	*	0	*	*
24 - 59 Months	52	*	52	*	52	*	52	*	*
Total	158	4.4	158	8.9	158	10.8	52	*	*
Hispanic									
0 - 11 Months	10,082	4.4	10,082	7.0	10,082	11.0	0	0.0	0.0
12 - 23 Months	5,675	4.4	5,675	2.9	5,675	19.2	0	0.0	0.0
24 - 59 Months	8,505	3.7	8,505	4.1	8,505	19.3	8,505	15.8	19.3
Total	24,262	4.2	24,262	5.0	24,262	15.8	8,505	15.8	19.3
American Indian/Alaska Native									
0 - 11 Months	20	*	20	*	20	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	11	*	11	*	11	*	11	*	*
Total	40	*	40	*	40	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 188
Run Date: 8/6/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	25	*	25	*	25	*	0	*	*
12 - 23 Months	17	*	17	*	17	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	60	*	60	*	60	*	18	*	*
Pacific Islander									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	3	*	3	*	3	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	13	*	13	*	13	*	1	*	*
Filipino									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	17	*	17	*	17	*	17	*	*
Total	48	*	48	*	48	*	17	*	*
All Other									
0 - 11 Months	1,087	4.4	1,087	7.4	1,087	8.2	0	0.0	0.0
12 - 23 Months	535	3.9	535	4.7	535	17.6	0	0.0	0.0
24 - 59 Months	766	3.0	766	3.9	766	17.0	766	17.0	17.0
Total	2,388	3.9	2,388	5.7	2,388	13.1	766	17.0	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 189
Run Date: 8/6/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	12,064	4.5	12,064	7.2	12,064	10.6	0	0.0	0.0
12 - 23 Months	6,689	4.4	6,689	3.1	6,689	19.0	0	0.0	0.0
24 - 59 Months	9,855	3.6	9,855	4.2	9,855	18.7	9,855	15.9	18.7
Total	28,608	4.2	28,608	5.2	28,608	15.4	9,855	15.9	18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 190
Run Date: 8/6/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	392	3.1	392	8.9	392	12.5	0	0.0	0.0
12 - 23 Months	205	4.4	205	5.4	205	17.1	0	0.0	0.0
24 - 59 Months	306	2.6	306	8.8	306	15.4	306	17.0	15.4
Total	903	3.2	903	8.1	903	14.5	306	17.0	15.4
Black, Not Hispanic									
0 - 11 Months	63	*	63	*	63	*	0	*	*
12 - 23 Months	28	*	28	*	28	*	0	*	*
24 - 59 Months	33	*	33	*	33	*	33	*	*
Total	124	4.0	124	9.7	124	15.3	33	*	*
Hispanic									
0 - 11 Months	1,585	4.9	1,585	6.6	1,585	11.0	0	0.0	0.0
12 - 23 Months	747	6.6	747	5.2	747	18.5	0	0.0	0.0
24 - 59 Months	1,148	3.6	1,148	3.4	1,148	18.9	1,148	16.9	18.9
Total	3,480	4.8	3,480	5.3	3,480	15.2	1,148	16.9	18.9
American Indian/Alaska Native									
0 - 11 Months	9	*	9	*	9	*	0	*	*
12 - 23 Months	9	*	9	*	9	*	0	*	*
24 - 59 Months	12	*	12	*	12	*	12	*	*
Total	30	*	30	*	30	*	12	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 191
Run Date: 8/6/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	30	*	30	*	30	*	0	*	*
12 - 23 Months	16	*	16	*	16	*	0	*	*
24 - 59 Months	30	*	30	*	30	*	30	*	*
Total	76	*	76	*	76	*	30	*	*
Pacific Islander									
0 - 11 Months	11	*	11	*	11	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	14	*	14	*	14	*	2	*	*
Filipino									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	11	*	11	*	11	*	3	*	*
All Other									
0 - 11 Months	602	4.8	602	8.5	602	8.8	0	0.0	0.0
12 - 23 Months	369	3.3	369	9.5	369	13.6	0	0.0	0.0
24 - 59 Months	478	2.3	478	6.7	478	11.5	478	14.2	11.5
Total	1,449	3.6	1,449	8.1	1,449	10.9	478	14.2	11.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 192
Run Date: 8/6/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	2,699	4.5	2,699	7.4	2,699	10.7	0	0.0	0.0
12 - 23 Months	1,376	5.5	1,376	6.5	1,376	16.7	0	0.0	0.0
24 - 59 Months	2,012	3.1	2,012	5.0	2,012	16.7	2,012	16.1	16.7
Total	6,087	4.3	6,087	6.4	6,087	14.0	2,012	16.1	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 193
Run Date: 8/6/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	688	3.5	688	8.3	688	9.7	0	0.0	0.0
12 - 23 Months	299	4.3	299	3.3	299	18.7	0	0.0	0.0
24 - 59 Months	404	3.2	404	5.4	404	12.9	404	14.9	12.9
Total	1,391	3.6	1,391	6.4	1,391	12.6	404	14.9	12.9
Black, Not Hispanic									
0 - 11 Months	27	*	27	*	27	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	32	*	32	*	32	*	32	*	*
Total	78	*	78	*	78	*	32	*	*
Hispanic									
0 - 11 Months	652	2.9	652	4.6	652	10.7	0	0.0	0.0
12 - 23 Months	357	2.5	357	3.1	357	18.2	0	0.0	0.0
24 - 59 Months	519	3.1	519	3.1	519	16.6	519	18.5	16.6
Total	1,528	2.9	1,528	3.7	1,528	14.5	519	18.5	16.6
American Indian/Alaska Native									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	7	*	7	*	7	*	7	*	*
Total	16	*	16	*	16	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 194
Run Date: 8/6/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Asian									
0 - 11 Months	113	3.5	113	3.5	113	9.7	0	0.0	0.0
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	52	*	52	*	52	*	52	*	*
Total	206	7.3	206	2.9	206	14.6	52	*	*
Pacific Islander									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	5	*	5	*	5	*	5	*	*
Total	12	*	12	*	12	*	5	*	*
Filipino									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	2	*	2	*	2	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	5	*	5	*	5	*	3	*	*
All Other									
0 - 11 Months	197	8.1	197	7.6	197	9.1	0	0.0	0.0
12 - 23 Months	116	6.0	116	1.7	116	10.3	0	0.0	0.0
24 - 59 Months	157	5.7	157	4.5	157	14.6	157	18.5	14.6
Total	470	6.8	470	5.1	470	11.3	157	18.5	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 195
Run Date: 8/6/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups									
0 - 11 Months	1,689	3.8	1,689	6.6	1,689	9.9	0	0.0	0.0
12 - 23 Months	838	3.7	838	3.2	838	17.2	0	0.0	0.0
24 - 59 Months	1,179	4.1	1,179	4.1	1,179	14.9	1,179	17.2	14.9
Total	3,706	3.9	3,706	5.0	3,706	13.2	1,179	17.2	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

