

**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Alameda	16,974	6.4 (41)	8.7 (37)	90,898	4.3 (20)	6.6 (32)	12.9 (27)	28,901	16.3 (35)	16.3 (33)	22,773	14.1 (35)
Alpine	66	* *	* *	310	5.5 (50)	8.4 (49)	12.6 (22)	102	22.5 (64)	15.7 (20)	163	17.8 (55)
Amador	280	6.8 (50)	3.6 (2)	2,342	6.0 (57)	6.0 (23)	14.3 (40)	715	17.9 (58)	15.1 (13)	611	13.3 (29)
Butte	7,007	5.6 (18)	9.2 (43)	26,989	4.0 (12)	6.3 (27)	11.7 (14)	8,906	15.1 (17)	13.3 (6)	16,235	12.2 (12)
Calaveras	614	4.9 (7)	9.0 (39)	4,734	4.5 (23)	6.1 (24)	16.0 (54)	1,717	15.4 (20)	19.3 (60)	2,627	12.8 (23)
City Of Be	79	* *	* *	324	5.2 (42)	6.8 (36)	11.7 (14)	94	* *	* *	153	19.0 (59)
Colusa	1,021	5.6 (18)	10.6 (55)	4,791	3.0 (2)	7.5 (43)	14.6 (42)	1,395	14.3 (8)	16.0 (27)	2,240	19.6 (62)
Contra Cos	9,405	6.2 (36)	9.8 (50)	45,797	4.2 (19)	8.4 (49)	12.3 (18)	11,861	16.0 (28)	16.2 (31)	10,181	14.9 (44)
Del Norte	549	5.3 (15)	13.1 (62)	2,599	5.2 (42)	4.5 (10)	15.5 (48)	979	18.8 (62)	17.1 (41)	1,672	6.9 (2)
El Dorado	2,148	5.2 (10)	8.3 (33)	9,211	4.1 (15)	10.7 (60)	9.4 (4)	2,760	13.2 (4)	13.0 (4)	4,023	13.0 (25)
Fresno	32,896	7.2 (56)	7.0 (15)	182,875	5.8 (55)	4.2 (4)	16.9 (59)	62,802	16.6 (41)	17.6 (49)	105,656	14.7 (39)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Glenn	870	4.5 (4)	11.1 (58)	4,940	4.6 (28)	4.4 (8)	16.1 (55)	1,585	17.5 (55)	18.0 (52)	3,336	19.2 (61)
Humboldt	1,983	6.1 (34)	9.6 (48)	12,973	4.9 (38)	5.2 (17)	13.2 (31)	3,818	16.5 (40)	16.2 (31)	6,364	11.2 (7)
Imperial	7,822	6.1 (34)	8.6 (36)	25,382	2.8 (1)	6.5 (29)	14.0 (39)	9,192	14.8 (14)	15.8 (22)	16,224	6.3 (1)
Inyo	78	* *	* *	1,367	5.3 (45)	5.4 (19)	15.0 (46)	498	18.7 (61)	15.7 (20)	476	13.2 (27)
Kern	29,434	6.9 (52)	7.5 (24)	133,897	5.1 (40)	5.1 (15)	15.9 (53)	45,075	14.9 (15)	15.9 (23)	53,653	12.3 (14)
Kings	2,362	5.8 (24)	10.0 (51)	14,976	5.8 (55)	4.0 (2)	20.0 (66)	5,002	18.4 (59)	21.4 (63)	9,548	24.8 (64)
L.A. East	59,265	6.0 (29)	6.8 (12)	144,578	6.2 (60)	4.0 (2)	17.8 (61)	29,531	16.4 (38)	17.6 (49)	45,339	15.4 (47)
L.A. North	22,306	6.3 (39)	5.4 (6)	74,808	6.4 (61)	4.9 (13)	16.4 (57)	14,461	15.7 (22)	18.3 (54)	18,977	12.3 (14)
L.A. Other	59,653	7.1 (55)	6.6 (10)	526,733	4.6 (28)	4.2 (4)	18.7 (64)	212,751	16.2 (32)	19.0 (58)	301,536	13.3 (29)
L.A. South	58,546	6.6 (49)	6.3 (8)	139,427	6.7 (62)	4.2 (4)	18.2 (62)	28,732	16.7 (43)	18.3 (54)	42,536	13.2 (27)
L.A. West	5,387	6.4 (41)	6.3 (8)	16,347	7.7 (65)	4.4 (8)	19.2 (65)	3,792	17.3 (54)	16.8 (39)	5,016	12.4 (17)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Lake	486	4.3 (1)	9.1 (40)	3,349	4.3 (20)	8.9 (53)	12.8 (25)	1,145	14.3 (8)	15.0 (12)	1,817	12.3 (14)
Lassen	507	6.9 (52)	4.7 (4)	2,125	4.8 (34)	11.1 (63)	10.1 (7)	654	12.2 (2)	13.1 (5)	822	11.4 (9)
Long Beach	9,097	7.6 (59)	7.4 (20)	33,846	5.7 (53)	4.3 (7)	18.3 (63)	10,384	18.5 (60)	21.0 (62)	12,453	14.8 (41)
Madera	7,919	5.8 (24)	7.4 (20)	29,473	5.0 (39)	5.1 (15)	14.7 (44)	10,495	15.9 (26)	15.4 (19)	20,496	17.6 (54)
Marin	401	5.2 (10)	10.7 (56)	6,929	3.7 (9)	7.1 (41)	12.7 (23)	1,889	16.0 (28)	16.0 (27)	3,507	10.9 (5)
Mariposa	100	6.0 (29)	2.0 (1)	453	5.5 (50)	11.5 (64)	11.3 (13)	143	14.7 (12)	17.5 (46)	228	14.5 (37)
Mendocino	2,233	5.6 (18)	7.6 (28)	8,113	3.5 (4)	9.5 (56)	12.7 (23)	2,447	19.2 (63)	20.8 (61)	2,665	17.3 (51)
Merced	9,580	6.2 (36)	8.2 (31)	38,979	5.6 (52)	4.6 (11)	16.3 (56)	12,571	16.6 (41)	18.3 (54)	24,162	18.7 (56)
Modoc	159	4.4 (3)	6.9 (13)	827	3.6 (7)	11.6 (65)	10.2 (8)	284	16.9 (47)	9.9 (2)	329	11.6 (11)
Mono	344	7.0 (54)	4.9 (5)	1,314	4.0 (12)	13.2 (66)	7.5 (1)	348	12.1 (1)	6.3 (1)	704	18.8 (57)
Monterey	5,978	5.1 (8)	9.1 (40)	25,643	6.1 (58)	3.4 (1)	15.7 (50)	4,991	17.0 (49)	18.7 (57)	12,238	13.0 (25)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Napa	1,230	5.2 (10)	10.5 (53)	10,227	3.5 (4)	9.3 (55)	10.5 (11)	2,692	16.9 (47)	16.6 (35)		4,183	27.0 (65)
Nevada	1,339	4.7 (5)	8.4 (35)	4,525	4.0 (12)	10.8 (62)	7.5 (1)	1,155	14.5 (11)	12.3 (3)		1,808	13.6 (32)
Orange	34,015	5.4 (16)	7.0 (15)	74,596	4.6 (28)	6.5 (29)	13.9 (38)	21,437	15.9 (26)	16.6 (35)		86,002	12.8 (23)
Pasadena	1,119	6.8 (50)	3.8 (3)	5,460	5.2 (42)	9.0 (54)	12.3 (18)	1,598	17.1 (50)	18.2 (53)		2,406	12.6 (21)
Placer	2,661	5.8 (24)	7.5 (24)	13,389	4.8 (34)	7.5 (43)	11.7 (14)	3,715	14.1 (7)	13.8 (9)		5,690	13.7 (33)
Plumas	372	5.9 (28)	5.4 (6)	1,327	5.7 (53)	10.6 (59)	10.3 (10)	391	12.3 (3)	13.3 (6)		488	11.1 (6)
Riverside	47,264	6.0 (29)	7.1 (17)	119,775	6.1 (58)	5.4 (19)	15.3 (47)	28,930	14.3 (8)	15.1 (13)		45,054	14.2 (36)
Sacramento	14,291	5.7 (22)	9.2 (43)	138,293	4.8 (34)	8.2 (48)	12.2 (17)	44,308	15.1 (17)	15.2 (16)		56,719	18.9 (58)
San Benito	280	6.4 (41)	12.1 (60)	3,466	4.5 (23)	6.7 (33)	16.6 (58)	1,115	17.1 (50)	23.9 (64)		2,158	13.7 (33)
San Bernar	31,666	6.4 (41)	6.6 (10)	129,264	6.9 (64)	5.7 (22)	15.7 (50)	32,618	15.4 (20)	15.9 (23)		48,470	14.8 (41)
San Diego	53,176	7.6 (59)	8.9 (38)	207,139	4.8 (34)	6.4 (28)	13.7 (36)	62,009	16.2 (32)	16.0 (27)		122,579	12.5 (20)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
San Franci	3,204	7.2 (56)	6.9 (13)	32,680	4.6 (28)	6.9 (38)	12.4 (21)	10,416	16.7 (43)	15.9 (23)	4,884	12.4 (17)
San Joaqui	22,027	7.3 (58)	7.4 (20)	100,676	5.1 (40)	6.8 (36)	14.9 (45)	34,058	15.0 (16)	16.7 (38)	32,731	14.5 (37)
San Luis O	2,659	6.2 (36)	9.5 (45)	16,564	3.9 (10)	8.0 (47)	10.9 (12)	4,867	15.8 (23)	14.6 (11)	6,513	17.5 (53)
San Mateo	2,425	6.5 (47)	8.2 (31)	35,811	3.6 (7)	7.5 (43)	12.3 (18)	10,547	17.2 (53)	17.4 (44)	13,788	10.6 (3)
Santa Barb	12,833	7.8 (61)	7.5 (24)	59,789	4.5 (23)	6.7 (33)	12.9 (27)	19,758	17.1 (50)	17.5 (46)	34,785	15.1 (45)
Santa Clar	11,656	5.2 (10)	7.5 (24)	98,138	4.6 (28)	6.1 (24)	13.3 (32)	28,370	16.0 (28)	17.1 (41)	34,033	11.3 (8)
Santa Cruz	2,968	5.6 (18)	7.9 (29)	10,576	5.4 (46)	6.1 (24)	14.6 (42)	1,746	17.6 (57)	17.5 (46)	3,229	14.8 (41)
Shasta	5,109	6.5 (47)	10.5 (53)	18,313	5.4 (46)	5.3 (18)	13.3 (32)	5,843	16.7 (43)	15.2 (16)	9,257	12.4 (17)
Sierra	36	* *	* *	147	8.2 (66)	9.5 (56)	7.5 (1)	47	* *	* *	64	* *
Siskiyou	984	8.9 (62)	8.3 (33)	4,581	4.5 (23)	9.8 (58)	9.6 (5)	1,504	16.7 (43)	13.9 (10)	2,500	16.8 (49)
Solano	5,145	6.4 (41)	9.1 (40)	25,205	4.5 (23)	7.0 (39)	12.8 (25)	8,233	16.1 (31)	16.8 (39)	8,342	12.2 (12)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Sonoma	6,754	5.8 (24)	9.6 (48)	28,053	3.9 (10)	7.1 (41)	13.1 (30)	7,743	16.3 (35)	15.9 (23)		6,654	17.3 (51)
Stanislaus	13,778	6.3 (39)	7.2 (19)	62,950	4.6 (28)	6.5 (29)	14.4 (41)	19,866	16.2 (32)	17.4 (44)		36,727	20.6 (63)
Sutter	2,296	5.4 (16)	10.4 (52)	11,750	3.5 (4)	6.7 (33)	13.3 (32)	3,542	14.7 (12)	16.6 (35)		5,811	11.4 (9)
Tehama	1,222	4.7 (5)	9.5 (45)	10,084	3.3 (3)	8.7 (52)	10.2 (8)	3,140	13.9 (6)	13.3 (6)		4,298	13.4 (31)
Trinity	157	5.1 (8)	11.5 (59)	728	5.4 (46)	8.5 (51)	13.5 (35)	237	13.5 (5)	16.0 (27)		388	12.6 (21)
Tulare	15,747	6.0 (29)	7.4 (20)	92,153	5.4 (46)	4.7 (12)	16.9 (59)	31,810	15.8 (23)	17.1 (41)		53,523	19.1 (60)
Tuolumne	326	6.4 (41)	7.1 (17)	1,445	4.1 (15)	10.7 (60)	9.7 (6)	379	15.3 (19)	15.3 (18)		399	16.3 (48)
Ventura	19,212	6.0 (29)	8.0 (30)	79,080	4.4 (22)	5.0 (14)	15.6 (49)	25,345	16.4 (38)	19.2 (59)		50,585	10.8 (4)
Yolo	3,714	4.3 (1)	11.0 (57)	17,210	4.1 (15)	7.0 (39)	13.7 (36)	5,515	15.8 (23)	17.7 (51)		7,981	14.7 (39)
Yuba	1,696	5.2 (10)	12.8 (61)	10,559	4.1 (15)	5.5 (21)	12.9 (27)	3,365	16.3 (35)	15.1 (13)		5,375	15.3 (46)
Unknown Counties	105	5.7 (22)	9.5 (45)	575	6.8 (63)	7.5 (43)	15.7 (50)	177	17.5 (55)	16.4 (34)		208	16.8 (49)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
<b>California</b>	<b>677,015</b>	<b>6.4</b>	<b>7.5</b>	<b>3,041,877</b>	<b>5.1</b>	<b>5.5</b>	<b>15.6</b>	<b>946,496</b>	<b>16.0</b>	<b>17.2</b>	<b>1,446,392</b>	<b>14.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b>								(3,4)
<b>County</b>	Height and Weight					Anemia Low Hb/Hct (7)		
	Short Stature (5)	Under- weight (6)	Over- weight (6)					
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Alameda	49,006	6.6 (32)	2.8 (51)	17.7 (19)	21.8 (26)	24,731	17.9 (60)	
Alpine	130	8.5 (58)	0.8 (1)	14.6 (2)	25.4 (59)	109	12.8 (27)	
Amador	765	6.0 (17)	2.6 (47)	17.3 (16)	19.6 (8)	388	14.2 (39)	
Butte	8,243	7.3 (48)	2.1 (20)	18.9 (46)	21.1 (18)	7,858	13.2 (30)	
Calaveras	2,317	5.9 (14)	2.5 (44)	20.4 (58)	23.1 (36)	2,053	11.8 (15)	
City Of Be	164	3.7 (1)	2.4 (39)	14.0 (1)	25.0 (51)	146	23.3 (65)	
Colusa	1,757	5.6 (8)	2.1 (20)	18.1 (27)	25.3 (58)	1,494	15.8 (50)	
Contra Cos	17,435	6.5 (30)	2.2 (27)	18.3 (33)	25.2 (55)	6,259	17.7 (57)	
Del Norte	796	7.0 (41)	2.4 (39)	19.5 (53)	22.0 (27)	704	7.7 (1)	
El Dorado	2,955	6.9 (38)	2.9 (55)	16.3 (5)	17.6 (2)	1,979	11.7 (14)	
Fresno	110,285	7.9 (55)	2.3 (31)	18.2 (30)	24.7 (47)	93,533	14.4 (41)	
Glenn	1,372	8.5 (58)	1.7 (8)	19.0 (48)	25.5 (61)	1,354	15.4 (45)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b>								(3,4)
<b>County</b>	Height and Weight					Anemia Low Hb/Hct (7)		
	Short Stature (5)	Under- weight (6)	Over- weight (6)					
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Humboldt	2,905	6.2 (23)	2.1 (20)	20.4 (58)	22.4 (28)	2,217	13.4 (33)	
Imperial	9,142	4.3 (2)	2.9 (55)	17.7 (19)	25.0 (51)	8,994	9.0 (5)	
Inyo	711	5.8 (13)	1.8 (10)	18.3 (33)	22.9 (34)	354	12.1 (17)	
Kern	58,027	5.2 (7)	2.8 (51)	17.7 (19)	24.1 (43)	38,287	12.5 (23)	
Kings	5,057	6.0 (17)	2.7 (49)	18.4 (37)	25.1 (53)	4,897	20.4 (63)	
L.A. East	69,854	5.9 (14)	2.3 (31)	17.1 (12)	19.9 (10)	92,856	8.9 (3)	
L.A. North	44,585	10.0 (65)	2.3 (31)	19.2 (51)	20.5 (14)	41,783	9.5 (8)	
L.A. Other	320,606	5.0 (5)	2.4 (39)	18.9 (46)	25.7 (63)	261,168	11.8 (15)	
L.A. South	91,244	9.3 (62)	2.0 (16)	18.5 (41)	17.9 (4)	86,261	9.4 (7)	
L.A. West	7,773	6.0 (17)	2.7 (49)	17.9 (24)	21.5 (21)	6,591	13.7 (36)	
Lake	1,337	6.2 (23)	2.5 (44)	17.1 (12)	20.3 (12)	1,028	12.4 (21)	
Lassen	1,063	9.8 (64)	1.6 (5)	18.1 (27)	22.6 (32)	765	9.9 (9)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b>								(3,4)
<b>County</b>	Height and Weight					Anemia Low Hb/Hct (7)		
	Short Stature (5)	Under- weight (6)	Over- weight (6)					
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Long Beach	16,419	6.1 (22)	2.1 (20)	19.1 (49)	25.2 (55)	12,256	15.5 (47)	
Madera	13,629	7.0 (41)	2.2 (27)	18.6 (42)	23.4 (38)	13,470	12.5 (23)	
Marin	1,914	6.5 (30)	1.9 (14)	19.1 (49)	24.9 (48)	1,034	13.3 (31)	
Mariposa	217	8.8 (60)	2.3 (31)	18.4 (37)	19.8 (9)	176	12.5 (23)	
Mendocino	2,324	6.2 (23)	1.6 (5)	22.0 (64)	24.4 (45)	1,528	13.4 (33)	
Merced	13,997	8.4 (57)	2.3 (31)	18.2 (30)	22.4 (28)	13,382	17.7 (57)	
Modoc	344	4.4 (3)	2.0 (16)	19.8 (55)	24.1 (43)	293	8.2 (2)	
Mono	393	5.9 (14)	4.1 (65)	16.8 (10)	17.8 (3)	339	21.8 (64)	
Monterey	7,165	7.5 (52)	1.3 (2)	21.0 (63)	23.7 (40)	7,297	10.4 (11)	
Napa	3,186	7.0 (41)	1.8 (10)	19.7 (54)	25.4 (59)	2,085	19.2 (61)	
Nevada	1,268	7.3 (48)	2.1 (20)	20.6 (61)	18.5 (5)	974	12.4 (21)	
Orange	49,285	6.9 (38)	2.5 (44)	18.6 (42)	21.0 (17)	93,297	12.1 (17)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b>								(3,4)
<b>County</b>	Height and Weight					Anemia Low Hb/Hct (7)		
	Short Stature (5)	Under- weight (6)	Over- weight (6)					
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Pasadena	2,694	4.9 (4)	2.1 (20)	18.1 (27)	23.4 (38)	2,199	9.1 (6)	
Placer	3,449	7.3 (48)	3.3 (63)	17.1 (12)	20.0 (11)	2,143	14.6 (42)	
Plumas	457	6.8 (36)	3.9 (64)	16.0 (4)	23.2 (37)	287	10.8 (12)	
Riverside	44,331	5.6 (8)	3.0 (59)	17.8 (23)	21.6 (22)	42,495	12.8 (27)	
Sacramento	69,030	7.6 (53)	2.8 (51)	17.2 (15)	21.1 (18)	46,275	19.4 (62)	
San Benito	1,455	9.0 (61)	1.3 (2)	22.5 (65)	26.7 (64)	1,313	15.5 (47)	
San Bernar	58,987	6.3 (29)	3.1 (62)	17.7 (19)	21.6 (22)	57,056	13.0 (29)	
San Diego	89,663	6.8 (36)	2.3 (31)	18.8 (45)	22.9 (34)	90,630	11.2 (13)	
San Franci	20,673	7.3 (48)	3.0 (59)	16.8 (10)	18.9 (6)	6,153	17.0 (53)	
San Joaqui	54,736	6.6 (32)	2.9 (55)	17.4 (17)	22.5 (30)	25,528	15.2 (44)	
San Luis O	4,829	6.6 (32)	2.2 (27)	18.7 (44)	21.6 (22)	3,855	14.2 (39)	
San Mateo	12,505	6.9 (38)	1.7 (8)	20.8 (62)	25.6 (62)	5,376	12.3 (19)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b>								(3,4)
<b>County</b>	Height and Weight					Anemia Low Hb/Hct (7)		
	Short Stature (5)	Under- weight (6)	Over- weight (6)					
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Santa Barb	17,377	8.2 (56)	1.6 (5)	20.3 (57)	24.9 (48)	15,532	12.6 (26)	
Santa Clar	46,157	7.1 (44)	3.0 (59)	17.9 (24)	22.7 (33)	21,565	12.3 (19)	
Santa Cruz	2,656	7.1 (44)	1.8 (10)	20.1 (56)	24.6 (46)	2,293	9.9 (9)	
Shasta	4,811	6.7 (35)	1.8 (10)	18.0 (26)	20.4 (13)	3,720	14.1 (37)	
Sierra	97	* *	* *	* *	* *	77	* *	
Siskiyou	1,755	5.0 (5)	2.1 (20)	16.3 (5)	20.7 (16)	1,464	14.1 (37)	
Solano	9,480	6.2 (23)	2.2 (27)	18.3 (33)	25.2 (55)	4,215	16.1 (51)	
Sonoma	7,496	6.0 (17)	1.9 (14)	20.4 (58)	22.5 (30)	2,856	15.1 (43)	
Stanislaus	26,236	5.7 (11)	2.3 (31)	18.4 (37)	23.9 (42)	25,578	17.3 (55)	
Sutter	2,767	5.7 (11)	2.9 (55)	16.7 (8)	21.1 (18)	2,343	17.1 (54)	
Tehama	2,884	5.6 (8)	2.0 (16)	18.3 (33)	20.5 (14)	2,149	13.3 (31)	
Trinity	347	7.8 (54)	1.4 (4)	15.9 (3)	19.0 (7)	298	17.8 (59)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b>								(3,4)
<b>County</b>	Height and Weight					Anemia Low Hb/Hct (7)		
	Short Stature (5)	Under- weight (6)	Over- weight (6)					
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Tulare	41,013	6.2 (23)	2.4 (39)	18.2 (30)	25.1 (53)	38,268	15.5 (47)	
Tuolumne	423	7.1 (44)	2.4 (39)	16.5 (7)	16.8 (1)	247	15.4 (45)	
Ventura	22,367	6.2 (23)	2.3 (31)	19.2 (51)	23.7 (40)	21,836	8.9 (3)	
Yolo	6,350	6.0 (17)	2.6 (47)	17.4 (17)	24.9 (48)	3,588	17.6 (56)	
Yuba	2,915	7.1 (44)	2.8 (51)	18.4 (37)	21.7 (25)	2,400	13.5 (35)	
Unknown Counties	407	9.3 (62)	2.0 (16)	16.7 (8)	30.0 (65)	282	16.7 (52)	
<b>California</b>	<b>1,476,017</b>	<b>6.6</b>	<b>2.5</b>	<b>18.3</b>	<b>23.0</b>	<b>1,263,961</b>	<b>12.6</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

