

Table 16B
2010 Pediatric Nutrition Surveillance (1)
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age (3)							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	171	3.5	171	3.5	171	17.0	14.6
9 - 11 Years	92	*	92	*	92	*	*
12 - 14 Years	97	*	97	*	97	*	*
15 - 19 Years	76	*	76	*	76	*	*
Total	436	6.0	436	3.9	436	16.7	17.4
Black, Not Hispanic							
5 - 8 Years	547	3.8	547	2.7	547	16.1	17.9
9 - 11 Years	350	2.6	350	1.7	350	19.1	28.3
12 - 14 Years	328	2.7	328	0.9	328	20.1	30.2
15 - 19 Years	377	6.4	377	1.9	377	19.4	22.0
Total	1,602	3.9	1,602	1.9	1,602	18.4	23.7
Hispanic							
5 - 8 Years	2,226	4.6	2,226	1.7	2,226	19.8	25.2
9 - 11 Years	1,077	4.5	1,077	1.7	1,077	20.3	33.4
12 - 14 Years	783	7.3	783	1.4	783	21.7	30.9
15 - 19 Years	716	14.0	716	1.5	716	20.8	23.0
Total	4,802	6.4	4,802	1.6	4,802	20.4	27.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	3	*	3	*	3	*
Total	29	*	29	*	29	*
Asian						
5 - 8 Years	648	5.9	648	3.7	648	13.4
9 - 11 Years	421	5.5	421	4.0	421	15.0
12 - 14 Years	457	7.7	457	3.7	457	15.3
15 - 19 Years	657	13.1	657	5.3	657	13.2
Total	2,183	8.3	2,183	4.3	2,183	14.1
Pacific Islander						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	13	*	13	*	13	*
Total	56	*	56	*	56	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	56	*	56	*	56	*	*
9 - 11 Years	32	*	32	*	32	*	*
12 - 14 Years	35	*	35	*	35	*	*
15 - 19 Years	18	*	18	*	18	*	*
Total	141	10.6	141	1.4	141	17.7	17.7
All Other							
5 - 8 Years	1,563	5.2	1,563	3.5	1,563	15.1	23.2
9 - 11 Years	865	5.8	865	2.3	865	18.2	27.2
12 - 14 Years	775	6.5	775	2.8	775	18.5	24.9
15 - 19 Years	718	10.6	718	3.5	718	18.4	20.9
Total	3,921	6.6	3,921	3.1	3,921	17.0	24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	5,244	4.8	5,244	2.6	5,244	17.1	21.8
9 - 11 Years	2,855	4.9	2,855	2.2	2,855	18.6	27.7
12 - 14 Years	2,493	6.5	2,493	2.4	2,493	19.1	24.5
15 - 19 Years	2,578	11.6	2,578	3.2	2,578	17.8	18.0
Total	13,170	6.5	13,170	2.6	13,170	17.9	22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*
Black, Not Hispanic							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	*
Hispanic							
5 - 8 Years	8	*	8	*	8	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	19	*	19	*	19	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	9	*	9	*	9	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	8	*	8	*	8	*
Total	37	*	37	*	37	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	62	*	62	*	62	*
9 - 11 Years	25	*	25	*	25	*
12 - 14 Years	32	*	32	*	32	*
15 - 19 Years	27	*	27	*	27	*
Total	146	3.4	146	0.7	146	19.2 18.5
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	4	*	4	*	4	*
Hispanic						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	17	*	17	*	17	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	20	*	20	*	20	*
Total	78	*	78	*	78	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*
Asian							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
All Other							
5 - 8 Years	10	*	10	*	10	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	12	*	12	*	12	*	*
Total	32	*	32	*	32	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	106	2.8	106	0.9	106	15.1	16.0
9 - 11 Years	50	*	50	*	50	*	*
12 - 14 Years	53	*	53	*	53	*	*
15 - 19 Years	64	*	64	*	64	*	*
Total	273	5.1	273	1.1	273	17.2	20.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	627	3.7	627	3.8	627	16.3	15.0
9 - 11 Years	285	2.8	285	1.8	285	17.9	24.2
12 - 14 Years	291	2.7	291	2.1	291	15.8	23.7
15 - 19 Years	218	10.1	218	1.8	218	23.9	20.2
Total	1,421	4.3	1,421	2.7	1,421	17.7	19.4
Black, Not Hispanic							
5 - 8 Years	64	*	64	*	64	*	*
9 - 11 Years	40	*	40	*	40	*	*
12 - 14 Years	33	*	33	*	33	*	*
15 - 19 Years	36	*	36	*	36	*	*
Total	173	3.5	173	1.2	173	22.0	19.1
Hispanic							
5 - 8 Years	195	3.1	195	2.1	195	21.0	20.5
9 - 11 Years	134	0.7	134	0.7	134	23.1	28.4
12 - 14 Years	93	*	93	*	93	*	*
15 - 19 Years	84	*	84	*	84	*	*
Total	506	3.8	506	1.6	506	23.1	25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	7	*	7	*	7	*
Total	61	*	61	*	61	*
Asian						
5 - 8 Years	58	*	58	*	58	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 Years	38	*	38	*	38	*
15 - 19 Years	52	*	52	*	52	*
Total	176	21.0	176	1.7	176	21.6 11.9
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	8	*	8	*	8	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	6	*	6	*	6	*
Total	22	*	22	*	22	*
All Other						
5 - 8 Years	158	2.5	158	2.5	158	21.5
9 - 11 Years	90	*	90	*	90	*
12 - 14 Years	59	*	59	*	59	*
15 - 19 Years	63	*	63	*	63	*
Total	370	2.7	370	1.9	370	19.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,140	3.8	1,140	3.1	1,140	18.9	15.3
9 - 11 Years	593	3.4	593	1.3	593	19.2	26.1
12 - 14 Years	537	3.2	537	1.7	537	17.7	26.8
15 - 19 Years	467	12.4	467	1.7	467	23.1	21.8
Total	2,737	5.0	2,737	2.2	2,737	19.4	21.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	34	*	34	*	34	*
9 - 11 Years	17	*	17	*	17	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	14	*	14	*	14	*
Total	84	*	84	*	84	*
Black, Not Hispanic						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	8	*	8	*	8	*
Total	25	*	25	*	25	*
Hispanic						
5 - 8 Years	168	2.4	168	2.4	168	20.2 22.0
9 - 11 Years	128	3.9	128	0.0	128	21.9 36.7
12 - 14 Years	105	3.8	105	0.0	105	21.0 30.5
15 - 19 Years	107	12.1	107	3.7	107	25.2 21.5
Total	508	5.1	508	1.6	508	21.9 27.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	22	*	22	*	22	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	102	6.9	102	3.9	102	15.7 14.7
9 - 11 Years	47	*	47	*	47	*
12 - 14 Years	54	*	54	*	54	*
15 - 19 Years	40	*	40	*	40	*
Total	243	6.2	243	3.7	243	18.1 22.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	328	4.3	328	2.4	328	18.3	18.6
9 - 11 Years	201	4.0	201	0.5	201	21.9	29.9
12 - 14 Years	186	4.8	186	1.1	186	18.3	32.3
15 - 19 Years	173	8.7	173	3.5	173	22.0	21.4
Total	888	5.2	888	1.9	888	19.8	24.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
Black, Not Hispanic							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	7	*	7	*	7	*	*
Hispanic							
5 - 8 Years	14	*	14	*	14	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	26	*	26	*	26	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	7	*	7	*	7	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	17	*	17	*	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	23	*	23	*	23	*	*
9 - 11 Years	8	*	8	*	8	*	*
12 - 14 Years	9	*	9	*	9	*	*
15 - 19 Years	13	*	13	*	13	*	*
Total	53	*	53	*	53	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	6	*	6	*	6	*
Total	35	*	35	*	35	*
Black, Not Hispanic						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	1	*	1	*	1	*
Total	18	*	18	*	18	*
Hispanic						
5 - 8 Years	98	*	98	*	98	*
9 - 11 Years	63	*	63	*	63	*
12 - 14 Years	61	*	61	*	61	*
15 - 19 Years	54	*	54	*	54	*
Total	276	3.6	276	4.0	276	19.9 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
All Other							
5 - 8 Years	46	*	46	*	46	*	*
9 - 11 Years	14	*	14	*	14	*	*
12 - 14 Years	23	*	23	*	23	*	*
15 - 19 Years	18	*	18	*	18	*	*
Total	101	0.0	101	2.0	101	18.8	25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	168	3.0	168	4.2	168	19.6	14.9
9 - 11 Years	87	*	87	*	87	*	*
12 - 14 Years	100	1.0	100	2.0	100	21.0	28.0
15 - 19 Years	80	*	80	*	80	*	*
Total	435	3.0	435	3.4	435	20.0	24.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	226	4.0	226	1.8	226	16.8	12.8
9 - 11 Years	98	*	98	*	98	*	*
12 - 14 Years	110	7.3	110	1.8	110	15.5	27.3
15 - 19 Years	120	9.2	120	1.7	120	22.5	18.3
Total	554	5.4	554	1.8	554	18.6	18.6
Black, Not Hispanic							
5 - 8 Years	261	4.2	261	1.9	261	15.3	21.1
9 - 11 Years	121	4.1	121	1.7	121	19.0	25.6
12 - 14 Years	169	4.7	169	0.6	169	20.1	24.3
15 - 19 Years	194	8.8	194	1.5	194	20.1	25.3
Total	745	5.5	745	1.5	745	18.3	23.6
Hispanic							
5 - 8 Years	1,121	5.1	1,121	2.3	1,121	17.6	24.6
9 - 11 Years	418	4.8	418	1.4	418	16.7	34.9
12 - 14 Years	362	6.4	362	1.7	362	19.1	30.1
15 - 19 Years	332	16.9	332	2.4	332	18.7	24.7
Total	2,233	7.0	2,233	2.1	2,233	17.8	27.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	5	*	5	*	5	*	*
Asian							
5 - 8 Years	36	*	36	*	36	*	*
9 - 11 Years	16	*	16	*	16	*	*
12 - 14 Years	19	*	19	*	19	*	*
15 - 19 Years	41	*	41	*	41	*	*
Total	112	10.7	112	1.8	112	13.4	16.1
Pacific Islander							
5 - 8 Years	13	*	13	*	13	*	*
9 - 11 Years	10	*	10	*	10	*	*
12 - 14 Years	6	*	6	*	6	*	*
15 - 19 Years	9	*	9	*	9	*	*
Total	38	*	38	*	38	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	38	*	38	*	38	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	16	*	16	*	16	*
15 - 19 Years	22	*	22	*	22	*
Total	92	*	92	*	92	*
All Other						
5 - 8 Years	350	5.4	350	2.3	350	17.4
9 - 11 Years	177	3.4	177	2.3	177	15.8
12 - 14 Years	168	8.3	168	0.0	168	28.6
15 - 19 Years	213	10.8	213	4.2	213	14.6
Total	908	6.8	908	2.3	908	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	2,045	5.1	2,045	2.2	2,045	17.1	21.6
9 - 11 Years	857	4.0	857	1.9	857	16.9	28.1
12 - 14 Years	852	6.3	852	1.2	852	20.4	25.4
15 - 19 Years	933	12.9	933	2.5	933	18.3	22.9
Total	4,687	6.7	4,687	2.0	4,687	17.9	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	92	*	92	*	92	*
9 - 11 Years	30	*	30	*	30	*
12 - 14 Years	24	*	24	*	24	*
15 - 19 Years	22	*	22	*	22	*
Total	168	3.6	168	0.6	168	19.6 22.0
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	2	*	2	*	2	*
Total	37	*	37	*	37	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	18	*	18	*	18	*
Asian						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	7	*	7	*	7	*
Total	34	*	34	*	34	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	12	*	12	*	12	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	24	*	24	*	24	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	157	8.9	157	0.0	157	24.2	15.9
9 - 11 Years	53	*	53	*	53	*	*
12 - 14 Years	36	*	36	*	36	*	*
15 - 19 Years	36	*	36	*	36	*	*
Total	282	7.4	282	0.7	282	20.9	20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	197	9.1	197	4.1	197	14.2	12.2
9 - 11 Years	113	4.4	113	0.9	113	18.6	17.7
12 - 14 Years	119	7.6	119	1.7	119	16.8	28.6
15 - 19 Years	134	8.2	134	2.2	134	22.4	23.9
Total	563	7.6	563	2.5	563	17.6	19.5
Black, Not Hispanic							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	11	*	11	*	11	*	*
Hispanic							
5 - 8 Years	126	5.6	126	4.8	126	16.7	23.8
9 - 11 Years	41	*	41	*	41	*	*
12 - 14 Years	48	*	48	*	48	*	*
15 - 19 Years	49	*	49	*	49	*	*
Total	264	3.8	264	3.4	264	17.8	24.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	6	*	6	*	6	*	*
All Other							
5 - 8 Years	81	*	81	*	81	*	*
9 - 11 Years	49	*	49	*	49	*	*
12 - 14 Years	48	*	48	*	48	*	*
15 - 19 Years	54	*	54	*	54	*	*
Total	232	7.8	232	5.2	232	20.3	13.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	413	7.3	413	5.6	413	16.2	14.3
9 - 11 Years	208	6.3	208	1.0	208	18.8	17.8
12 - 14 Years	221	5.9	221	2.3	221	17.2	30.3
15 - 19 Years	246	7.3	246	2.4	246	21.5	20.7
Total	1,088	6.8	1,088	3.3	1,088	18.1	19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1,298	5.7	1,298	3.4	1,298	13.1	19.1
9 - 11 Years	667	2.7	667	2.5	667	17.4	28.5
12 - 14 Years	555	5.4	555	1.8	555	20.7	20.9
15 - 19 Years	540	8.0	540	3.3	540	16.7	24.1
Total	3,060	5.4	3,060	2.9	3,060	16.0	22.4
Black, Not Hispanic							
5 - 8 Years	806	2.2	806	3.0	806	17.4	18.4
9 - 11 Years	428	1.4	428	0.7	428	22.4	25.7
12 - 14 Years	403	3.0	403	1.7	403	21.3	25.3
15 - 19 Years	435	6.7	435	0.7	435	20.0	22.3
Total	2,072	3.1	2,072	1.8	2,072	19.7	22.1
Hispanic							
5 - 8 Years	9,387	5.3	9,387	2.2	9,387	17.7	25.1
9 - 11 Years	4,714	3.9	4,714	1.5	4,714	19.5	31.8
12 - 14 Years	4,178	6.1	4,178	1.3	4,178	20.0	29.8
15 - 19 Years	3,929	11.8	3,929	1.8	3,929	20.1	25.9
Total	22,208	6.3	22,208	1.8	22,208	19.0	27.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	54	*	54	*	54	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 Years	26	*	26	*	26	*
15 - 19 Years	25	*	25	*	25	*
Total	124	1.6	124	0.0	124	16.9 33.9
Asian						
5 - 8 Years	271	13.7	271	4.4	271	16.2 13.7
9 - 11 Years	160	13.1	160	3.1	160	16.9 22.5
12 - 14 Years	176	13.1	176	3.4	176	14.2 19.3
15 - 19 Years	276	27.2	276	5.1	276	16.3 16.7
Total	883	17.7	883	4.2	883	16.0 17.3
Pacific Islander						
5 - 8 Years	32	*	32	*	32	* *
9 - 11 Years	9	*	9	*	9	* *
12 - 14 Years	15	*	15	*	15	* *
15 - 19 Years	4	*	4	*	4	* *
Total	60	*	60	*	60	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	3	*	3	*	3	*
Total	22	*	22	*	22	*
All Other						
5 - 8 Years	1,624	8.2	1,624	3.9	1,624	14.6
9 - 11 Years	825	9.3	825	2.9	825	17.3
12 - 14 Years	830	9.0	830	2.4	830	20.0
15 - 19 Years	819	17.0	819	2.9	819	17.0
Total	4,098	10.3	4,098	3.2	4,098	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	13,479	5.6	13,479	2.6	13,479	16.8	23.5
9 - 11 Years	6,829	4.5	6,829	1.7	6,829	19.2	30.0
12 - 14 Years	6,188	6.4	6,188	1.6	6,188	20.0	27.4
15 - 19 Years	6,031	12.5	6,031	2.1	6,031	19.3	24.6
Total	32,527	6.8	32,527	2.1	32,527	18.4	25.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	66	*	66	*	66	*
9 - 11 Years	32	*	32	*	32	*
12 - 14 Years	36	*	36	*	36	*
15 - 19 Years	23	*	23	*	23	*
Total	157	2.5	157	3.2	157	21.0 20.4
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	* *
Hispanic						
5 - 8 Years	151	4.6	151	2.6	151	11.9 21.9
9 - 11 Years	80	*	80	*	80	*
12 - 14 Years	56	*	56	*	56	*
15 - 19 Years	72	*	72	*	72	*
Total	359	6.4	359	3.1	359	15.3 28.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*
Asian							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	8	*	8	*	8	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	35	*	35	*	35	*
9 - 11 Years	23	*	23	*	23	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	8	*	8	*	8	*
Total	79	*	79	*	79	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	261	3.4	261	3.1	261	13.8	21.1
9 - 11 Years	138	5.1	138	2.9	138	15.9	34.8
12 - 14 Years	110	7.3	110	4.5	110	20.9	22.7
15 - 19 Years	107	7.5	107	2.8	107	18.7	24.3
Total	616	5.2	616	3.2	616	16.4	25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	139	5.0	139	1.4	139	24.5	18.0
9 - 11 Years	62	*	62	*	62	*	*
12 - 14 Years	60	*	60	*	60	*	*
15 - 19 Years	52	*	52	*	52	*	*
Total	313	5.4	313	1.6	313	20.4	20.8
Black, Not Hispanic							
5 - 8 Years	11	*	11	*	11	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	15	*	15	*	15	*	*
Hispanic							
5 - 8 Years	42	*	42	*	42	*	*
9 - 11 Years	21	*	21	*	21	*	*
12 - 14 Years	14	*	14	*	14	*	*
15 - 19 Years	14	*	14	*	14	*	*
Total	91	*	91	*	91	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 Years	27	*	27	*	27	*
15 - 19 Years	22	*	22	*	22	*
Total	113	2.7	113	0.0	113	23.0 34.5
Asian						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	15	*	15	*	15	*
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	197	4.1	197	0.5	197	18.3 19.3
9 - 11 Years	91	*	91	*	91	*
12 - 14 Years	96	*	96	*	96	*
15 - 19 Years	81	*	81	*	81	*
Total	465	4.3	465	0.4	465	21.7 20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	441	5.0	441	0.7	441	20.6	21.5
9 - 11 Years	203	5.4	203	1.0	203	20.7	22.2
12 - 14 Years	199	4.0	199	0.0	199	22.1	23.1
15 - 19 Years	172	7.6	172	1.2	172	22.7	23.3
Total	1,015	5.3	1,015	0.7	1,015	21.3	22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	32	*	32	*	32	*	*
9 - 11 Years	12	*	12	*	12	*	*
12 - 14 Years	8	*	8	*	8	*	*
15 - 19 Years	10	*	10	*	10	*	*
Total	62	*	62	*	62	*	*
Black, Not Hispanic							
5 - 8 Years	12	*	12	*	12	*	*
9 - 11 Years	9	*	9	*	9	*	*
12 - 14 Years	5	*	5	*	5	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	32	*	32	*	32	*	*
Hispanic							
5 - 8 Years	1,288	3.2	1,288	4.0	1,288	16.6	18.9
9 - 11 Years	680	2.8	680	3.2	680	16.3	31.2
12 - 14 Years	567	4.4	567	2.1	567	17.8	28.0
15 - 19 Years	486	4.5	486	1.2	486	19.3	22.8
Total	3,021	3.5	3,021	3.0	3,021	17.2	24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	6	*	6	*	6	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	11	*	11	*	11	*	*
Pacific Islander							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*
All Other							
5 - 8 Years	29	*	29	*	29	*	*
9 - 11 Years	7	*	7	*	7	*	*
12 - 14 Years	15	*	15	*	15	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	57	*	57	*	57	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,374	3.2	1,374	4.1	1,374	16.4	18.3
9 - 11 Years	710	2.8	710	3.1	710	16.2	31.1
12 - 14 Years	599	4.3	599	2.0	599	17.4	27.7
15 - 19 Years	511	4.7	511	1.2	511	19.4	22.1
Total	3,194	3.6	3,194	3.0	3,194	17.0	23.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	9	*	9	*	9	*
Total	48	*	48	*	48	*
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	8	*	8	*	8	*
Hispanic						
5 - 8 Years	42	*	42	*	42	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 Years	27	*	27	*	27	*
15 - 19 Years	56	*	56	*	56	*
Total	159	4.4	159	1.9	159	21.4 23.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	10	*	10	*	10	*
Total	45	*	45	*	45	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	84	*	84	*	84	*
9 - 11 Years	52	*	52	*	52	*
12 - 14 Years	49	*	49	*	49	*
15 - 19 Years	79	*	79	*	79	*
Total	264	3.4	264	1.9	264	22.0 21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	970	6.0	970	3.0	970	14.9	15.9
9 - 11 Years	466	3.6	466	2.6	466	14.8	22.7
12 - 14 Years	450	5.1	450	3.1	450	18.4	21.3
15 - 19 Years	373	7.2	373	2.1	373	19.0	18.0
Total	2,259	5.5	2,259	2.8	2,259	16.3	18.7
Black, Not Hispanic							
5 - 8 Years	517	1.7	517	3.7	517	14.1	11.8
9 - 11 Years	220	2.7	220	1.8	220	10.9	27.7
12 - 14 Years	249	3.6	249	0.4	249	20.9	23.3
15 - 19 Years	263	5.7	263	1.5	263	17.5	20.9
Total	1,249	3.1	1,249	2.2	1,249	15.6	18.8
Hispanic							
5 - 8 Years	6,352	4.3	6,352	3.3	6,352	16.9	23.0
9 - 11 Years	2,967	3.9	2,967	1.8	2,967	19.8	33.2
12 - 14 Years	2,592	6.8	2,592	1.8	2,592	19.6	29.4
15 - 19 Years	2,328	10.2	2,328	1.6	2,328	17.9	26.2
Total	14,239	5.6	14,239	2.4	14,239	18.2	26.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	4	*	4	*	4	*
Total	21	*	21	*	21	*
Asian						
5 - 8 Years	25	*	25	*	25	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	16	*	16	*	16	*
Total	59	*	59	*	59	*
Pacific Islander						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	25	*	25	*	25	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 Years	14	*	14	*	14	*
15 - 19 Years	19	*	19	*	19	*
Total	82	*	82	*	82	*
All Other						
5 - 8 Years	624	5.1	624	4.8	624	13.9
9 - 11 Years	271	3.7	271	3.7	271	17.3
12 - 14 Years	236	3.4	236	2.5	236	16.5
15 - 19 Years	166	8.4	166	3.6	166	16.3
Total	1,297	4.9	1,297	4.0	1,297	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	8,536	4.5	8,536	3.4	8,536	16.2	21.0
9 - 11 Years	3,966	3.9	3,966	2.1	3,966	18.5	31.0
12 - 14 Years	3,557	6.2	3,557	1.9	3,557	19.3	27.6
15 - 19 Years	3,172	9.5	3,172	1.8	3,172	17.8	24.7
Total	19,231	5.5	19,231	2.6	19,231	17.5	24.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	75	*	75	*	75	*
9 - 11 Years	37	*	37	*	37	*
12 - 14 Years	38	*	38	*	38	*
15 - 19 Years	15	*	15	*	15	*
Total	165	4.8	165	1.2	165	20.6 19.4
Black, Not Hispanic						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	17	*	17	*	17	*
15 - 19 Years	21	*	21	*	21	*
Total	77	*	77	*	77	*
Hispanic						
5 - 8 Years	520	2.9	520	2.5	520	15.0 22.5
9 - 11 Years	303	3.3	303	2.3	303	20.5 33.3
12 - 14 Years	294	5.8	294	1.7	294	22.4 27.6
15 - 19 Years	254	8.7	254	2.4	254	18.5 23.6
Total	1,371	4.7	1,371	2.3	1,371	18.5 26.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	15	*	15	*	15	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	2	*	2	*	2	*
Total	8	*	8	*	8	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
All Other							
5 - 8 Years	114	5.3	114	1.8	114	16.7	26.3
9 - 11 Years	45	*	45	*	45	*	*
12 - 14 Years	59	*	59	*	59	*	*
15 - 19 Years	35	*	35	*	35	*	*
Total	253	7.1	253	2.4	253	15.0	28.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	741	3.5	741	2.6	741	15.4	22.0
9 - 11 Years	406	3.4	406	2.5	406	19.0	31.3
12 - 14 Years	416	5.5	416	1.7	416	21.2	26.4
15 - 19 Years	330	9.1	330	1.8	330	18.5	26.7
Total	1,893	4.9	1,893	2.2	1,893	18.0	25.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	84	*	84	*	84	*
9 - 11 Years	44	*	44	*	44	*
12 - 14 Years	63	*	63	*	63	*
15 - 19 Years	98	*	98	*	98	*
Total	289	4.2	289	3.1	289	15.6 18.3
Black, Not Hispanic						
5 - 8 Years	78	*	78	*	78	*
9 - 11 Years	50	*	50	*	50	*
12 - 14 Years	104	1.9	104	2.9	104	23.1 24.0
15 - 19 Years	208	7.2	208	0.5	208	26.0 22.1
Total	440	4.1	440	1.1	440	23.2 22.5
Hispanic						
5 - 8 Years	5,978	3.5	5,978	2.6	5,978	15.6 18.5
9 - 11 Years	5,362	2.6	5,362	1.4	5,362	12.4 18.3
12 - 14 Years	5,952	3.8	5,952	1.0	5,952	14.5 15.9
15 - 19 Years	7,570	8.2	7,570	1.3	7,570	14.3 12.9
Total	24,862	4.8	24,862	1.6	24,862	14.2 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	8	*	8	*	8	*
Total	17	*	17	*	17	*
Asian						
5 - 8 Years	135	1.5	135	8.1	135	11.9
9 - 11 Years	92	*	92	*	92	*
12 - 14 Years	120	6.7	120	5.0	120	11.7
15 - 19 Years	142	9.9	142	9.9	142	9.2
Total	489	5.7	489	7.2	489	12.1
Pacific Islander						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	2	*	2	*	2	*
Total	17	*	17	*	17	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	30	*	30	*	30	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	18	*	18	*	18	*
Total	76	*	76	*	76	*
All Other						
5 - 8 Years	278	6.8	278	4.3	278	14.7 19.1
9 - 11 Years	165	5.5	165	4.8	165	20.0 25.5
12 - 14 Years	181	4.4	181	0.6	181	18.8 25.4
15 - 19 Years	202	13.4	202	1.0	202	16.3 18.3
Total	826	7.6	826	2.8	826	17.1 21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	6,593	3.6	6,593	2.8	6,593	15.5	18.4
9 - 11 Years	5,734	2.7	5,734	1.5	5,734	12.7	18.6
12 - 14 Years	6,441	3.9	6,441	1.2	6,441	14.7	16.3
15 - 19 Years	8,248	8.3	8,248	1.5	8,248	14.6	13.3
Total	27,016	4.9	27,016	1.7	27,016	14.4	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	157	4.5	157	3.2	157	14.0	14.0
9 - 11 Years	106	4.7	106	4.7	106	15.1	24.5
12 - 14 Years	87	*	87	*	87	*	*
15 - 19 Years	114	6.1	114	0.9	114	17.5	20.2
Total	464	5.0	464	3.0	464	15.7	19.4
Black, Not Hispanic							
5 - 8 Years	132	1.5	132	7.6	132	13.6	9.1
9 - 11 Years	92	*	92	*	92	*	*
12 - 14 Years	125	4.8	125	4.0	125	13.6	20.8
15 - 19 Years	183	6.6	183	4.9	183	15.8	16.4
Total	532	4.5	532	5.3	532	15.0	15.0
Hispanic							
5 - 8 Years	2,579	4.0	2,579	3.2	2,579	17.8	22.2
9 - 11 Years	2,174	4.1	2,174	2.2	2,174	20.2	29.7
12 - 14 Years	2,176	7.3	2,176	1.5	2,176	22.2	24.5
15 - 19 Years	4,106	22.8	4,106	1.8	4,106	20.9	16.4
Total	11,035	11.6	11,035	2.1	11,035	20.3	22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	22	*	22	*	22	*
15 - 19 Years	22	*	22	*	22	*
Total	90	*	90	*	90	*
Pacific Islander						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	2	*	2	*	2	*
Total	8	*	8	*	8	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	15	*	15	*	15	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	15	*	15	*	15	*	*
15 - 19 Years	15	*	15	*	15	*	*
Total	51	*	51	*	51	*	*
All Other							
5 - 8 Years	455	7.3	455	3.1	455	12.1	16.5
9 - 11 Years	319	5.3	319	1.3	319	19.1	28.8
12 - 14 Years	361	9.1	361	1.4	361	21.1	20.2
15 - 19 Years	425	10.1	425	2.6	425	19.3	18.4
Total	1,560	8.1	1,560	2.2	1,560	17.6	20.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	3,370	4.4	3,370	3.4	3,370	16.6	20.4
9 - 11 Years	2,715	4.3	2,715	2.2	2,715	19.7	28.7
12 - 14 Years	2,789	7.3	2,789	1.7	2,789	21.4	23.6
15 - 19 Years	4,868	20.6	4,868	2.0	4,868	20.5	16.6
Total	13,742	10.7	13,742	2.3	13,742	19.6	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1,369	4.1	1,369	4.1	1,369	16.2	16.9
9 - 11 Years	905	3.6	905	4.9	905	19.7	22.1
12 - 14 Years	917	4.1	917	3.3	917	19.2	21.2
15 - 19 Years	921	5.5	921	4.1	921	15.9	16.6
Total	4,112	4.3	4,112	4.1	4,112	17.6	18.9
Black, Not Hispanic							
5 - 8 Years	3,042	2.0	3,042	3.4	3,042	16.0	17.5
9 - 11 Years	1,724	2.4	1,724	3.0	1,724	19.7	24.5
12 - 14 Years	1,652	2.8	1,652	2.4	1,652	19.0	24.8
15 - 19 Years	1,924	5.3	1,924	2.8	1,924	16.9	20.6
Total	8,342	3.0	8,342	3.0	8,342	17.6	21.1
Hispanic							
5 - 8 Years	38,614	3.5	38,614	2.7	38,614	17.7	25.4
9 - 11 Years	20,807	3.0	20,807	2.5	20,807	20.6	32.5
12 - 14 Years	18,548	5.4	18,548	2.4	18,548	20.2	29.4
15 - 19 Years	18,398	9.6	18,398	2.8	18,398	20.0	24.2
Total	96,367	4.9	96,367	2.6	96,367	19.2	27.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	9	*	9	*	9	*
Total	41	*	41	*	41	*
Asian						
5 - 8 Years	1,282	5.5	1,282	6.4	1,282	11.9
9 - 11 Years	797	4.1	797	5.8	797	17.1
12 - 14 Years	839	6.9	839	5.5	839	15.7
15 - 19 Years	950	12.9	950	6.6	950	11.4
Total	3,868	7.3	3,868	6.1	3,868	13.7
Pacific Islander						
5 - 8 Years	196	6.6	196	3.1	196	17.3
9 - 11 Years	103	1.9	103	3.9	103	14.6
12 - 14 Years	111	1.8	111	7.2	111	15.3
15 - 19 Years	94	*	94	*	94	*
Total	504	6.2	504	4.6	504	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	146	5.5	146	4.1	146	11.6	20.5
9 - 11 Years	82	*	82	*	82	*	*
12 - 14 Years	77	*	77	*	77	*	*
15 - 19 Years	81	*	81	*	81	*	*
Total	386	9.8	386	3.4	386	16.8	20.5
All Other							
5 - 8 Years	2,744	5.1	2,744	3.5	2,744	16.7	19.8
9 - 11 Years	1,370	4.5	1,370	3.6	1,370	19.4	26.9
12 - 14 Years	1,203	6.4	1,203	2.7	1,203	18.5	25.5
15 - 19 Years	1,237	9.5	1,237	2.8	1,237	18.0	21.5
Total	6,554	6.1	6,554	3.2	6,554	17.9	22.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	47,410	3.6	47,410	2.9	47,410	17.3	24.0
9 - 11 Years	25,796	3.1	25,796	2.8	25,796	20.3	30.7
12 - 14 Years	23,354	5.3	23,354	2.6	23,354	19.8	27.9
15 - 19 Years	23,614	9.3	23,614	3.0	23,614	19.1	22.8
Total	120,174	4.9	120,174	2.8	120,174	18.8	26.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	122	5.7	122	7.4	122	11.5	17.2
9 - 11 Years	52	*	52	*	52	*	*
12 - 14 Years	55	*	55	*	55	*	*
15 - 19 Years	88	*	88	*	88	*	*
Total	317	5.7	317	5.0	317	15.1	20.8
Black, Not Hispanic							
5 - 8 Years	670	3.1	670	3.6	670	18.2	13.4
9 - 11 Years	422	4.5	422	2.8	422	13.5	22.3
12 - 14 Years	428	6.8	428	2.1	428	19.6	23.4
15 - 19 Years	583	10.6	583	1.7	583	18.4	19.9
Total	2,103	6.2	2,103	2.6	2,103	17.6	19.0
Hispanic							
5 - 8 Years	6,206	4.5	6,206	2.5	6,206	16.7	21.7
9 - 11 Years	4,181	4.7	4,181	1.5	4,181	18.7	24.3
12 - 14 Years	5,127	5.2	5,127	1.0	5,127	28.1	19.7
15 - 19 Years	10,335	15.1	10,335	1.0	10,335	37.3	14.3
Total	25,849	8.9	25,849	1.4	25,849	27.5	18.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	17	*	17	*	17	*
Asian						
5 - 8 Years	129	3.9	129	3.9	129	13.2 8.5
9 - 11 Years	63	*	63	*	63	*
12 - 14 Years	67	*	67	*	67	*
15 - 19 Years	76	*	76	*	76	*
Total	335	4.5	335	3.0	335	14.6 8.1
Pacific Islander						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	26	*	26	*	26	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	67	*	67	*	67	*
9 - 11 Years	31	*	31	*	31	*
12 - 14 Years	29	*	29	*	29	*
15 - 19 Years	34	*	34	*	34	*
Total	161	11.8	161	3.7	161	12.4 18.6
All Other						
5 - 8 Years	445	6.7	445	4.3	445	17.1 16.2
9 - 11 Years	243	5.8	243	4.5	243	19.8 21.8
12 - 14 Years	217	5.5	217	2.3	217	19.4 18.0
15 - 19 Years	227	10.6	227	1.3	227	17.6 17.6
Total	1,132	7.1	1,132	3.4	1,132	18.2 18.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	7,661	4.5	7,661	2.8	7,661	16.7	20.3
9 - 11 Years	5,000	4.7	5,000	1.8	5,000	18.3	23.8
12 - 14 Years	5,928	5.4	5,928	1.2	5,928	26.8	19.8
15 - 19 Years	11,351	14.6	11,351	1.0	11,351	35.6	14.7
Total	29,940	8.5	29,940	1.6	29,940	26.1	18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	33	*	33	*	33	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	27	*	27	*	27	*
Total	103	3.9	103	4.9	103	19.4 13.6
Black, Not Hispanic						
5 - 8 Years	132	3.8	132	3.0	132	17.4 12.1
9 - 11 Years	79	*	79	*	79	*
12 - 14 Years	89	*	89	*	89	*
15 - 19 Years	131	9.2	131	1.5	131	18.3 26.0
Total	431	5.3	431	2.3	431	16.7 21.1
Hispanic						
5 - 8 Years	375	4.0	375	1.3	375	16.8 29.1
9 - 11 Years	236	5.9	236	2.1	236	22.9 25.0
12 - 14 Years	256	5.5	256	1.2	256	22.7 25.0
15 - 19 Years	302	12.3	302	1.7	302	18.9 18.9
Total	1,169	6.8	1,169	1.5	1,169	19.8 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	25	*	25	*	25	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	13	*	13	*	13	*
Total	56	*	56	*	56	*
Pacific Islander						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	8	*	8	*	8	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	5	*	5	*	5	*
Total	44	*	44	*	44	*
All Other						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	21	*	21	*	21	*
Total	85	*	85	*	85	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	618	3.7	618	1.9	618	17.5	23.6
9 - 11 Years	369	4.9	369	3.0	369	20.6	23.6
12 - 14 Years	412	5.1	412	1.9	412	20.9	22.3
15 - 19 Years	499	10.4	499	1.6	499	18.4	19.6
Total	1,898	6.0	1,898	2.1	1,898	19.1	22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	70	*	70	*	70	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	21	*	21	*	21	*
Total	138	1.4	138	0.7	138	19.6 16.7
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	5	*	5	*	5	*
Hispanic						
5 - 8 Years	56	*	56	*	56	*
9 - 11 Years	33	*	33	*	33	*
12 - 14 Years	30	*	30	*	30	*
15 - 19 Years	48	*	48	*	48	*
Total	167	6.6	167	1.2	167	21.0 18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	6	*	6	*	6	*
Total	32	*	32	*	32	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	4	*	4	*	4	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	46	*	46	*	46	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	29	*	29	*	29	*
15 - 19 Years	28	*	28	*	28	*
Total	119	4.2	119	1.7	119	14.3 20.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	186	2.7	186	2.2	186	19.4	17.2
9 - 11 Years	78	*	78	*	78	*	*
12 - 14 Years	95	*	95	*	95	*	*
15 - 19 Years	107	6.5	107	0.9	107	17.8	20.6
Total	466	3.9	466	1.3	466	18.7	19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	92	*	92	*	92	*
9 - 11 Years	43	*	43	*	43	*
12 - 14 Years	52	*	52	*	52	*
15 - 19 Years	37	*	37	*	37	*
Total	224	6.3	224	4.5	224	18.3 13.8
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	15	*	15	*	15	* *
Hispanic						
5 - 8 Years	26	*	26	*	26	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	20	*	20	*	20	*
Total	76	*	76	*	76	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	16	*	16	*	16	*
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Pacific Islander						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	7	*	7	*	7	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	*
All Other							
5 - 8 Years	11	*	11	*	11	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	21	*	21	*	21	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	147	4.8	147	5.4	147	19.7	12.2
9 - 11 Years	64	*	64	*	64	*	*
12 - 14 Years	80	*	80	*	80	*	*
15 - 19 Years	75	*	75	*	75	*	*
Total	366	5.7	366	4.4	366	19.4	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	38	*	38	*	38	*
9 - 11 Years	17	*	17	*	17	*
12 - 14 Years	22	*	22	*	22	*
15 - 19 Years	27	*	27	*	27	*
Total	104	4.8	104	1.0	104	17.3 21.2
Black, Not Hispanic						
5 - 8 Years	146	3.4	146	2.7	146	15.1 21.2
9 - 11 Years	84	*	84	*	84	*
12 - 14 Years	97	*	97	*	97	*
15 - 19 Years	117	10.3	117	1.7	117	22.2 20.5
Total	444	5.9	444	2.7	444	18.5 22.7
Hispanic						
5 - 8 Years	597	4.4	597	3.0	597	18.1 26.1
9 - 11 Years	407	4.7	407	2.2	407	23.3 35.4
12 - 14 Years	382	6.0	382	1.0	382	24.1 26.4
15 - 19 Years	304	13.5	304	2.3	304	19.7 22.0
Total	1,690	6.4	1,690	2.2	1,690	21.0 27.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
Asian						
5 - 8 Years	51	*	51	*	51	*
9 - 11 Years	33	*	33	*	33	*
12 - 14 Years	35	*	35	*	35	*
15 - 19 Years	33	*	33	*	33	*
Total	152	11.8	152	7.2	152	9.9 13.2
Pacific Islander						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	5	*	5	*	5	*
Total	32	*	32	*	32	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	10	*	10	*	10	*
Total	40	*	40	*	40	*
All Other						
5 - 8 Years	225	6.7	225	4.4	225	16.9
9 - 11 Years	95	*	95	*	95	*
12 - 14 Years	76	*	76	*	76	*
15 - 19 Years	86	*	86	*	86	*
Total	482	7.3	482	3.1	482	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,082	4.9	1,082	3.5	1,082	16.5	23.2
9 - 11 Years	651	5.2	651	2.8	651	21.2	31.5
12 - 14 Years	632	6.6	632	1.7	632	21.0	25.2
15 - 19 Years	583	11.8	583	2.2	583	19.4	22.1
Total	2,948	6.7	2,948	2.7	2,948	19.1	25.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	138	6.5	138	6.5	138	17.4	14.5
9 - 11 Years	49	*	49	*	49	*	*
12 - 14 Years	59	*	59	*	59	*	*
15 - 19 Years	46	*	46	*	46	*	*
Total	292	6.5	292	4.1	292	17.1	16.8
Black, Not Hispanic							
5 - 8 Years	10	*	10	*	10	*	*
9 - 11 Years	16	*	16	*	16	*	*
12 - 14 Years	20	*	20	*	20	*	*
15 - 19 Years	15	*	15	*	15	*	*
Total	61	*	61	*	61	*	*
Hispanic							
5 - 8 Years	1,610	6.1	1,610	1.4	1,610	17.1	22.7
9 - 11 Years	900	3.8	900	1.8	900	19.8	28.8
12 - 14 Years	863	6.7	863	1.0	863	21.1	26.3
15 - 19 Years	717	14.9	717	1.4	717	18.1	23.8
Total	4,090	7.3	4,090	1.4	4,090	18.7	25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	29	*	29	*	29	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
All Other							
5 - 8 Years	87	*	87	*	87	*	*
9 - 11 Years	45	*	45	*	45	*	*
12 - 14 Years	46	*	46	*	46	*	*
15 - 19 Years	37	*	37	*	37	*	*
Total	215	9.3	215	5.1	215	21.9	20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,864	6.3	1,864	1.8	1,864	17.4	21.9
9 - 11 Years	1,017	4.4	1,017	2.0	1,017	20.2	28.3
12 - 14 Years	993	6.5	993	1.6	993	20.9	25.2
15 - 19 Years	820	13.8	820	1.5	820	17.9	23.5
Total	4,694	7.2	4,694	1.7	4,694	18.9	24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	55	*	55	*	55	*
9 - 11 Years	29	*	29	*	29	*
12 - 14 Years	27	*	27	*	27	*
15 - 19 Years	21	*	21	*	21	*
Total	132	4.5	132	6.1	132	16.7 18.2
Black, Not Hispanic						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	17	*	17	*	17	*
15 - 19 Years	11	*	11	*	11	*
Total	61	*	61	*	61	* *
Hispanic						
5 - 8 Years	226	8.0	226	0.9	226	21.7 22.1
9 - 11 Years	101	5.0	101	0.0	101	23.8 37.6
12 - 14 Years	57	*	57	*	57	* *
15 - 19 Years	72	*	72	*	72	* *
Total	456	8.6	456	0.7	456	20.8 27.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	6	*	6	*	6	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	6	*	6	*	6	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	19	*	19	*	19	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	73	*	73	*	73	*	*
9 - 11 Years	60	*	60	*	60	*	*
12 - 14 Years	48	*	48	*	48	*	*
15 - 19 Years	41	*	41	*	41	*	*
Total	222	5.0	222	1.4	222	19.8	20.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	382	6.0	382	1.6	382	20.9	20.7
9 - 11 Years	205	3.9	205	2.0	205	21.5	32.2
12 - 14 Years	157	1.9	157	2.5	157	14.0	24.8
15 - 19 Years	149	15.4	149	1.3	149	22.1	21.5
Total	893	6.4	893	1.8	893	20.0	24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	25	*	25	*	25	*	*
9 - 11 Years	14	*	14	*	14	*	*
12 - 14 Years	8	*	8	*	8	*	*
15 - 19 Years	13	*	13	*	13	*	*
Total	60	*	60	*	60	*	*
Black, Not Hispanic							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Hispanic							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	5	*	5	*	5	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	15	*	15	*	15	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	8	*	8	*	8	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	18	*	18	*	18	*
15 - 19 Years	20	*	20	*	20	*
Total	86	*	86	*	86	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	74	*	74	*	74	*
9 - 11 Years	43	*	43	*	43	*
12 - 14 Years	50	*	50	*	50	*
15 - 19 Years	49	*	49	*	49	*
Total	216	3.2	216	0.0	216	19.9
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	4	*	4	*	4	*
Total	11	*	11	*	11	*
Hispanic						
5 - 8 Years	67	*	67	*	67	*
9 - 11 Years	42	*	42	*	42	*
12 - 14 Years	50	*	50	*	50	*
15 - 19 Years	56	*	56	*	56	*
Total	215	5.1	215	1.4	215	20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	44	*	44	*	44	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 Years	33	*	33	*	33	*
15 - 19 Years	21	*	21	*	21	*
Total	122	3.3	122	0.0	122	21.3 32.8
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	7	*	7	*	7	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	207	3.4	207	1.9	207	19.8 26.1
9 - 11 Years	97	*	97	*	97	*
12 - 14 Years	61	*	61	*	61	*
15 - 19 Years	56	*	56	*	56	*
Total	421	5.0	421	1.7	421	21.1 27.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	394	3.6	394	1.5	394	22.6	23.4
9 - 11 Years	207	2.9	207	1.0	207	17.9	31.4
12 - 14 Years	202	3.0	202	0.5	202	22.3	27.7
15 - 19 Years	189	9.5	189	0.5	189	19.6	23.3
Total	992	4.4	992	1.0	992	21.0	25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	224	9.4	224	1.8	224	17.4	19.2
9 - 11 Years	117	7.7	117	0.9	117	15.4	29.1
12 - 14 Years	158	8.9	158	1.3	158	15.2	30.4
15 - 19 Years	146	11.0	146	0.0	146	17.1	26.0
Total	645	9.3	645	1.1	645	16.4	25.3
Black, Not Hispanic							
5 - 8 Years	19	*	19	*	19	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	8	*	8	*	8	*	*
15 - 19 Years	10	*	10	*	10	*	*
Total	43	*	43	*	43	*	*
Hispanic							
5 - 8 Years	179	3.9	179	2.2	179	20.1	20.1
9 - 11 Years	132	6.1	132	1.5	132	15.9	31.1
12 - 14 Years	120	11.7	120	0.8	120	25.0	19.2
15 - 19 Years	107	15.9	107	1.9	107	19.6	21.5
Total	538	8.6	538	1.7	538	20.1	22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	2	*	2	*	2	*
Total	20	*	20	*	20	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	8	*	8	*	8	*
Total	58	*	58	*	58	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	464	6.9	464	2.4	464	18.3	19.8
9 - 11 Years	272	7.0	272	1.1	272	15.8	29.8
12 - 14 Years	299	9.7	299	1.0	299	19.1	25.4
15 - 19 Years	275	12.0	275	1.5	275	18.2	24.7
Total	1,310	8.6	1,310	1.6	1,310	17.9	24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	12	*	12	*	12	*
Total	40	*	40	*	40	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	3	*	3	*	3	*
Total	3	*	3	*	3	*
Hispanic						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	7	*	7	*	7	*
Total	33	*	33	*	33	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	4	*	4	*	4	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Pacific Islander							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	5	*	5	*	5	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	24	*	24	*	24	*
15 - 19 Years	30	*	30	*	30	*
Total	89	*	89	*	89	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	11	*	11	*	11	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	16	*	16	*	16	*	*
Black, Not Hispanic							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Hispanic							
5 - 8 Years	38	*	38	*	38	*	*
9 - 11 Years	16	*	16	*	16	*	*
12 - 14 Years	18	*	18	*	18	*	*
15 - 19 Years	21	*	21	*	21	*	*
Total	93	*	93	*	93	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	51	*	51	*	51	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 Years	22	*	22	*	22	*
15 - 19 Years	23	*	23	*	23	*
Total	115	11.3	115	9.6	115	11.3 15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	22	*	22	*	22	*
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	*
Hispanic						
5 - 8 Years	787	4.7	787	1.1	787	19.3 24.1
9 - 11 Years	449	7.3	449	0.4	449	20.3 29.6
12 - 14 Years	432	8.8	432	2.1	432	23.8 25.5
15 - 19 Years	425	17.2	425	1.6	425	21.2 17.4
Total	2,093	8.6	2,093	1.3	2,093	20.8 24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	10	*	10	*	10	*
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	*
All Other						
5 - 8 Years	41	*	41	*	41	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	20	*	20	*	20	*
15 - 19 Years	23	*	23	*	23	*
Total	102	4.9	102	1.0	102	17.6 27.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	855	4.3	855	1.2	855	19.2	23.6
9 - 11 Years	479	7.1	479	0.6	479	20.3	30.1
12 - 14 Years	457	8.8	457	2.0	457	23.9	24.5
15 - 19 Years	458	16.6	458	1.5	458	20.7	19.0
Total	2,249	8.3	2,249	1.3	2,249	20.7	24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	23	*	23	*	23	*
12 - 14 Years	24	*	24	*	24	*
15 - 19 Years	36	*	36	*	36	*
Total	112	8.9	112	0.9	112	22.3 19.6
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	10	*	10	*	10	*
Hispanic						
5 - 8 Years	214	6.5	214	2.8	214	18.7 26.6
9 - 11 Years	125	3.2	125	0.8	125	23.2 34.4
12 - 14 Years	112	3.6	112	0.0	112	26.8 26.8
15 - 19 Years	136	11.8	136	3.7	136	25.0 19.9
Total	587	6.5	587	2.0	587	22.7 26.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	*
Asian							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	4	*	4	*	4	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	12	*	12	*	12	*	*
Pacific Islander							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	8	*	8	*	8	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	6	*	6	*	6	*	*
All Other							
5 - 8 Years	148	3.4	148	0.7	148	17.6	23.0
9 - 11 Years	67	*	67	*	67	*	*
12 - 14 Years	41	*	41	*	41	*	*
15 - 19 Years	27	*	27	*	27	*	*
Total	283	5.3	283	1.4	283	22.3	22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	406	5.7	406	2.5	406	18.2	24.4
9 - 11 Years	223	3.1	223	0.9	223	24.2	32.3
12 - 14 Years	186	3.8	186	1.1	186	26.3	23.7
15 - 19 Years	204	14.2	204	3.4	204	24.0	18.6
Total	1,019	6.5	1,019	2.1	1,019	22.2	24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	157	6.4	157	3.2	157	15.9	10.8
9 - 11 Years	69	*	69	*	69	*	*
12 - 14 Years	71	*	71	*	71	*	*
15 - 19 Years	65	*	65	*	65	*	*
Total	362	3.9	362	2.5	362	16.6	14.1
Black, Not Hispanic							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	11	*	11	*	11	*	*
Hispanic							
5 - 8 Years	27	*	27	*	27	*	*
9 - 11 Years	14	*	14	*	14	*	*
12 - 14 Years	14	*	14	*	14	*	*
15 - 19 Years	8	*	8	*	8	*	*
Total	63	*	63	*	63	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	31	*	31	*	31	*	*
9 - 11 Years	15	*	15	*	15	*	*
12 - 14 Years	10	*	10	*	10	*	*
15 - 19 Years	12	*	12	*	12	*	*
Total	68	*	68	*	68	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	218	6.4	218	3.2	218	14.2	13.8
9 - 11 Years	101	5.9	101	3.0	101	18.8	8.9
12 - 14 Years	99	*	99	*	99	*	*
15 - 19 Years	88	*	88	*	88	*	*
Total	506	4.7	506	2.6	506	16.0	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	257	3.5	257	3.1	257	14.4	12.8
9 - 11 Years	113	1.8	113	2.7	113	15.9	21.2
12 - 14 Years	118	6.8	118	3.4	118	14.4	16.9
15 - 19 Years	133	7.5	133	4.5	133	21.8	14.3
Total	621	4.7	621	3.4	621	16.3	15.5
Black, Not Hispanic							
5 - 8 Years	39	*	39	*	39	*	*
9 - 11 Years	14	*	14	*	14	*	*
12 - 14 Years	15	*	15	*	15	*	*
15 - 19 Years	35	*	35	*	35	*	*
Total	103	5.8	103	1.9	103	15.5	17.5
Hispanic							
5 - 8 Years	3,695	3.4	3,695	2.5	3,695	18.3	22.3
9 - 11 Years	2,488	4.0	2,488	1.5	2,488	19.8	27.9
12 - 14 Years	2,690	6.6	2,690	1.8	2,690	21.0	24.1
15 - 19 Years	3,809	13.2	3,809	1.8	3,809	20.4	17.2
Total	12,682	7.1	12,682	2.0	12,682	19.8	22.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	255	2.7	255	7.5	255	14.9
9 - 11 Years	175	6.3	175	6.9	175	17.1
12 - 14 Years	228	6.6	228	3.5	228	13.6
15 - 19 Years	281	17.1	281	6.8	281	11.0
Total	939	8.6	939	6.2	939	13.8
Pacific Islander						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	11	*	11	*	11	*
Total	43	*	43	*	43	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	39	*	39	*	39	*
9 - 11 Years	25	*	25	*	25	*
12 - 14 Years	27	*	27	*	27	*
15 - 19 Years	23	*	23	*	23	*
Total	114	10.5	114	6.1	114	19.3 21.1
All Other						
5 - 8 Years	334	3.3	334	4.2	334	15.9 17.1
9 - 11 Years	191	4.7	191	2.6	191	23.0 22.0
12 - 14 Years	201	4.0	201	2.5	201	17.9 27.4
15 - 19 Years	219	9.6	219	4.1	219	20.5 17.8
Total	945	5.2	945	3.5	945	18.8 20.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	4,635	3.5	4,635	3.0	4,635	17.7	21.1
9 - 11 Years	3,012	4.1	3,012	1.9	3,012	19.7	26.5
12 - 14 Years	3,293	6.5	3,293	2.0	3,293	20.1	23.2
15 - 19 Years	4,513	12.9	4,513	2.4	4,513	19.9	16.3
Total	15,453	7.0	15,453	2.4	15,453	19.2	21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	9	*	9	*	9	*
Black, Not Hispanic						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	20	*	20	*	20	*
Total	57	*	57	*	57	*
Hispanic						
5 - 8 Years	63	*	63	*	63	*
9 - 11 Years	23	*	23	*	23	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	48	*	48	*	48	*
Total	159	4.4	159	2.5	159	15.7 18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	7	*	7	*	7	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
All Other							
5 - 8 Years	38	*	38	*	38	*	*
9 - 11 Years	21	*	21	*	21	*	*
12 - 14 Years	30	*	30	*	30	*	*
15 - 19 Years	22	*	22	*	22	*	*
Total	111	3.6	111	1.8	111	16.2	24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	123	2.4	123	4.1	123	13.0	15.4
9 - 11 Years	59	*	59	*	59	*	*
12 - 14 Years	69	*	69	*	69	*	*
15 - 19 Years	95	*	95	*	95	*	*
Total	346	3.5	346	2.3	346	16.5	19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age (3)							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	167	7.8	167	2.4	167	13.8	10.8
9 - 11 Years	75	*	75	*	75	*	*
12 - 14 Years	74	*	74	*	74	*	*
15 - 19 Years	72	*	72	*	72	*	*
Total	388	7.7	388	3.1	388	15.7	14.2
Black, Not Hispanic							
5 - 8 Years	7	*	7	*	7	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	17	*	17	*	17	*	*
Hispanic							
5 - 8 Years	148	6.8	148	2.0	148	16.9	25.0
9 - 11 Years	36	*	36	*	36	*	*
12 - 14 Years	32	*	32	*	32	*	*
15 - 19 Years	25	*	25	*	25	*	*
Total	241	5.8	241	1.2	241	18.3	26.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	8	*	8	*	8	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
All Other						
5 - 8 Years	282	4.3	282	2.5	282	12.8
9 - 11 Years	116	7.8	116	1.7	116	19.8
12 - 14 Years	132	4.5	132	3.0	132	18.2
15 - 19 Years	96	*	96	*	96	*
Total	626	5.8	626	2.4	626	15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age (3)							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	610	5.9	610	2.3	610	14.1	14.9
9 - 11 Years	233	6.4	233	2.1	233	18.9	23.2
12 - 14 Years	245	4.5	245	2.0	245	17.6	15.9
15 - 19 Years	200	10.0	200	3.0	200	17.5	20.0
Total	1,288	6.4	1,288	2.3	1,288	16.1	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	30	*	30	*	30	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 Years	20	*	20	*	20	*
15 - 19 Years	21	*	21	*	21	*
Total	90	*	90	*	90	*
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
Hispanic						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	8	*	8	*	8	*
Total	46	*	46	*	46	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	39	*	39	*	39	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	20	*	20	*	20	*
15 - 19 Years	12	*	12	*	12	*
Total	93	*	93	*	93	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	89	*	89	*	89	*
9 - 11 Years	50	*	50	*	50	*
12 - 14 Years	55	*	55	*	55	*
15 - 19 Years	44	*	44	*	44	*
Total	238	8.8	238	4.6	238	15.1 22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 157
Run Date: 4/4/2012

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	486	5.8	486	5.3	486	13.4	14.4
9 - 11 Years	233	4.7	233	6.9	233	17.2	21.5
12 - 14 Years	243	4.5	243	3.7	243	13.6	18.1
15 - 19 Years	268	6.3	268	3.0	268	16.0	17.9
Total	1,230	5.4	1,230	4.8	1,230	14.7	17.2
Black, Not Hispanic							
5 - 8 Years	254	3.9	254	2.8	254	14.2	11.8
9 - 11 Years	147	2.7	147	5.4	147	11.6	19.0
12 - 14 Years	198	5.1	198	3.0	198	18.7	25.3
15 - 19 Years	221	5.0	221	5.0	221	20.4	15.4
Total	820	4.3	820	3.9	820	16.5	17.3
Hispanic							
5 - 8 Years	4,345	4.1	4,345	3.8	4,345	15.8	19.7
9 - 11 Years	2,476	3.8	2,476	4.4	2,476	19.2	25.7
12 - 14 Years	2,696	4.9	2,696	3.3	2,696	21.1	25.0
15 - 19 Years	2,930	10.9	2,930	3.8	2,930	18.6	21.8
Total	12,447	5.8	12,447	3.8	12,447	18.3	22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	12	*	12	*	12	*
Asian						
5 - 8 Years	46	*	46	*	46	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 Years	22	*	22	*	22	*
15 - 19 Years	42	*	42	*	42	*
Total	130	14.6	130	4.6	130	17.7 14.6
Pacific Islander						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	4	*	4	*	4	*
Total	19	*	19	*	19	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	10	*	10	*	10	*
Total	47	*	47	*	47	*
All Other						
5 - 8 Years	721	3.9	721	4.7	721	18.2
9 - 11 Years	386	5.4	386	4.9	386	16.3
12 - 14 Years	387	5.2	387	4.9	387	18.1
15 - 19 Years	397	9.1	397	5.0	397	14.6
Total	1,891	5.6	1,891	4.9	1,891	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	5,882	4.2	5,882	4.1	5,882	15.7	18.7
9 - 11 Years	3,274	4.0	3,274	4.7	3,274	18.4	24.9
12 - 14 Years	3,564	5.1	3,564	3.5	3,564	20.0	24.3
15 - 19 Years	3,876	10.1	3,876	4.0	3,876	18.2	21.0
Total	16,596	5.8	16,596	4.1	16,596	17.8	21.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1,055	4.3	1,055	3.9	1,055	14.2	12.4
9 - 11 Years	594	4.5	594	4.2	594	17.5	18.0
12 - 14 Years	558	4.3	558	3.8	558	18.3	20.4
15 - 19 Years	661	3.3	661	3.6	661	20.0	16.3
Total	2,868	4.1	2,868	3.9	2,868	17.0	16.0
Black, Not Hispanic							
5 - 8 Years	990	2.4	990	4.4	990	17.3	18.1
9 - 11 Years	518	2.9	518	3.7	518	17.6	25.1
12 - 14 Years	576	4.0	576	3.0	576	20.3	26.6
15 - 19 Years	786	5.3	786	4.1	786	18.6	23.0
Total	2,870	3.6	2,870	3.9	2,870	18.3	22.4
Hispanic							
5 - 8 Years	2,541	4.1	2,541	3.7	2,541	17.2	22.9
9 - 11 Years	1,144	4.6	1,144	3.1	1,144	19.7	29.5
12 - 14 Years	928	5.0	928	2.8	928	18.4	27.9
15 - 19 Years	893	10.2	893	3.8	893	21.1	24.2
Total	5,506	5.3	5,506	3.4	5,506	18.5	25.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	14	*	14	*	14	*
Total	53	*	53	*	53	*
Asian						
5 - 8 Years	652	9.8	652	4.6	652	11.3
9 - 11 Years	441	9.1	441	5.4	441	16.8
12 - 14 Years	479	8.4	479	5.2	479	15.2
15 - 19 Years	812	21.7	812	6.3	812	14.2
Total	2,384	13.4	2,384	5.5	2,384	14.1
Pacific Islander						
5 - 8 Years	49	*	49	*	49	*
9 - 11 Years	26	*	26	*	26	*
12 - 14 Years	21	*	21	*	21	*
15 - 19 Years	21	*	21	*	21	*
Total	117	8.5	117	1.7	117	18.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	23	*	23	*	23	*	*
9 - 11 Years	10	*	10	*	10	*	*
12 - 14 Years	14	*	14	*	14	*	*
15 - 19 Years	12	*	12	*	12	*	*
Total	59	*	59	*	59	*	*
All Other							
5 - 8 Years	2,933	5.6	2,933	3.4	2,933	17.1	18.2
9 - 11 Years	1,548	5.2	1,548	3.8	1,548	16.3	24.0
12 - 14 Years	1,577	7.5	1,577	3.7	1,577	17.8	24.2
15 - 19 Years	1,808	11.8	1,808	4.8	1,808	17.3	19.8
Total	7,866	7.3	7,866	3.8	7,866	17.1	20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	8,261	4.9	8,261	3.7	8,261	16.3	18.8
9 - 11 Years	4,289	5.1	4,289	3.8	4,289	17.7	24.2
12 - 14 Years	4,166	6.1	4,166	3.6	4,166	18.1	23.8
15 - 19 Years	5,007	11.0	5,007	4.6	5,007	18.0	19.6
Total	21,723	6.6	21,723	3.9	21,723	17.3	21.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	14	*	14	*	14	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	7	*	7	*	7	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	33	*	33	*	33	*	*
Black, Not Hispanic							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*
Hispanic							
5 - 8 Years	73	*	73	*	73	*	*
9 - 11 Years	42	*	42	*	42	*	*
12 - 14 Years	34	*	34	*	34	*	*
15 - 19 Years	31	*	31	*	31	*	*
Total	180	5.6	180	1.7	180	15.6	33.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	16	*	16	*	16	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	7	*	7	*	7	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	30	*	30	*	30	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	106	3.8	106	2.8	106	18.9	33.0
9 - 11 Years	53	*	53	*	53	*	*
12 - 14 Years	49	*	49	*	49	*	*
15 - 19 Years	43	*	43	*	43	*	*
Total	251	5.6	251	2.4	251	17.1	32.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 169
Run Date: 4/4/2012

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	394	5.1	394	3.0	394	16.5	17.5
9 - 11 Years	182	7.7	182	3.8	182	19.8	21.4
12 - 14 Years	196	6.1	196	4.1	196	15.8	22.4
15 - 19 Years	230	4.3	230	4.3	230	19.6	16.1
Total	1,002	5.6	1,002	3.7	1,002	17.7	18.9
Black, Not Hispanic							
5 - 8 Years	375	2.7	375	4.5	375	15.2	10.9
9 - 11 Years	225	3.6	225	6.2	225	14.2	14.7
12 - 14 Years	244	3.7	244	2.0	244	15.2	19.7
15 - 19 Years	290	6.6	290	2.1	290	14.1	16.9
Total	1,134	4.1	1,134	3.7	1,134	14.7	15.1
Hispanic							
5 - 8 Years	4,584	4.1	4,584	3.8	4,584	15.6	21.0
9 - 11 Years	2,592	3.4	2,592	5.0	2,592	18.4	24.8
12 - 14 Years	2,740	4.9	2,740	4.3	2,740	19.4	25.7
15 - 19 Years	3,194	9.1	3,194	5.6	3,194	19.0	20.4
Total	13,110	5.4	13,110	4.6	13,110	17.8	22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	15	*	15	*	15	*
Asian						
5 - 8 Years	45	*	45	*	45	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	21	*	21	*	21	*
15 - 19 Years	45	*	45	*	45	*
Total	129	8.5	129	10.1	129	12.4 10.9
Pacific Islander						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	20	*	20	*	20	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	13	*	13	*	13	*	*
All Other							
5 - 8 Years	1,068	5.0	1,068	4.4	1,068	15.6	17.9
9 - 11 Years	618	4.9	618	6.3	618	14.9	24.8
12 - 14 Years	628	4.9	628	9.1	628	15.6	18.8
15 - 19 Years	736	7.5	736	7.3	736	18.2	20.1
Total	3,050	5.5	3,050	6.5	3,050	16.1	20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	6,486	4.2	6,486	3.9	6,486	15.6	19.6
9 - 11 Years	3,645	3.9	3,645	5.3	3,645	17.6	24.0
12 - 14 Years	3,837	4.9	3,837	5.0	3,837	18.2	23.9
15 - 19 Years	4,505	8.5	4,505	5.6	4,505	18.5	19.9
Total	18,473	5.3	18,473	4.8	18,473	17.3	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 173
Run Date: 4/4/2012

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	2,600	6.3	2,600	2.2	2,600	18.6	22.9
9 - 11 Years	1,257	4.2	1,257	2.6	1,257	18.5	27.0
12 - 14 Years	1,152	8.2	1,152	2.1	1,152	20.7	24.6
15 - 19 Years	1,005	12.2	1,005	2.3	1,005	19.9	23.5
Total	6,014	7.2	6,014	2.3	6,014	19.2	24.2
Black, Not Hispanic							
5 - 8 Years	399	3.5	399	3.5	399	15.8	17.8
9 - 11 Years	201	3.0	201	4.0	201	18.9	22.9
12 - 14 Years	222	6.3	222	0.5	222	16.2	23.4
15 - 19 Years	249	6.8	249	2.8	249	16.5	22.5
Total	1,071	4.8	1,071	2.8	1,071	16.6	21.0
Hispanic							
5 - 8 Years	4,577	4.6	4,577	2.6	4,577	18.5	21.9
9 - 11 Years	2,505	4.8	2,505	2.8	2,505	19.8	29.7
12 - 14 Years	2,357	6.5	2,357	2.5	2,357	21.0	26.5
15 - 19 Years	2,388	12.4	2,388	2.8	2,388	19.3	23.2
Total	11,827	6.6	11,827	2.7	11,827	19.5	24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	24	*	24	*	24	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	10	*	10	*	10	*
Total	48	*	48	*	48	*
Asian						
5 - 8 Years	133	18.0	133	6.8	133	9.0 18.0
9 - 11 Years	90	*	90	*	90	* *
12 - 14 Years	119	10.1	119	2.5	119	17.6 10.1
15 - 19 Years	131	22.9	131	7.6	131	12.2 9.9
Total	473	16.1	473	6.1	473	13.3 12.7
Pacific Islander						
5 - 8 Years	47	*	47	*	47	* *
9 - 11 Years	21	*	21	*	21	* *
12 - 14 Years	16	*	16	*	16	* *
15 - 19 Years	15	*	15	*	15	* *
Total	99	*	99	*	99	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	110	12.7	110	11.8	110	13.6	13.6
9 - 11 Years	57	*	57	*	57	*	*
12 - 14 Years	62	*	62	*	62	*	*
15 - 19 Years	71	*	71	*	71	*	*
Total	300	11.7	300	7.7	300	16.7	19.3
All Other							
5 - 8 Years	2,406	4.5	2,406	3.7	2,406	16.6	19.0
9 - 11 Years	1,174	5.6	1,174	4.0	1,174	20.3	24.0
12 - 14 Years	1,083	8.2	1,083	4.1	1,083	18.7	24.6
15 - 19 Years	1,016	10.2	1,016	3.5	1,016	17.0	20.1
Total	5,679	6.5	5,679	3.8	5,679	17.8	21.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	10,296	5.3	10,296	3.0	10,296	17.8	21.2
9 - 11 Years	5,313	4.9	5,313	3.2	5,313	19.6	27.2
12 - 14 Years	5,017	7.4	5,017	2.7	5,017	20.2	25.0
15 - 19 Years	4,885	12.0	4,885	3.0	4,885	18.5	22.3
Total	25,511	6.9	25,511	3.0	25,511	18.8	23.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	61	*	61	*	61	*
9 - 11 Years	31	*	31	*	31	*
12 - 14 Years	40	*	40	*	40	*
15 - 19 Years	22	*	22	*	22	*
Total	154	5.2	154	2.6	154	19.5
Black, Not Hispanic						
5 - 8 Years	204	2.9	204	0.5	204	17.2
9 - 11 Years	113	0.9	113	1.8	113	21.2
12 - 14 Years	133	3.8	133	2.3	133	20.3
15 - 19 Years	115	3.5	115	0.9	115	15.7
Total	565	2.8	565	1.2	565	18.4
Hispanic						
5 - 8 Years	1,099	4.2	1,099	1.5	1,099	19.9
9 - 11 Years	544	2.6	544	0.4	544	24.6
12 - 14 Years	388	7.2	388	1.0	388	24.0
15 - 19 Years	375	12.3	375	0.8	375	21.1
Total	2,406	5.6	2,406	1.1	2,406	21.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	796	6.3	796	5.3	796	11.8
9 - 11 Years	568	6.7	568	4.4	568	14.6
12 - 14 Years	723	5.1	723	4.7	723	12.3
15 - 19 Years	849	13.1	849	6.6	849	11.7
Total	2,936	8.0	2,936	5.3	2,936	12.4
Pacific Islander						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	24	*	24	*	24	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	5	*	5	*	5	*
Total	43	*	43	*	43	*
All Other						
5 - 8 Years	231	5.6	231	3.5	231	16.5
9 - 11 Years	125	3.2	125	2.4	125	19.2
12 - 14 Years	86	*	86	*	86	*
15 - 19 Years	117	12.0	117	2.6	117	21.4
Total	559	6.6	559	2.9	559	17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	2,427	5.0	2,427	3.0	2,427	16.4	20.6
9 - 11 Years	1,393	4.3	1,393	2.4	1,393	20.0	22.8
12 - 14 Years	1,380	5.7	1,380	3.3	1,380	17.3	18.0
15 - 19 Years	1,488	11.9	1,488	4.3	1,488	14.9	13.8
Total	6,688	6.5	6,688	3.2	6,688	17.0	19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	404	4.5	404	3.2	404	16.1	19.3
9 - 11 Years	229	3.1	229	3.9	229	18.8	23.6
12 - 14 Years	232	4.3	232	0.9	232	17.2	30.2
15 - 19 Years	253	5.5	253	3.2	253	17.8	22.1
Total	1,118	4.4	1,118	2.9	1,118	17.3	23.1
Black, Not Hispanic							
5 - 8 Years	476	3.4	476	3.2	476	14.1	16.6
9 - 11 Years	233	1.7	233	0.9	233	15.9	24.0
12 - 14 Years	270	1.9	270	2.6	270	20.4	23.0
15 - 19 Years	298	4.0	298	1.3	298	22.1	26.2
Total	1,277	2.9	1,277	2.2	1,277	17.6	21.5
Hispanic							
5 - 8 Years	2,522	3.7	2,522	2.5	2,522	18.4	23.8
9 - 11 Years	1,178	3.7	1,178	2.5	1,178	19.2	29.6
12 - 14 Years	1,148	4.8	1,148	1.2	1,148	20.9	29.4
15 - 19 Years	975	8.0	975	1.8	975	19.7	26.9
Total	5,823	4.7	5,823	2.1	5,823	19.3	26.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	2	*	2	*	2	*
Total	16	*	16	*	16	*
Asian						
5 - 8 Years	346	13.3	346	4.3	346	15.0 11.0
9 - 11 Years	174	7.5	174	5.7	174	12.1 18.4
12 - 14 Years	287	16.0	287	1.7	287	15.3 17.4
15 - 19 Years	569	20.0	569	4.7	569	14.6 18.1
Total	1,376	15.9	1,376	4.1	1,376	14.5 16.2
Pacific Islander						
5 - 8 Years	17	*	17	*	17	* *
9 - 11 Years	17	*	17	*	17	* *
12 - 14 Years	6	*	6	*	6	* *
15 - 19 Years	12	*	12	*	12	* *
Total	52	*	52	*	52	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	48	*	48	*	48	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	23	*	23	*	23	*
15 - 19 Years	16	*	16	*	16	*
Total	109	7.3	109	5.5	109	15.6 21.1
All Other						
5 - 8 Years	1,702	4.8	1,702	2.6	1,702	16.7 21.2
9 - 11 Years	843	4.3	843	2.4	843	18.6 24.3
12 - 14 Years	894	4.8	894	2.1	894	20.0 23.8
15 - 19 Years	902	10.6	902	2.9	902	18.7 21.7
Total	4,341	5.9	4,341	2.5	4,341	18.2 22.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	5,522	4.7	5,522	2.9	5,522	17.0	21.1
9 - 11 Years	2,698	4.0	2,698	2.7	2,698	18.3	26.1
12 - 14 Years	2,865	5.6	2,865	1.7	2,865	19.7	25.8
15 - 19 Years	3,027	10.5	3,027	2.8	3,027	18.6	23.2
Total	14,112	6.0	14,112	2.6	14,112	18.1	23.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	142	4.2	142	4.2	142	14.8	14.8
9 - 11 Years	71	*	71	*	71	*	*
12 - 14 Years	58	*	58	*	58	*	*
15 - 19 Years	55	*	55	*	55	*	*
Total	326	4.9	326	3.1	326	18.4	17.2
Black, Not Hispanic							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	8	*	8	*	8	*	*
Hispanic							
5 - 8 Years	241	7.9	241	2.1	241	19.5	22.8
9 - 11 Years	130	5.4	130	1.5	130	19.2	28.5
12 - 14 Years	101	8.9	101	3.0	101	16.8	26.7
15 - 19 Years	76	*	76	*	76	*	*
Total	548	8.0	548	1.8	548	18.4	25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	5	*	5	*	5	*	*
All Other							
5 - 8 Years	88	*	88	*	88	*	*
9 - 11 Years	29	*	29	*	29	*	*
12 - 14 Years	24	*	24	*	24	*	*
15 - 19 Years	24	*	24	*	24	*	*
Total	165	3.6	165	3.0	165	21.2	26.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	480	5.8	480	2.9	480	18.3	22.3
9 - 11 Years	232	4.3	232	1.3	232	19.8	25.0
12 - 14 Years	189	9.0	189	3.2	189	18.0	25.9
15 - 19 Years	156	7.7	156	1.3	156	19.2	19.9
Total	1,057	6.3	1,057	2.4	1,057	18.7	23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	29	*	29	*	29	*	*
9 - 11 Years	7	*	7	*	7	*	*
12 - 14 Years	15	*	15	*	15	*	*
15 - 19 Years	13	*	13	*	13	*	*
Total	64	*	64	*	64	*	*
Black, Not Hispanic							
5 - 8 Years	27	*	27	*	27	*	*
9 - 11 Years	15	*	15	*	15	*	*
12 - 14 Years	13	*	13	*	13	*	*
15 - 19 Years	19	*	19	*	19	*	*
Total	74	*	74	*	74	*	*
Hispanic							
5 - 8 Years	686	5.1	686	2.2	686	19.4	21.1
9 - 11 Years	284	4.6	284	2.5	284	24.3	25.4
12 - 14 Years	222	2.3	222	0.0	222	25.2	28.8
15 - 19 Years	153	13.7	153	0.7	153	22.9	24.8
Total	1,345	5.5	1,345	1.7	1,345	21.8	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	5	*	5	*	5	*
Asian						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	12	*	12	*	12	*
Total	49	*	49	*	49	*
Pacific Islander						
5 - 8 Years	33	*	33	*	33	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	11	*	11	*	11	*
Total	65	*	65	*	65	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	33	*	33	*	33	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 Years	30	*	30	*	30	*
15 - 19 Years	12	*	12	*	12	*
Total	95	*	95	*	95	*
All Other						
5 - 8 Years	513	6.4	513	2.3	513	17.2 21.6
9 - 11 Years	243	4.1	243	2.1	243	20.6 28.8
12 - 14 Years	189	5.3	189	1.1	189	20.1 25.9
15 - 19 Years	216	12.0	216	2.3	216	17.6 22.7
Total	1,161	6.8	1,161	2.1	1,161	18.4 24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,337	5.7	1,337	2.1	1,337	19.1	21.2
9 - 11 Years	591	4.4	591	2.4	591	21.7	27.1
12 - 14 Years	494	4.0	494	1.0	494	22.7	26.5
15 - 19 Years	436	12.4	436	1.6	436	20.6	23.4
Total	2,858	6.2	2,858	1.9	2,858	20.5	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	166	6.0	166	5.4	166	15.7	16.9
9 - 11 Years	104	6.7	104	2.9	104	14.4	19.2
12 - 14 Years	77	*	77	*	77	*	*
15 - 19 Years	60	*	60	*	60	*	*
Total	407	5.4	407	3.9	407	16.7	18.4
Black, Not Hispanic							
5 - 8 Years	19	*	19	*	19	*	*
9 - 11 Years	10	*	10	*	10	*	*
12 - 14 Years	15	*	15	*	15	*	*
15 - 19 Years	14	*	14	*	14	*	*
Total	58	*	58	*	58	*	*
Hispanic							
5 - 8 Years	1,724	7.1	1,724	1.4	1,724	19.7	25.6
9 - 11 Years	864	5.0	864	2.2	864	23.6	27.9
12 - 14 Years	670	8.5	670	0.4	670	21.2	26.6
15 - 19 Years	589	16.3	589	1.4	589	21.2	23.1
Total	3,847	8.3	3,847	1.4	3,847	21.1	25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	7	*	7	*	7	*	*
9 - 11 Years	4	*	4	*	4	*	*
12 - 14 Years	5	*	5	*	5	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	19	*	19	*	19	*	*
Asian							
5 - 8 Years	7	*	7	*	7	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	7	*	7	*	7	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	23	*	23	*	23	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	2	*	2	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	11	*	11	*	11	*
All Other						
5 - 8 Years	301	3.3	301	1.7	301	16.6
9 - 11 Years	147	4.1	147	0.0	147	21.8
12 - 14 Years	91	*	91	*	91	*
15 - 19 Years	93	*	93	*	93	*
Total	632	4.3	632	1.3	632	17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	2,230	6.5	2,230	1.8	2,230	18.9	24.8
9 - 11 Years	1,136	4.9	1,136	1.9	1,136	22.4	27.6
12 - 14 Years	868	7.5	868	1.0	868	19.6	25.8
15 - 19 Years	765	13.7	765	1.3	765	20.3	23.9
Total	4,999	7.4	4,999	1.6	4,999	20.0	25.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	95	*	95	*	95	*
9 - 11 Years	51	*	51	*	51	*
12 - 14 Years	62	*	62	*	62	*
15 - 19 Years	60	*	60	*	60	*
Total	268	4.9	268	3.0	268	17.9 19.8
Black, Not Hispanic						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 Years	32	*	32	*	32	*
15 - 19 Years	42	*	42	*	42	*
Total	156	4.5	156	1.3	156	21.8 21.2
Hispanic						
5 - 8 Years	1,426	4.9	1,426	1.8	1,426	16.3 25.1
9 - 11 Years	651	3.4	651	1.7	651	20.9 32.0
12 - 14 Years	534	4.9	534	2.1	534	19.5 27.9
15 - 19 Years	481	11.6	481	1.7	481	17.9 24.1
Total	3,092	5.6	3,092	1.8	3,092	18.0 26.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	2	*	2	*	2	*
Total	12	*	12	*	12	*
Asian						
5 - 8 Years	542	4.8	542	5.2	542	15.3 16.6
9 - 11 Years	352	5.4	352	5.1	352	19.9 14.8
12 - 14 Years	393	7.9	393	3.6	393	13.7 12.0
15 - 19 Years	651	16.6	651	5.4	651	11.2 9.5
Total	1,938	9.5	1,938	4.9	1,938	14.4 13.0
Pacific Islander						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	8	*	8	*	8	*
Total	34	*	34	*	34	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	58	*	58	*	58	*	*
9 - 11 Years	40	*	40	*	40	*	*
12 - 14 Years	38	*	38	*	38	*	*
15 - 19 Years	38	*	38	*	38	*	*
Total	174	13.2	174	3.4	174	17.8	16.7
All Other							
5 - 8 Years	2,117	5.2	2,117	2.2	2,117	18.8	23.9
9 - 11 Years	897	5.0	897	2.3	897	21.9	30.1
12 - 14 Years	729	8.1	729	1.5	729	25.4	27.0
15 - 19 Years	746	13.8	746	3.2	746	21.2	23.2
Total	4,489	7.1	4,489	2.3	4,489	20.9	25.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	4,303	5.1	4,303	2.5	4,303	17.5	23.2
9 - 11 Years	2,035	4.7	2,035	2.5	2,035	21.4	27.5
12 - 14 Years	1,797	6.9	1,797	2.3	1,797	20.6	23.5
15 - 19 Years	2,028	14.0	2,028	3.6	2,028	16.7	18.6
Total	10,163	7.1	10,163	2.7	10,163	18.7	23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	38	*	38	*	38	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	12	*	12	*	12	*
Total	66	*	66	*	66	*
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
Hispanic						
5 - 8 Years	188	3.7	188	1.1	188	18.6
9 - 11 Years	98	*	98	*	98	*
12 - 14 Years	88	*	88	*	88	*
15 - 19 Years	101	12.9	101	0.0	101	22.8
Total	475	7.2	475	0.6	475	18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	4	*	4	*	4	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
All Other							
5 - 8 Years	43	*	43	*	43	*	*
9 - 11 Years	22	*	22	*	22	*	*
12 - 14 Years	17	*	17	*	17	*	*
15 - 19 Years	10	*	10	*	10	*	*
Total	92	*	92	*	92	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	275	2.9	275	1.5	275	20.7	26.2
9 - 11 Years	124	8.1	124	0.8	124	13.7	26.6
12 - 14 Years	120	8.3	120	1.7	120	20.8	24.2
15 - 19 Years	125	10.4	125	0.8	125	22.4	23.2
Total	644	6.4	644	1.2	644	19.7	25.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	313	5.8	313	3.2	313	17.3	10.5
9 - 11 Years	127	2.4	127	2.4	127	16.5	24.4
12 - 14 Years	127	3.1	127	0.0	127	18.1	20.5
15 - 19 Years	131	3.8	131	2.3	131	21.4	22.9
Total	698	4.3	698	2.3	698	18.1	17.2
Black, Not Hispanic							
5 - 8 Years	23	*	23	*	23	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	9	*	9	*	9	*	*
15 - 19 Years	11	*	11	*	11	*	*
Total	49	*	49	*	49	*	*
Hispanic							
5 - 8 Years	57	*	57	*	57	*	*
9 - 11 Years	23	*	23	*	23	*	*
12 - 14 Years	23	*	23	*	23	*	*
15 - 19 Years	23	*	23	*	23	*	*
Total	126	4.8	126	0.8	126	13.5	23.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	7	*	7	*	7	*
Total	45	*	45	*	45	*
Asian						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	21	*	21	*	21	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	7	*	7	*	7	*
All Other						
5 - 8 Years	94	*	94	*	94	*
9 - 11 Years	49	*	49	*	49	*
12 - 14 Years	48	*	48	*	48	*
15 - 19 Years	67	*	67	*	67	*
Total	258	6.6	258	3.1	258	16.3 22.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	527	5.9	527	3.4	527	15.2	14.2
9 - 11 Years	215	2.3	215	2.3	215	18.1	22.8
12 - 14 Years	224	5.4	224	0.4	224	18.3	23.2
15 - 19 Years	240	5.8	240	1.7	240	20.0	24.2
Total	1,206	5.1	1,206	2.3	1,206	17.2	19.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	6	*	6	*	6	*	*
Black, Not Hispanic							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Hispanic							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	3	*	3	*	3	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	9	*	9	*	9	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	113	4.4	113	3.5	113	15.9	16.8
9 - 11 Years	56	*	56	*	56	*	*
12 - 14 Years	68	*	68	*	68	*	*
15 - 19 Years	56	*	56	*	56	*	*
Total	293	5.1	293	2.4	293	18.8	17.4
Black, Not Hispanic							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	8	*	8	*	8	*	*
Hispanic							
5 - 8 Years	25	*	25	*	25	*	*
9 - 11 Years	8	*	8	*	8	*	*
12 - 14 Years	11	*	11	*	11	*	*
15 - 19 Years	12	*	12	*	12	*	*
Total	56	*	56	*	56	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	15	*	15	*	15	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	27	*	27	*	27	*	*
9 - 11 Years	13	*	13	*	13	*	*
12 - 14 Years	7	*	7	*	7	*	*
15 - 19 Years	12	*	12	*	12	*	*
Total	59	*	59	*	59	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 216
Run Date: 4/4/2012

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	175	4.0	175	2.9	175	17.7	16.0
9 - 11 Years	83	*	83	*	83	*	*
12 - 14 Years	88	*	88	*	88	*	*
15 - 19 Years	85	*	85	*	85	*	*
Total	431	4.6	431	2.3	431	18.3	18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	127	6.3	127	1.6	127	20.5	15.0
9 - 11 Years	50	*	50	*	50	*	*
12 - 14 Years	61	*	61	*	61	*	*
15 - 19 Years	54	*	54	*	54	*	*
Total	292	5.5	292	2.1	292	21.6	20.9
Black, Not Hispanic							
5 - 8 Years	108	2.8	108	2.8	108	19.4	20.4
9 - 11 Years	77	*	77	*	77	*	*
12 - 14 Years	86	*	86	*	86	*	*
15 - 19 Years	73	*	73	*	73	*	*
Total	344	5.2	344	1.2	344	20.1	24.7
Hispanic							
5 - 8 Years	274	1.8	274	1.1	274	17.2	27.0
9 - 11 Years	128	3.1	128	0.8	128	20.3	31.3
12 - 14 Years	113	5.3	113	0.9	113	21.2	19.5
15 - 19 Years	77	*	77	*	77	*	*
Total	592	3.4	592	1.0	592	18.6	26.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	11	*	11	*	11	*	*
9 - 11 Years	4	*	4	*	4	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	23	*	23	*	23	*	*
Pacific Islander							
5 - 8 Years	6	*	6	*	6	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	8	*	8	*	8	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	13	*	13	*	13	*	*
9 - 11 Years	10	*	10	*	10	*	*
12 - 14 Years	10	*	10	*	10	*	*
15 - 19 Years	7	*	7	*	7	*	*
Total	40	*	40	*	40	*	*
All Other							
5 - 8 Years	410	3.9	410	2.9	410	15.6	20.7
9 - 11 Years	206	4.9	206	1.9	206	18.4	26.7
12 - 14 Years	231	4.8	231	1.3	231	17.7	25.5
15 - 19 Years	196	7.7	196	2.0	196	14.8	25.5
Total	1,043	5.0	1,043	2.2	1,043	16.5	23.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	952	3.8	952	2.2	952	17.3	21.6
9 - 11 Years	476	3.8	476	1.1	476	18.9	29.0
12 - 14 Years	506	5.1	506	1.2	506	19.8	24.9
15 - 19 Years	411	8.0	411	1.9	411	17.8	22.6
Total	2,345	4.8	2,345	1.7	2,345	18.3	24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	204	2.9	204	3.4	204	18.1	10.8
9 - 11 Years	111	3.6	111	3.6	111	18.9	27.0
12 - 14 Years	126	6.3	126	2.4	126	14.3	23.0
15 - 19 Years	117	6.0	117	0.9	117	13.7	22.2
Total	558	4.5	558	2.7	558	16.5	19.2
Black, Not Hispanic							
5 - 8 Years	17	*	17	*	17	*	*
9 - 11 Years	8	*	8	*	8	*	*
12 - 14 Years	15	*	15	*	15	*	*
15 - 19 Years	20	*	20	*	20	*	*
Total	60	*	60	*	60	*	*
Hispanic							
5 - 8 Years	703	4.3	703	2.0	703	17.2	23.3
9 - 11 Years	275	3.3	275	1.5	275	20.0	32.0
12 - 14 Years	264	8.3	264	0.0	264	22.0	28.4
15 - 19 Years	247	8.5	247	1.2	247	24.3	22.3
Total	1,489	5.5	1,489	1.4	1,489	19.7	25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance (1)
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age (3)						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	31	*	31	*	31	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	11	*	11	*	11	*
Total	70	*	70	*	70	*
Asian						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	14	*	14	*	14	*
Total	43	*	43	*	43	*
Pacific Islander						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	0	*	0	*	0	*
Total	13	*	13	*	13	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	6	*	6	*	6	*	*
All Other							
5 - 8 Years	59	*	59	*	59	*	*
9 - 11 Years	22	*	22	*	22	*	*
12 - 14 Years	35	*	35	*	35	*	*
15 - 19 Years	27	*	27	*	27	*	*
Total	143	0.7	143	2.1	143	18.9	19.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	1,038	4.0	1,038	2.3	1,038	17.1	19.8
9 - 11 Years	440	3.2	440	2.0	440	19.8	29.5
12 - 14 Years	467	6.9	467	1.1	467	20.3	26.6
15 - 19 Years	437	7.6	437	0.9	437	20.4	23.6
Total	2,382	5.1	2,382	1.8	2,382	18.8	23.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1,438	4.7	1,438	2.6	1,438	17.0	22.3
9 - 11 Years	698	4.2	698	2.0	698	18.6	27.5
12 - 14 Years	715	6.2	715	2.0	715	21.1	31.6
15 - 19 Years	649	8.0	649	1.7	649	19.4	21.1
Total	3,500	5.5	3,500	2.2	3,500	18.6	25.0
Black, Not Hispanic							
5 - 8 Years	114	2.6	114	4.4	114	19.3	16.7
9 - 11 Years	71	*	71	*	71	*	*
12 - 14 Years	78	*	78	*	78	*	*
15 - 19 Years	70	*	70	*	70	*	*
Total	333	2.4	333	1.5	333	18.0	24.9
Hispanic							
5 - 8 Years	1,740	4.7	1,740	2.1	1,740	18.8	24.9
9 - 11 Years	754	4.4	754	1.9	754	21.8	32.8
12 - 14 Years	661	6.5	661	0.8	661	16.0	35.9
15 - 19 Years	576	10.1	576	0.3	576	18.8	26.9
Total	3,731	5.8	3,731	1.6	3,731	18.9	28.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	6	*	6	*	6	*
Total	20	*	20	*	20	*
Asian						
5 - 8 Years	56	*	56	*	56	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 Years	42	*	42	*	42	*
15 - 19 Years	61	*	61	*	61	*
Total	194	10.3	194	2.6	194	17.5 18.6
Pacific Islander						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	21	*	21	*	21	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
All Other						
5 - 8 Years	368	3.5	368	4.9	368	17.1 18.2
9 - 11 Years	163	3.7	163	3.7	163	15.3 25.8
12 - 14 Years	169	4.7	169	2.4	169	22.5 22.5
15 - 19 Years	135	12.6	135	2.2	135	17.0 21.5
Total	835	5.3	835	3.7	835	17.8 21.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	3,739	4.6	3,739	2.7	3,739	17.9	22.8
9 - 11 Years	1,731	4.2	1,731	2.0	1,731	19.8	29.6
12 - 14 Years	1,670	5.8	1,670	1.4	1,670	19.0	32.1
15 - 19 Years	1,498	9.3	1,498	1.1	1,498	18.6	23.4
Total	8,638	5.6	8,638	2.0	8,638	18.6	26.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	84	*	84	*	84	*
9 - 11 Years	38	*	38	*	38	*
12 - 14 Years	40	*	40	*	40	*
15 - 19 Years	29	*	29	*	29	*
Total	191	5.8	191	4.2	191	13.6 23.0
Black, Not Hispanic						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	8	*	8	*	8	*
Hispanic						
5 - 8 Years	151	6.6	151	2.6	151	14.6 26.5
9 - 11 Years	75	*	75	*	75	*
12 - 14 Years	30	*	30	*	30	*
15 - 19 Years	35	*	35	*	35	*
Total	291	6.5	291	2.4	291	18.6 26.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	10	*	10	*	10	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	6	*	6	*	6	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	25	*	25	*	25	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	88	*	88	*	88	*	*
9 - 11 Years	34	*	34	*	34	*	*
12 - 14 Years	25	*	25	*	25	*	*
15 - 19 Years	30	*	30	*	30	*	*
Total	177	5.1	177	2.8	177	21.5	19.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	339	5.6	339	3.2	339	14.5	21.8
9 - 11 Years	154	6.5	154	2.6	154	22.7	23.4
12 - 14 Years	102	2.9	102	2.0	102	18.6	27.5
15 - 19 Years	100	8.0	100	4.0	100	19.0	22.0
Total	695	5.8	695	3.0	695	17.6	23.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	53	*	53	*	53	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	38	*	38	*	38	*
15 - 19 Years	57	*	57	*	57	*
Total	160	4.4	160	3.1	160	13.8 18.8
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Hispanic						
5 - 8 Years	79	*	79	*	79	*
9 - 11 Years	36	*	36	*	36	*
12 - 14 Years	33	*	33	*	33	*
15 - 19 Years	48	*	48	*	48	*
Total	196	6.6	196	2.6	196	16.3 28.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	244	4.1	244	2.9	244	11.9	16.0
9 - 11 Years	66	*	66	*	66	*	*
12 - 14 Years	66	*	66	*	66	*	*
15 - 19 Years	61	*	61	*	61	*	*
Total	437	5.0	437	2.3	437	15.1	19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	382	4.5	382	3.4	382	12.6	18.8
9 - 11 Years	114	4.4	114	0.9	114	18.4	29.8
12 - 14 Years	139	5.0	139	0.7	139	13.7	25.2
15 - 19 Years	167	7.8	167	3.0	167	19.8	19.8
Total	802	5.2	802	2.5	802	15.1	21.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	16	*	16	*	16	*	*
9 - 11 Years	8	*	8	*	8	*	*
12 - 14 Years	8	*	8	*	8	*	*
15 - 19 Years	8	*	8	*	8	*	*
Total	40	*	40	*	40	*	*
Black, Not Hispanic							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Hispanic							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	5	*	5	*	5	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	17	*	17	*	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	11	*	11	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 Years	17	*	17	*	17	*
15 - 19 Years	18	*	18	*	18	*
Total	70	*	70	*	70	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	386	2.8	386	4.4	386	14.2	16.1
9 - 11 Years	148	4.1	148	4.1	148	16.2	23.6
12 - 14 Years	156	3.8	156	1.3	156	23.1	20.5
15 - 19 Years	133	8.3	133	1.5	133	18.8	22.6
Total	823	4.1	823	3.3	823	17.0	19.3
Black, Not Hispanic							
5 - 8 Years	45	*	45	*	45	*	*
9 - 11 Years	21	*	21	*	21	*	*
12 - 14 Years	20	*	20	*	20	*	*
15 - 19 Years	27	*	27	*	27	*	*
Total	113	3.5	113	1.8	113	18.6	23.0
Hispanic							
5 - 8 Years	3,991	4.9	3,991	2.8	3,991	17.6	24.5
9 - 11 Years	1,965	4.3	1,965	2.0	1,965	20.0	34.4
12 - 14 Years	1,891	7.2	1,891	1.2	1,891	19.5	30.6
15 - 19 Years	1,603	10.0	1,603	1.9	1,603	18.2	24.2
Total	9,450	6.1	9,450	2.2	9,450	18.6	27.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	18	*	18	*	18	*
15 - 19 Years	20	*	20	*	20	*
Total	68	*	68	*	68	*
Asian						
5 - 8 Years	36	*	36	*	36	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	14	*	14	*	14	*
Total	76	*	76	*	76	*
Pacific Islander						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	3	*	3	*	3	*
Total	28	*	28	*	28	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	10	*	10	*	10	*
All Other						
5 - 8 Years	212	5.7	212	3.3	212	18.4
9 - 11 Years	122	6.6	122	2.5	122	18.9
12 - 14 Years	94	*	94	*	94	*
15 - 19 Years	70	*	70	*	70	*
Total	498	6.0	498	3.4	498	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	4,710	4.6	4,710	3.0	4,710	17.2	23.6
9 - 11 Years	2,285	4.4	2,285	2.2	2,285	19.7	33.5
12 - 14 Years	2,201	6.9	2,201	1.3	2,201	19.4	29.7
15 - 19 Years	1,870	9.7	1,870	1.9	1,870	18.5	23.9
Total	11,066	5.9	11,066	2.3	11,066	18.4	26.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
White, Not Hispanic						
5 - 8 Years	58	*	58	*	58	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	22	*	22	*	22	*
15 - 19 Years	23	*	23	*	23	*
Total	121	9.9	121	3.3	121	13.2 19.8
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Hispanic						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	18	*	18	*	18	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	12	*	12	*	12	*	*
9 - 11 Years	10	*	10	*	10	*	*
12 - 14 Years	9	*	9	*	9	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	33	*	33	*	33	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	81	*	81	*	81	*	*
9 - 11 Years	34	*	34	*	34	*	*
12 - 14 Years	35	*	35	*	35	*	*
15 - 19 Years	27	*	27	*	27	*	*
Total	177	9.0	177	2.8	177	15.8	22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	187	5.3	187	2.7	187	23.0	11.2
9 - 11 Years	77	*	77	*	77	*	*
12 - 14 Years	103	6.8	103	1.0	103	25.2	14.6
15 - 19 Years	103	2.9	103	1.9	103	18.4	19.4
Total	470	4.9	470	1.9	470	22.1	15.1
Black, Not Hispanic							
5 - 8 Years	26	*	26	*	26	*	*
9 - 11 Years	15	*	15	*	15	*	*
12 - 14 Years	32	*	32	*	32	*	*
15 - 19 Years	21	*	21	*	21	*	*
Total	94	*	94	*	94	*	*
Hispanic							
5 - 8 Years	2,442	5.8	2,442	1.7	2,442	18.8	25.5
9 - 11 Years	1,176	5.2	1,176	1.4	1,176	19.6	33.0
12 - 14 Years	1,047	6.2	1,047	1.3	1,047	20.3	26.9
15 - 19 Years	1,012	9.0	1,012	2.0	1,012	18.6	19.6
Total	5,677	6.3	5,677	1.6	5,677	19.2	26.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	10	*	10	*	10	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	20	*	20	*	20	*	*
Asian							
5 - 8 Years	24	*	24	*	24	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 Years	6	*	6	*	6	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	40	*	40	*	40	*	*
Pacific Islander							
5 - 8 Years	5	*	5	*	5	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	7	*	7	*	7	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	5	*	5	*	5	*	*
9 - 11 Years	4	*	4	*	4	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	14	*	14	*	14	*	*
All Other							
5 - 8 Years	239	2.9	239	5.4	239	15.5	19.7
9 - 11 Years	108	6.5	108	3.7	108	16.7	29.6
12 - 14 Years	131	1.5	131	0.8	131	16.0	22.9
15 - 19 Years	85	*	85	*	85	*	*
Total	563	3.9	563	3.7	563	15.8	22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	2,938	5.7	2,938	2.1	2,938	18.7	23.9
9 - 11 Years	1,393	5.5	1,393	1.6	1,393	19.5	31.6
12 - 14 Years	1,320	5.7	1,320	1.2	1,320	20.6	25.5
15 - 19 Years	1,234	8.3	1,234	2.2	1,234	18.1	19.3
Total	6,885	6.1	6,885	1.8	6,885	19.1	24.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	142	4.9	142	4.2	142	13.4	16.9
9 - 11 Years	74	*	74	*	74	*	*
12 - 14 Years	64	*	64	*	64	*	*
15 - 19 Years	86	*	86	*	86	*	*
Total	366	4.4	366	2.5	366	17.5	16.1
Black, Not Hispanic							
5 - 8 Years	28	*	28	*	28	*	*
9 - 11 Years	10	*	10	*	10	*	*
12 - 14 Years	9	*	9	*	9	*	*
15 - 19 Years	13	*	13	*	13	*	*
Total	60	*	60	*	60	*	*
Hispanic							
5 - 8 Years	435	3.9	435	2.5	435	17.5	22.8
9 - 11 Years	159	3.1	159	0.6	159	22.0	39.0
12 - 14 Years	139	2.9	139	0.7	139	15.8	28.8
15 - 19 Years	143	9.1	143	1.4	143	16.8	28.7
Total	876	4.5	876	1.7	876	17.9	27.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
American Indian/Alaska Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	14	*	14	*	14	*
Asian						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	11	*	11	*	11	*
Total	45	*	45	*	45	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	160	3.1	160	8.8	160	17.5 16.3
9 - 11 Years	103	4.9	103	2.9	103	15.5 27.2
12 - 14 Years	109	5.5	109	2.8	109	23.9 23.9
15 - 19 Years	82	*	82	*	82	* *
Total	454	5.1	454	5.1	454	17.2 21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	788	4.4	788	4.3	788	16.0	19.9
9 - 11 Years	355	4.2	355	1.7	355	20.3	29.6
12 - 14 Years	337	3.9	337	1.5	337	17.8	23.4
15 - 19 Years	340	7.1	340	1.8	340	15.9	23.8
Total	1,820	4.8	1,820	2.8	1,820	17.1	23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	151	8.6	151	3.3	151	17.2	13.2
9 - 11 Years	68	*	68	*	68	*	*
12 - 14 Years	65	*	65	*	65	*	*
15 - 19 Years	40	*	40	*	40	*	*
Total	324	7.1	324	2.2	324	18.2	21.3
Black, Not Hispanic							
5 - 8 Years	6	*	6	*	6	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	5	*	5	*	5	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	15	*	15	*	15	*	*
Hispanic							
5 - 8 Years	152	2.6	152	2.6	152	15.1	20.4
9 - 11 Years	83	*	83	*	83	*	*
12 - 14 Years	63	*	63	*	63	*	*
15 - 19 Years	33	*	33	*	33	*	*
Total	331	3.3	331	2.7	331	16.6	23.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 258
Run Date: 4/4/2012

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	5	*	5	*	5	*	*
Asian							
5 - 8 Years	24	*	24	*	24	*	*
9 - 11 Years	7	*	7	*	7	*	*
12 - 14 Years	10	*	10	*	10	*	*
15 - 19 Years	9	*	9	*	9	*	*
Total	50	*	50	*	50	*	*
Pacific Islander							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	5	*	5	*	5	*	*
All Other							
5 - 8 Years	57	*	57	*	57	*	*
9 - 11 Years	31	*	31	*	31	*	*
12 - 14 Years	27	*	27	*	27	*	*
15 - 19 Years	22	*	22	*	22	*	*
Total	137	8.0	137	2.2	137	15.3	23.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 260
Run Date: 4/4/2012

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	397	5.0	397	3.0	397	14.4	18.1
9 - 11 Years	194	2.6	194	2.1	194	18.0	29.9
12 - 14 Years	172	4.1	172	2.3	172	17.4	23.8
15 - 19 Years	108	13.9	108	1.9	108	23.1	24.1
Total	871	5.4	871	2.5	871	16.9	22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

