

Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 4/4/2012

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
White, Not Hispanic									
0 - 11 Months	4,129	6.3	4,129	5.9	4,129	8.2	0	0.0	0.0
12 - 23 Months	1,743	4.6	1,743	1.5	1,743	15.4	0	0.0	0.0
24 - 59 Months	2,709	3.3	2,709	5.1	2,709	13.2	2,709	14.8	13.2
Total	8,581	5.0	8,581	4.7	8,581	11.2	2,709	14.8	13.2
Black, Not Hispanic									
0 - 11 Months	8,663	12.8	8,663	4.9	8,663	13.0	0	0.0	0.0
12 - 23 Months	3,406	6.8	3,406	1.4	3,406	17.7	0	0.0	0.0
24 - 59 Months	5,599	3.2	5,599	5.5	5,599	13.8	5,599	15.4	13.8
Total	17,668	8.6	17,668	4.4	17,668	14.1	5,599	15.4	13.8
Hispanic									
0 - 11 Months	101,044	7.7	101,044	3.5	101,044	13.5	0	0.0	0.0
12 - 23 Months	41,678	5.6	41,678	1.0	41,678	21.1	0	0.0	0.0
24 - 59 Months	74,230	3.0	74,230	3.4	74,230	19.9	74,230	16.9	19.9
Total	216,952	5.7	216,952	3.0	216,952	17.2	74,230	16.9	19.9
American Indian/Alaska Native									
0 - 11 Months	83	*	83	*	83	*	0	*	*
12 - 23 Months	19	*	19	*	19	*	0	*	*
24 - 59 Months	39	*	39	*	39	*	39	*	*
Total	141	6.4	141	5.0	141	12.8	39	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4/4/2012

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
Asian									
0 - 11 Months	2,879	6.4	2,879	4.5	2,879	10.0	0	0.0	0.0
12 - 23 Months	1,271	4.6	1,271	1.4	1,271	10.1	0	0.0	0.0
24 - 59 Months	2,253	2.3	2,253	6.3	2,253	9.7	2,253	10.9	9.7
Total	6,403	4.6	6,403	4.5	6,403	9.9	2,253	10.9	9.7
Pacific Islander									
0 - 11 Months	307	10.1	307	4.6	307	12.4	0	0.0	0.0
12 - 23 Months	229	4.8	229	1.7	229	17.0	0	0.0	0.0
24 - 59 Months	330	4.2	330	2.4	330	22.1	330	14.8	22.1
Total	866	6.5	866	3.0	866	17.3	330	14.8	22.1
Filipino									
0 - 11 Months	542	9.8	542	5.4	542	9.6	0	0.0	0.0
12 - 23 Months	239	7.1	239	1.7	239	13.8	0	0.0	0.0
24 - 59 Months	284	3.9	284	4.9	284	14.8	284	9.9	14.8
Total	1,065	7.6	1,065	4.4	1,065	11.9	284	9.9	14.8
All Other									
0 - 11 Months	13,486	8.4	13,486	4.3	13,486	10.6	0	0.0	0.0
12 - 23 Months	3,981	6.1	3,981	1.1	3,981	17.2	0	0.0	0.0
24 - 59 Months	6,042	4.3	6,042	5.1	6,042	16.8	6,042	15.7	16.8
Total	23,509	6.9	23,509	3.9	23,509	13.3	6,042	15.7	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 4/4/2012

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
Total All Race/Ethnic Groups									
0 - 11 Months	131,133	8.1	131,133	3.7	131,133	12.9	0	0.0	0.0
12 - 23 Months	52,566	5.6	52,566	1.1	52,566	20.0	0	0.0	0.0
24 - 59 Months	91,486	3.1	91,486	3.8	91,486	18.9	91,486	16.5	18.9
Total	275,185	6.0	275,185	3.3	275,185	16.3	91,486	16.5	18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1,765	4.1	1,765	4.2	1,765	15.6	16.7
9 - 11 Years	1,125	3.8	1,125	4.8	1,125	18.8	22.2
12 - 14 Years	1,147	4.3	1,147	3.5	1,147	18.9	20.6
15 - 19 Years	1,248	5.7	1,248	3.5	1,248	16.3	17.7
Total	5,285	4.4	5,285	4.0	5,285	17.2	19.0
Black, Not Hispanic							
5 - 8 Years	4,054	2.2	4,054	3.5	4,054	16.5	16.5
9 - 11 Years	2,367	2.8	2,367	3.0	2,367	18.2	23.7
12 - 14 Years	2,398	3.6	2,398	2.3	2,398	18.8	24.3
15 - 19 Years	3,029	6.7	3,029	2.5	3,029	17.8	20.5
Total	11,848	3.8	11,848	2.9	11,848	17.6	20.5
Hispanic							
5 - 8 Years	53,752	3.6	53,752	2.7	53,752	17.4	24.1
9 - 11 Years	32,760	3.2	32,760	2.2	32,760	19.0	28.9
12 - 14 Years	32,059	5.2	32,059	1.8	32,059	20.5	25.0
15 - 19 Years	40,711	12.1	40,711	2.0	40,711	23.4	18.8
Total	159,282	6.0	159,282	2.2	159,282	19.9	23.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	21	*	21	*	21	*
Total	79	*	79	*	79	*
Asian						
5 - 8 Years	1,599	5.0	1,599	6.3	1,599	11.9
9 - 11 Years	977	4.0	977	5.2	977	17.2
12 - 14 Years	1,059	6.9	1,059	5.2	1,059	15.2
15 - 19 Years	1,203	12.1	1,203	6.7	1,203	11.3
Total	4,838	7.0	4,838	5.9	4,838	13.5
Pacific Islander						
5 - 8 Years	222	6.3	222	2.7	222	17.6
9 - 11 Years	114	1.8	114	3.5	114	14.9
12 - 14 Years	124	1.6	124	6.5	124	17.7
15 - 19 Years	103	13.6	103	4.9	103	22.3
Total	563	5.7	563	4.1	563	17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	278	6.1	278	3.6	278	12.2	19.8
9 - 11 Years	139	4.3	139	4.3	139	20.9	20.1
12 - 14 Years	148	15.5	148	3.4	148	16.2	26.4
15 - 19 Years	153	18.3	153	4.6	153	17.6	15.7
Total	718	10.3	718	3.9	718	15.9	20.3
All Other							
5 - 8 Years	3,950	5.7	3,950	3.6	3,950	16.1	18.9
9 - 11 Years	2,118	4.8	2,118	3.5	2,118	19.4	26.3
12 - 14 Years	1,977	6.6	1,977	2.3	1,977	19.1	23.7
15 - 19 Years	2,112	10.1	2,112	2.4	2,112	18.0	20.0
Total	10,157	6.6	10,157	3.1	10,157	17.8	21.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16G
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Los Angeles
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

State: California

Metro Area: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	65,652	3.7	65,652	2.9	65,652	17.0	22.8
9 - 11 Years	39,614	3.3	39,614	2.5	39,614	18.9	27.9
12 - 14 Years	38,924	5.2	38,924	2.1	38,924	20.1	24.4
15 - 19 Years	48,580	11.5	48,580	2.2	48,580	22.3	18.6
Total	192,770	5.9	192,770	2.5	192,770	19.4	23.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

