

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alameda	5,417	9.0 (29)	8.9 (21)	29,589	6.1 (48)	6.2 (34)	13.1 (34)	11,456	14.9 (18)	13.0 (24)	15,602	22.7 (60)
Alpine	22	* *	* *	89	* *	* *	* *	40	* *	* *	72	* *
Amador	135	10.4 (39)	8.1 (9)	502	7.2 (57)	6.0 (31)	14.7 (45)	177	13.6 (6)	10.7 (8)	425	11.8 (19)
Butte	1,000	12.9 (45)	8.3 (13)	5,345	5.5 (43)	8.7 (51)	10.0 (10)	2,247	17.6 (53)	12.0 (15)	3,747	18.0 (52)
Calaveras	151	9.9 (36)	6.6 (4)	657	5.9 (47)	5.0 (15)	13.7 (37)	289	19.4 (58)	15.2 (46)	522	11.7 (18)
City Of Be	52	* *	* *	483	5.2 (37)	5.6 (25)	12.8 (29)	217	16.1 (38)	17.1 (54)	278	18.3 (53)
Colusa	261	5.0 (2)	10.3 (33)	1,084	3.0 (1)	6.9 (40)	14.5 (44)	433	17.8 (54)	16.2 (50)	882	25.2 (61)
Contra Cos	1,968	9.8 (35)	9.4 (28)	11,546	5.4 (40)	7.1 (42)	13.0 (32)	4,291	16.7 (43)	13.7 (29)	6,241	18.4 (54)
Del Norte	223	8.1 (17)	10.8 (45)	1,015	6.1 (48)	3.8 (1)	14.0 (39)	453	16.1 (38)	14.8 (40)	857	16.5 (42)
El Dorado	439	9.6 (33)	9.3 (24)	1,877	4.3 (16)	9.1 (54)	8.4 (4)	753	12.9 (2)	8.4 (1)	1,560	10.3 (12)
Fresno	7,724	8.1 (17)	9.3 (24)	40,197	6.1 (48)	4.3 (5)	14.8 (46)	16,159	15.4 (23)	13.7 (29)	27,273	14.3 (31)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Glenn	222	7.2 (10)	14.0 (54)	975	3.6 (4)	6.7 (37)	14.3 (43)	412	13.3 (3)	18.7 (58)	956	22.0 (57)
Humboldt	769	6.6 (7)	13.7 (53)	3,647	5.0 (31)	4.5 (11)	12.8 (29)	1,362	17.1 (44)	15.1 (44)	2,054	12.2 (21)
Imperial	1,496	8.6 (25)	10.5 (40)	6,445	3.6 (4)	8.5 (49)	13.1 (34)	2,545	15.4 (23)	14.5 (38)	4,840	8.6 (5)
Inyo	137	9.5 (32)	4.4 (1)	629	5.2 (37)	5.2 (18)	12.4 (27)	242	13.6 (6)	14.0 (33)	359	7.5 (4)
Kern	6,107	8.3 (20)	10.4 (38)	27,641	5.0 (31)	5.9 (30)	14.0 (39)	10,653	15.4 (23)	12.9 (22)	21,353	10.8 (14)
Kings	820	12.3 (43)	8.0 (8)	3,932	4.8 (25)	4.3 (5)	14.8 (46)	1,396	13.3 (3)	12.5 (17)	2,984	17.7 (51)
L.A. East	31,236	6.5 (5)	8.6 (18)	143,482	4.9 (29)	4.3 (5)	16.7 (59)	53,202	16.0 (35)	16.6 (53)	93,110	13.4 (26)
L.A. North	15,608	6.6 (7)	9.2 (23)	77,786	4.8 (25)	4.6 (12)	15.8 (54)	29,502	15.6 (29)	16.2 (50)	46,993	13.2 (24)
L.A. Other	3,932	8.6 (25)	7.9 (7)	30,333	4.5 (21)	4.7 (13)	15.0 (48)	15,804	15.9 (33)	14.1 (34)	20,538	17.1 (46)
L.A. South	22,159	9.2 (31)	9.4 (28)	98,005	5.3 (39)	5.3 (21)	16.4 (58)	38,659	14.8 (17)	14.7 (39)	66,832	14.6 (33)
L.A. West	8,701	8.7 (27)	9.1 (22)	43,401	5.4 (40)	5.0 (15)	15.0 (48)	14,950	16.0 (35)	14.9 (41)	23,761	14.2 (30)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lake	415	8.7 (27)	8.2 (11)	1,717	3.9 (12)	7.2 (43)	12.3 (24)	682	13.5 (5)	10.0 (7)	1,119	10.2 (11)
Lassen	155	16.1 (49)	10.3 (33)	583	5.5 (43)	6.5 (35)	9.3 (7)	221	17.2 (46)	9.0 (4)	344	4.7 (1)
Long Beach	27	* *	* *	80	* *	* *	* *	27	* *	* *	57	* *
Madera	409	28.1 (54)	6.6 (4)	1,631	8.4 (61)	4.2 (4)	16.2 (57)	812	16.5 (41)	15.5 (47)	3,505	15.7 (38)
Marin	183	8.2 (19)	14.2 (55)	2,447	5.0 (31)	5.1 (17)	12.9 (31)	832	14.7 (16)	12.7 (20)	810	11.1 (15)
Mariposa	56	* *	* *	223	4.0 (13)	11.2 (59)	7.6 (3)	113	10.6 (1)	8.8 (2)	164	9.8 (10)
Mendocino	716	5.4 (4)	10.3 (33)	2,395	3.6 (4)	11.1 (58)	10.6 (14)	779	16.3 (40)	15.0 (42)	1,077	13.2 (24)
Merced	2,780	10.7 (40)	7.5 (6)	10,975	6.1 (48)	3.8 (1)	15.0 (48)	4,254	16.0 (35)	14.1 (34)	9,262	16.0 (41)
Modoc	63	* *	* *	242	3.3 (3)	14.9 (61)	6.6 (1)	88	* *	* *	172	7.0 (3)
Mono	31	* *	* *	228	7.9 (60)	6.1 (33)	9.2 (6)	97	* *	* *	109	9.2 (7)
Monterey	2,592	16.6 (50)	10.6 (41)	11,012	3.7 (8)	5.6 (25)	15.2 (51)	4,320	17.5 (51)	17.1 (54)	11,716	15.3 (36)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Napa	383	7.3 (12)	12.5 (50)	2,249	3.2 (2)	12.3 (60)	8.8 (5)	706	13.9 (12)	12.9 (22)	1,044	20.4 (56)
Nevada	339	6.5 (5)	10.6 (41)	1,572	4.0 (13)	10.2 (56)	7.1 (2)	605	14.9 (18)	9.1 (5)	860	14.0 (29)
Orange	14,847	7.4 (14)	8.5 (15)	71,498	4.4 (18)	5.3 (21)	15.2 (51)	26,536	15.9 (33)	15.8 (49)	48,128	14.6 (33)
Pasadena	5	* *	* *	17	* *	* *	* *	7	* *	* *	10	* *
Placer	528	13.6 (46)	10.6 (41)	2,527	5.7 (45)	8.1 (48)	9.9 (9)	892	13.7 (8)	11.9 (14)	1,526	14.5 (32)
Plumas	104	12.5 (44)	8.7 (20)	481	4.4 (18)	10.4 (57)	9.6 (8)	207	14.5 (15)	12.6 (19)	316	11.4 (17)
Riverside	7,188	8.4 (22)	8.3 (13)	38,122	6.4 (55)	4.4 (10)	15.7 (53)	14,531	15.1 (20)	14.3 (37)	26,968	15.7 (38)
Sacramento	4,328	11.9 (42)	10.1 (31)	27,700	4.9 (29)	7.6 (46)	11.0 (16)	11,072	13.7 (8)	10.7 (8)	17,201	17.2 (48)
San Benito	166	45.2 (55)	4.8 (2)	530	7.5 (58)	4.9 (14)	17.7 (61)	221	22.2 (59)	19.5 (59)	894	9.6 (8)
San Bernar	10,492	7.6 (15)	8.1 (9)	56,677	6.1 (48)	5.2 (18)	13.9 (38)	22,210	13.7 (8)	11.7 (13)	33,370	17.4 (49)
San Diego	16,021	6.7 (9)	10.2 (32)	74,619	5.0 (31)	7.2 (43)	12.6 (28)	28,378	15.5 (26)	13.4 (27)	53,341	12.8 (22)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
San Franci	1,538	24.8 (53)	5.6 (3)	9,204	6.2 (54)	4.3 (5)	15.9 (56)	3,977	18.7 (57)	17.5 (56)	4,299	9.1 (6)
San Joaqui	5,101	9.1 (30)	8.6 (18)	20,871	6.1 (48)	5.6 (25)	13.2 (36)	8,601	15.6 (29)	13.9 (32)	13,972	9.6 (8)
San Luis O	1,044	8.5 (23)	10.9 (47)	4,548	4.7 (24)	7.7 (47)	11.6 (20)	1,704	17.8 (54)	15.0 (42)	2,324	17.6 (50)
San Mateo	1,756	10.1 (37)	8.5 (15)	10,476	3.7 (8)	6.8 (38)	13.0 (32)	3,951	17.5 (51)	15.1 (44)	5,021	13.4 (26)
Santa Barb	2,421	9.6 (33)	9.3 (24)	12,698	4.6 (22)	5.4 (24)	14.0 (39)	5,175	17.4 (49)	16.3 (52)	10,251	10.4 (13)
Santa Clar	4,692	13.8 (47)	8.2 (11)	30,930	4.4 (18)	7.0 (41)	12.0 (22)	11,242	15.2 (21)	13.4 (27)	16,830	15.4 (37)
Santa Cruz	1,130	7.2 (10)	10.4 (38)	6,159	4.3 (16)	5.7 (29)	14.0 (39)	2,198	17.1 (44)	14.2 (36)	3,729	13.0 (23)
Shasta	1,140	22.5 (51)	11.9 (49)	5,212	5.1 (36)	5.3 (21)	11.5 (18)	1,963	13.8 (11)	10.7 (8)	2,999	11.2 (16)
Sierra	12	* *	* *	49	* *	* *	* *	21	* *	* *	27	* *
Siskiyou	283	8.5 (23)	8.5 (15)	1,346	5.7 (45)	5.6 (25)	11.0 (16)	576	15.6 (29)	13.7 (29)	950	11.8 (19)
Solano	1,977	8.3 (20)	10.7 (44)	7,799	5.0 (31)	6.6 (36)	11.8 (21)	2,612	15.5 (26)	12.1 (16)	4,180	15.9 (40)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sonoma	1,141	7.3 (12)	10.3 (33)	7,384	3.8 (11)	9.0 (52)	10.0 (10)	2,613	15.8 (32)	11.3 (12)	3,695	16.5 (42)
Stanislaus	2,669	22.7 (52)	9.3 (24)	10,207	4.8 (25)	7.2 (43)	12.3 (24)	4,303	13.9 (12)	12.8 (21)	11,552	17.1 (46)
Sutter	611	5.1 (3)	10.3 (33)	1,794	4.8 (25)	9.0 (52)	10.1 (13)	655	14.2 (14)	9.9 (6)	1,602	22.2 (58)
Tehama	411	10.2 (38)	12.9 (52)	1,869	4.6 (22)	6.0 (31)	12.1 (23)	695	17.4 (49)	13.2 (26)	1,280	13.8 (28)
Trinity	36	* *	* *	339	4.1 (15)	6.8 (38)	10.0 (10)	160	18.1 (56)	8.8 (2)	216	6.5 (2)
Tulare	3,087	10.9 (41)	9.9 (30)	16,497	5.4 (40)	3.8 (1)	15.8 (54)	6,123	15.3 (22)	13.0 (24)	11,958	14.9 (35)
Tuolumne	84	* *	* *	630	6.8 (56)	4.3 (5)	10.6 (14)	285	17.2 (46)	10.9 (11)	494	16.6 (45)
Ventura	4,006	15.3 (48)	10.8 (45)	12,630	3.7 (8)	5.2 (18)	16.7 (59)	4,622	17.3 (48)	18.2 (57)	11,609	16.5 (42)
Yolo	656	7.8 (16)	12.5 (50)	4,401	3.6 (4)	8.6 (50)	11.5 (18)	1,688	15.5 (26)	12.5 (17)	2,572	22.2 (58)
Yuba	600	3.8 (1)	11.5 (48)	1,976	7.7 (59)	9.7 (55)	12.3 (24)	764	16.5 (41)	15.6 (48)	1,810	20.3 (55)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>California</b>	<b>204,802</b>	<b>8.9</b>	<b>9.2</b>	<b>1,003,204</b>	<b>5.1</b>	<b>5.5</b>	<b>14.6</b>	<b>386,760</b>	<b>15.5</b>	<b>14.4</b>	<b>664,602</b>	<b>14.6</b>
<b>Nation (Prior Year)</b>	<b>1,270,449</b>	<b>9.2</b>	<b>8.5</b>	<b>5,192,014</b>	<b>6.8</b>	<b>6.2</b>	<b>11.2</b>	<b>2,168,677</b>	<b>13.9</b>	<b>10.9</b>	<b>3,855,156</b>	<b>15.8</b>

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)							
County	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alameda	12,697	8.0 (38)	4.5 (56)	15.0 (17)	13.9 (22)	9,956	21.7 (57)
Alpine	24	* *	* *	* *	* *	34	* *
Amador	184	8.7 (42)	1.1 (1)	12.5 (2)	14.7 (33)	251	15.1 (39)
Butte	2,028	7.8 (35)	3.0 (29)	15.8 (30)	13.0 (11)	1,912	17.9 (49)
Calaveras	344	6.7 (21)	3.2 (32)	13.1 (4)	10.8 (5)	354	13.3 (28)
City Of Be	283	7.1 (26)	1.8 (3)	14.1 (9)	15.2 (40)	234	21.4 (55)
Colusa	431	5.8 (6)	2.6 (14)	15.1 (20)	13.5 (16)	446	19.1 (52)
Contra Cos	4,853	8.6 (41)	2.7 (16)	15.9 (33)	16.1 (49)	4,353	17.6 (48)
Del Norte	387	7.5 (30)	2.8 (19)	18.9 (59)	13.7 (18)	494	21.7 (57)
El Dorado	754	5.8 (6)	3.8 (48)	12.9 (3)	10.7 (4)	972	6.4 (2)
Fresno	16,070	9.1 (48)	3.9 (49)	14.9 (15)	14.1 (24)	15,226	11.8 (16)
Glenn	327	7.0 (25)	3.7 (45)	17.7 (49)	19.3 (58)	417	15.3 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)							
County	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Humboldt	1,228	5.9 (8)	2.9 (24)	16.4 (38)	15.1 (38)	1,035	16.0 (44)
Imperial	2,413	6.3 (13)	2.5 (13)	18.4 (57)	19.1 (57)	2,520	10.0 (11)
Inyo	248	7.7 (33)	2.8 (19)	18.1 (52)	12.1 (9)	228	8.8 (6)
Kern	7,603	7.5 (30)	4.0 (51)	15.8 (30)	15.3 (43)	8,266	11.6 (15)
Kings	1,166	6.5 (17)	3.2 (32)	13.4 (5)	13.9 (22)	1,379	14.3 (33)
L.A. East	58,416	9.7 (52)	2.9 (24)	17.3 (46)	16.7 (53)	50,244	11.8 (16)
L.A. North	44,839	6.8 (23)	2.8 (19)	17.3 (46)	16.1 (49)	42,680	11.9 (18)
L.A. Other	13,544	5.9 (8)	3.2 (32)	16.7 (43)	16.6 (52)	11,484	15.3 (42)
L.A. South	45,144	6.6 (19)	3.4 (38)	16.6 (42)	15.6 (46)	44,408	12.6 (24)
L.A. West	14,495	6.6 (19)	3.3 (36)	16.2 (37)	15.0 (37)	13,148	14.3 (33)
Lake	487	6.4 (15)	3.7 (45)	15.8 (30)	15.4 (44)	441	8.4 (4)
Lassen	254	9.4 (49)	2.8 (19)	15.0 (17)	11.8 (7)	224	2.2 (1)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)							
County	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Long Beach	59	* *	* *	* *	* *	50	* *
Madera	800	9.4 (49)	3.4 (38)	15.5 (25)	14.1 (24)	1,688	12.6 (24)
Marin	937	6.7 (21)	2.1 (7)	16.0 (34)	15.2 (40)	400	9.8 (9)
Mariposa	165	3.6 (1)	4.8 (59)	13.9 (8)	9.7 (2)	149	8.7 (5)
Mendocino	775	5.9 (8)	3.0 (29)	18.3 (55)	14.2 (26)	545	11.9 (18)
Merced	3,707	10.7 (56)	2.7 (16)	16.4 (38)	13.7 (18)	4,654	14.7 (37)
Modoc	79	* *	* *	* *	* *	95	* *
Mono	71	* *	* *	* *	* *	75	* *
Monterey	3,257	7.1 (26)	2.2 (8)	17.7 (49)	18.5 (56)	4,978	14.7 (37)
Napa	745	6.4 (15)	3.5 (42)	18.1 (52)	14.9 (36)	628	20.9 (53)
Nevada	616	4.5 (2)	3.2 (32)	11.9 (1)	9.3 (1)	490	10.2 (12)
Orange	31,274	9.5 (51)	3.5 (42)	16.0 (34)	14.3 (28)	30,193	16.3 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)							
County	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pasadena	7	* *	* *	* *	* *	8	* *
Placer	830	10.0 (53)	3.4 (38)	14.8 (14)	14.3 (28)	854	9.8 (9)
Plumas	247	8.1 (40)	2.0 (6)	18.2 (54)	14.6 (32)	240	9.2 (8)
Riverside	13,827	8.8 (44)	3.4 (38)	14.9 (15)	15.2 (40)	13,543	15.1 (39)
Sacramento	11,365	7.5 (30)	4.3 (53)	14.7 (12)	13.3 (14)	10,285	18.7 (51)
San Benito	236	10.6 (55)	1.7 (2)	16.5 (40)	19.9 (59)	546	10.4 (13)
San Bernar	21,082	6.0 (11)	3.9 (49)	14.7 (12)	13.4 (15)	17,518	15.2 (41)
San Diego	24,445	8.7 (42)	3.6 (44)	15.5 (25)	14.7 (33)	26,159	12.4 (22)
San Franci	4,449	10.3 (54)	2.9 (24)	15.5 (25)	14.3 (28)	3,629	12.0 (21)
San Joaqui	7,646	12.0 (58)	4.3 (53)	13.4 (5)	13.2 (13)	6,936	13.0 (26)
San Luis O	1,641	7.9 (36)	2.3 (10)	17.2 (45)	14.4 (31)	1,323	14.4 (35)
San Mateo	4,521	8.9 (46)	2.6 (14)	18.4 (57)	16.4 (51)	3,297	12.5 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)							
County	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Santa Barb	3,971	9.0 (47)	1.9 (5)	17.7 (49)	15.6 (46)	4,164	10.5 (14)
Santa Clar	10,784	11.0 (57)	4.6 (58)	15.0 (17)	13.8 (21)	9,771	13.8 (32)
Santa Cruz	2,064	6.5 (17)	2.8 (19)	17.6 (48)	16.0 (48)	2,082	13.4 (29)
Shasta	1,595	5.7 (5)	2.4 (12)	15.1 (20)	10.2 (3)	1,385	11.9 (18)
Sierra	38	* *	* *	* *	* *	36	* *
Siskiyou	817	5.4 (3)	2.7 (16)	15.7 (28)	11.9 (8)	752	9.0 (7)
Solano	2,480	5.4 (3)	3.0 (29)	16.5 (40)	14.2 (26)	2,087	18.4 (50)
Sonoma	2,451	6.8 (23)	2.2 (8)	17.1 (44)	13.1 (12)	1,839	13.7 (31)
Stanislaus	4,409	8.8 (44)	4.4 (55)	15.2 (22)	14.7 (33)	6,303	14.4 (35)
Sutter	574	7.7 (33)	4.0 (51)	15.3 (23)	15.5 (45)	680	21.6 (56)
Tehama	593	7.9 (36)	2.9 (24)	16.0 (34)	11.3 (6)	437	13.0 (26)
Trinity	174	8.0 (38)	2.3 (10)	14.4 (10)	16.7 (53)	106	6.6 (3)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**1995 Pediatric Nutrition Surveillance** (1)  
**California**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged 5 to <20 Years** (2)

Comparison of Growth and Anemia Indicators by County (3,4)							
County	Height and Weight					Anemia Low Hb/Hct (7)	
	Short Stature (5)	Under- weight (6)	Over- weight (6)				
	Number	% <5th (Rank)	% <5th (Rank)	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Tulare	5,370	7.3 (29)	2.9 (24)	15.7 (28)	13.6 (17)	6,118	13.5 (30)
Tuolumne	313	6.1 (12)	4.5 (56)	13.4 (5)	12.1 (9)	288	17.0 (47)
Ventura	4,322	6.3 (13)	1.8 (3)	18.3 (55)	17.1 (55)	6,396	16.7 (46)
Yolo	1,811	7.1 (26)	3.3 (36)	15.4 (24)	13.7 (18)	1,484	21.3 (54)
Yuba	1,136	15.6 (59)	3.7 (45)	14.4 (10)	15.1 (38)	1,278	23.1 (59)
<b>California</b>	<b>403,902</b>	<b>8.1</b>	<b>3.3</b>	<b>16.2</b>	<b>15.1</b>	<b>384,195</b>	<b>13.8</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Based on 2000 CDC growth chart percentiles for height-for-age for children 2 years of age and older.

(6) Based on CDC growth chart percentiles for BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.