

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| Included Diagnoses from the Contract Between DHCS and the MHPs | | ICD-10 | Mapping |
|---|---|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 290.42 | Vascular Dementia, with Delusions | F01.51 | Vascular dementia with behavioral disturbance |
| 290.43 | Vascular Dementia, with Depressed Mood | F01.51 | Vascular dementia with behavioral disturbance |
| 291.3 | Alcohol-Induced Psychotic Disorder, With Hallucinations | F10.951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations |
| | | F10.151 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations |
| | | F10.251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations |
| 291.5 | Alcohol-Induced Psychotic Disorder, With Delusions | F10.950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions |
| | | F10.150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions |
| | | F10.250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions |
| 291.89 | Alcohol-Induced Anxiety Disorder | F10.288 | Alcohol dependence with other alcohol-induced disorder |
| | | F10.180 | Alcohol abuse with alcohol-induced anxiety disorder |
| | | F10.280 | Alcohol dependence with alcohol-induced anxiety disorder |
| | Alcohol-Induced Mood Disorder | F10.14 | Alcohol abuse with alcohol-induced mood disorder |
| | | F10.24 | Alcohol dependence with alcohol-induced mood disorder |
| | | F10.94 | Alcohol use, unspecified with alcohol-induced mood disorder |
| 292.11 | Amphetamine-Induced Psychotic Disorder, With Delusions | F15.150 | Other stimulant abuse with stimulant-induced psychotic disorder with delusions |
| | | F15.250 | Stimulant-induced psychotic disorder with delusions |
| | | F15.950 | Stimulant-induced psychotic disorder with delusions |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.11 | Cannabis-Induced Psychotic Disorder, With Delusions | F12.150 | Cannabis abuse with psychotic disorder with delusions |
| | | F12.250 | Cannabis dependence with psychotic disorder with delusions |
| | | F12.950 | Cannabis use, unspecified with psychotic disorder with delusions |
| | Cocaine-Induced Psychotic Disorder, With Delusions | F14.150 | Cocaine abuse with cocaine-induced psychotic disorder with delusions |
| | | F14.250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions |
| | | F14.950 | Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions |
| | Hallucinogen-Induced Psychotic Disorder, With Delusions | F16.150 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions |
| | | F16.250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions |
| | | F16.950 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions |
| | Inhalant-Induced Psychotic Disorder, With Delusions | F18.150 | Inhalant abuse with inhalant-induced psychotic disorder with delusions |
| | | F18.250 | Inhalant depend with inhalant-induced psychotic disorder with delusions |
| | | F18.950 | Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions |
| | Opioid-Induced Psychotic Disorder, With Delusions | F11.150 | Opioid abuse with opioid-induced psychotic disorder with delusions |
| | | F11.250 | Opioid dependence with opioid-induced psychotic disorder with delusions |
| | | F11.950 | Opioid use, unspecified with opioid-induced psychotic disorder with delusions |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|--|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.11 | Other (or Unknown) Substance-Induced Psychotic Disorder, With Delusions | F19.150 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions |
| | | F19.19 | Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder |
| | | F19.250 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions |
| | | F19.950 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions |
| | Phencyclidine-Induced Psychotic Disorder, With Delusions | F16.150 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions |
| | | F16.250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions |
| | | F16.950 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions |
| | Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Delusions | F13.150 | Sedative, hypnotic, or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder w delusions |
| | | F13.250 | Sedative, hypnotic, or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder w delusions |
| | | F13.950 | Sedative, hypnotic, or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with delusions |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.12 | Amphetamine-Induced Psychotic Disorder, With Hallucinations | F15.151 | Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations |
| | | F15.251 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations |
| | | F15.951 | Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations |
| | Cannabis-Induced Psychotic Disorder, With Hallucinations | F12.151 | Cannabis abuse with cannabis-induced psychotic disorder with hallucinations |
| | | F12.251 | Cannabis dependence with cannabis-induced psychotic disorder with hallucinations |
| | | F12.951 | Cannabis use, unspecified with cannabis-induced psychotic disorder with hallucinations |
| | Cocaine-Induced Psychotic Disorder, With Hallucinations | F14.151 | Cocaine abuse with cocaine-induced psychotic disorder with hallucinations |
| | | F14.251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations |
| | | F14.951 | Cocain use, unspecified with cocaine-induced psychotic disorder with hallucinations |
| | Hallucinogen-Induced Psychotic Disorder, With Hallucinations | F16.151 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations |
| | | F16.251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations |
| | | F16.951 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations |
| 292.12 | Inhalant-Induced Psychotic Disorder, With Hallucinations | F18.151 | Inhalant abuse with inhalant-induced psychotic disorder with hallucinations |
| | | F18.251 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations |
| | | F18.951 | Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.12 | Opioid-Induced Psychotic Disorder, With Hallucinations | F11.151 | Opioid abuse with opioid-induced psychotic disorder with hallucinations |
| | | F11.251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| | | F11.951 | Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations |
| | Other (or Unknown) Substance-Induced Psychotic Disorder, With Hallucinations | F19.151 | Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations |
| | | F19.251 | Other sychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations |
| | | F19.951 | Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations |
| | Phencyclidine-Induced Psychotic Disorder, With Hallucinations | F16.151 | Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations |
| | | F16.251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations |
| | | F16.951 | Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations |
| | Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder, With Hallucinations | F13.151 | Sedative, hypnotic, or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with hallucinations |
| | | F13.251 | Sedative, hypntotic, or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with hallucinations |
| | | F13.951 | Sedative, hypnotic, or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced psychotic disorder with hallucinations |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|--|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.84 | Amphetamine-Induced Mood Disorder | F15.14 | Other stimulant abuse with stimulant-induced mood disorder |
| | | F15.24 | Other stimulant dependence with stimulant-induced mood disorder |
| | | F15.94 | Other stimulant use, unspecified with stimulant-induced mood disorder |
| | Cocaine-Induced Mood Disorder | F14.14 | Cocaine abuse with cocaine-induced mood disorder |
| | | F14.24 | Cocaine dependence with cocaine-induced mood disorder |
| | | F14.94 | Cocaine use, unspecified with cocaine-induced mood disorder |
| | Hallucinogen-Induced Mood Disorder | F16.14 | Hallucinogen abuse with hallucinogen-induced mood disorder |
| | | F16.24 | Hallucinogen dependence with hallucinogen-induced mood disorder |
| | | F16.94 | Hallucinogen use, unspecified with hallucinogen-induced mood disorder |
| | Inhalant-Induced Mood Disorder | F18.14 | Inhalant abuse with inhalant-induced mood disorder |
| | | F18.24 | Inhalant dependence with inhalant-induced mood disorder |
| | Opioid-Induced Mood Disorder | F11.14 | Opioid abuse with opioid-induced mood disorder |
| | | F11.24 | Opioid dependence with opioid-induced mood disorder |
| | | F11.94 | Opioid use, unspecified with opioid-induced mood disorder |
| | 292.84 | Other (or Unknown) Substance-Induced Mood Disorder | F19.14 |
| F19.24 | | | Other psychoactive substance dependence with psychoactive substance-induced mood disorder |
| F19.94 | | | Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.84 | Phencyclidine-Induced Mood Disorder | F16.14 | Hallucinogen abuse with hallucinogen-induced mood disorder |
| | | F16.24 | Hallucinogen dependence with hallucinogen-induced mood disorder |
| | | F16.94 | Hallucinogen use, unspecified with hallucinogen-induced mood disorder |
| | Sedative-, Hypnotic-, or Anxiolytic-Induced Mood Disorder | F13.14 | Sedative, hypnotic or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced mood disorder |
| | | F13.24 | Sedative, hypnotic or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced mood disorder |
| | | F13.94 | Sedative, hypnotic or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced mood disorder |
| | | F19.982 | Other (or unknown) stimulant-induced sleep disorder without other (or unknown) substance use disorder |
| 292.89 | Amphetamine-Induced Anxiety Disorder | F15.180 | Other stimulant abuse with stimulant-induced anxiety disorder |
| | | F15.280 | Other stimulant dependence with stimulant-induced anxiety disorder |
| | | F15.980 | Other stimulant use, unspecified with stimulant-induced anxiety disorder |
| | Caffeine-Induced Anxiety Disorder | F15.180 | Other stimulant abuse with other stimulant-induced anxiety disorder |
| | | F15.280 | Other stimulant dependence with other stimulant-induced anxiety disorder |
| | | F15.980 | Other stimulant use, unspecified with other stimulant-induced anxiety disorder |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.89 | Cannabis-Induced Anxiety Disorder | F12.180 | Cannabis abuse with cannabis-induced anxiety disorder |
| | | F12.280 | Cannabis dependence with cannabis-induced anxiety disorder |
| | | F12.980 | Cannabis use, unspecified with cannabis-induced anxiety disorder |
| | Cocaine-Induced Anxiety Disorder | F14.180 | Cocaine abuse with cocaine-induced anxiety disorder |
| | | F14.280 | Cocaine dependence with cocaine-induced anxiety disorder |
| | | F14.980 | Cocaine use, unspecified, with cocaine-induced anxiety disorder |
| | Hallucinogen Persisting Perception Disorder | F16.183 | Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks) |
| | | F16.283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) |
| | | F16.983 | Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks) |
| | Inhalant-Induced Anxiety Disorder | F18.188 | Inhalant abuse with other inhalant-induced disorder |
| | | F18.288 | Inhalant dependence with other inhalant-induced disorder |
| | | F18.988 | Inhalant use, unspecified with other inhalant-induced disorder |
| | Opioid-Induced Anxiety Disorder | F11.188 | Opioid-induced anxiety disorder with opioid use disorder, mild |
| | | F11.288 | Opioid-induced anxiety disorder with opioid use disorder, moderate or severe |
| | | F11.988 | Opioid-induced anxiety disorder without opioid use disorder |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 292.89 | Other (or Unknown) Substance-Induced Anxiety Disorder | F19.180 | Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder |
| | | F19.280 | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder |
| | | F19.980 | Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder |
| | Phencyclidine-Induced Anxiety Disorder | F16.180 | Hallucinogen abuse with hallucinogen-induced anxiety disorder |
| | | F16.280 | Hallucinogen dependence with hallucinogen-induced anxiety disorder |
| | | F16.980 | Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder |
| | Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder | F13.180 | Sedative, hypnotic or anxiolytic abuse with sedative-, hypnotic-, or anxiolytic-induced anxiety disorder |
| | | F13.280 | Sedative, hypnotic or anxiolytic dependence with sedative-, hypnotic-, or anxiolytic-induced anxiety disorder |
| | | F13.980 | Sedative, hypnotic or anxiolytic use, unspecified with sedative-, hypnotic-, or anxiolytic-induced anxiety disorder |
| 295.10 | Schizophrenia, Disorganized Type | F20.1 | Disorganized schizophrenia |
| 295.20 | Schizophrenia, Catatonic Type | F20.2 | Catatonic schizophrenia |
| 295.30 | Schizophrenia, Paranoid Type | F20.0 | Paranoid schizophrenia |
| 295.40 | Schizophreniform Disorder | F20.81 | Schizophreniform disorder |
| 295.60 | Schizophrenia, Residual Type | F20.5 | Residual schizophrenia |
| 295.70 | Schizoaffective Disorder | F25.0 | Schizoaffective disorder, bipolar type |
| | | F25.1 | Schizoaffective disorder, depressive type |
| | | F25.8 | Other schizoaffective disorders |
| | | F25.9 | Schizoaffective disorder, unspecified |
| 295.90 | Schizophrenia, Undifferentiated Type | F20.3 | Undifferentiated schizophrenia |
| | | F20.9 | Schizophrenia, unspecified |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|--|-----------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 296.00 | Bipolar I Disorder, Single Manic Episode, Unspecified | F30.10 F30.9 | Manic episode without psychotic symptoms, unspecified Manic episode, unspecified |
| 296.01 | Bipolar I Disorder, Single Manic Episode, Mild | F30.11 | Manic episode without psychotic symptoms, mild |
| 296.02 | Bipolar I Disorder, Single Manic Episode, Moderate | F30.12 | Manic episode without psychotic symptoms, moderate |
| 296.03 | Bipolar I Disorder, Single Manic Episode, Severe Without Psychotic Features | F30.13 | Manic episode without psychotic symptoms, severe |
| 296.04 | Bipolar I Disorder, Single Manic Episode, Severe With Psychotic Features | F30.2 | Manic episode, severe, with psychotic symptoms |
| 296.05 | Bipolar I Disorder, Single Manic Episode, In Partial Remission | F30.3 | Manic episode in partial remission |
| 296.06 | Bipolar I Disorder, Single Manic Episode, In Full Remission | F30.4 | Manic episode in full remission |
| 296.20 | Major Depressive Disorder, Single Episode, Unspecified | F32.9 | Major depressive disorder, single episode, unspecified |
| 296.21 | Major Depressive Disorder, Single Episode, Mild | F32.0 | Major depressive disorder, single episode, mild |
| 296.22 | Major Depressive Disorder, Single Episode, Moderate | F32.1 | Major depressive disorder, single episode, moderate |
| 296.23 | Major Depressive Disorder, Single Episode, Severe Without Psychotic Features | F32.2 | Major depressive disorder, single episode, severe, without psychotic features |
| 296.24 | Major Depressive Disorder, Single Episode, Severe With Psychotic Features | F32.3 | Major depressive disorder, single episode, severe, with psychotic features |
| 296.25 | Major Depressive Disorder, Single Episode, In Partial Remission | F32.4 | Major depressive disorder, single episode, in partial remission |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|--|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 296.26 | Major Depressive Disorder, Single Episode, In Full Remission | F32.5 | Major depressive disorder, single episode, in full remission |
| 296.30 | Major Depressive Disorder, Recurrent, Unspecified | F33.40 | Major depressive disorder, recurrent, in remission, unspecified |
| | | F33.9 | Major depressive disorder, recurrent, unspecified |
| 296.31 | Major Depressive Disorder, Recurrent, Mild | F33.0 | Major depressive disorder, recurrent, mild |
| 296.32 | Major Depressive Disorder, Recurrent, Moderate | F33.1 | Major depressive disorder, recurrent, moderate |
| 296.33 | Major Depressive Disorder, Recurrent, Severe Without Psychotic Features | F33.2 | Major depressive disorder, recurrent, severe, without psychotic features |
| 296.34 | Major Depressive Disorder, Recurrent, Severe With Psychotic Features | F33.3 | Major depressive disorder, recurrent, severe, with psychotic symptoms |
| 296.35 | Major Depressive Disorder, Recurrent, In Partial Remission | F33.41 | Major depressive disorder, recurrent, in partial remission |
| 296.36 | Major Depressive Disorder, Recurrent, In Full Remission | F33.42 | Major depressive disorder, recurrent, in full remission |
| 296.40 | Bipolar I Disorder, Most Recent Episode Hypomanic | F31.0 | Bipolar disorder, current episode hypomanic |
| | | F31.89 | Other bipolar disorder |
| | Bipolar I Disorder, Most Recent Episode Manic, Unspecified | F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified |
| 296.41 | Bipolar I Disorder, Most Recent Episode Manic, Mild | F31.11 | Bipolar disorder, current episode manic without psychotic features, mild |
| 296.42 | Bipolar I Disorder, Most Recent Episode Manic, Moderate | F31.12 | Bipolar disorder, current episode manic without psychotic features, moderate |
| 296.43 | Bipolar I Disorder, Most Recent Episode Manic, Severe Without Psychotic Features | F31.13 | Bipolar disorder, current episode manic without psychotic features, severe |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|--|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 296.44 | Bipolar I Disorder, Most Recent Episode Manic, Severe With Psychotic Features | F31.2 | Bipolar disorder, current episode manic, severe, with psychotic features |
| 296.45 | Bipolar I Disorder, Most Recent Episode Manic, In Partial Remission | F31.73 | Bipolar disorder, in partial remission, most recent episode manic |
| 296.46 | Bipolar I Disorder, Most Recent Episode Manic, In Full Remission | F31.74 | Bipolar disorder, in full remission, most recent episode manic |
| 296.50 | Bipolar I Disorder, Most Recent Episode Depressed, Unspecified | F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| 296.51 | Bipolar I Disorder, Most Recent Episode Depressed, Mild | F31.31 | Bipolar disorder, current episode depressed, mild |
| 296.52 | Bipolar I Disorder, Most Recent Episode Depressed, Moderate | F31.32 | Bipolar disorder, current episode depressed, moderate |
| 296.53 | Bipolar I Disorder, Most Recent Episode Depressed, Severe Without Psychotic Features | F31.4 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| 296.54 | Bipolar I Disorder, Most Recent Episode Depressed, Severe With Psychotic Features | F31.5 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| 296.55 | Bipolar I Disorder, Most Recent Episode Depressed, In Partial Remission | F31.75 | Bipolar disorder, in partial remission, most recent episode depressed |
| 296.56 | Bipolar I Disorder, Most Recent Episode Depressed, In Full Remission | F31.76 | Bipolar disorder, in full remission, most recent episode depressed |
| 296.60 | Bipolar I Disorder, Most Recent Episode Mixed, Unspecified | F31.60 | Bipolar disorder, current episode mixed, unspecified |
| 296.61 | Bipolar I Disorder, Most Recent Episode Mixed, Mild | F31.61 | Bipolar disorder, current episode mixed, mild |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|--|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 296.62 | Bipolar I Disorder, Most Recent Episode Mixed, Moderate | F31.62 | Bipolar disorder, current episode mixed, moderate |
| 296.63 | Bipolar I Disorder, Most Recent Episode Mixed, Severe Without Psychotic Features | F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features |
| 296.64 | Bipolar I Disorder, Most Recent Episode Mixed, Severe With Psychotic Features | F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| 296.65 | Bipolar I Disorder, Most Recent Episode Mixed, In Partial Remission | F31.77 | Bipolar disorder, in partial remission, most recent episode mixed |
| 296.66 | Bipolar I Disorder, Most Recent Episode Mixed, In Full Remission | F31.78 | Bipolar disorder, in full remission, most recent episode mixed |
| 296.7 | Bipolar I Disorder, Most Recent Episode Unspecified | F31.9 | Bipolar disorder, unspecified |
| 296.80 | Bipolar Disorder NOS | F31.9 | Bipolar disorder, unspecified |
| 296.89 | Bipolar II Disorder | F31.81 | Bipolar II disorder |
| 296.90 | Mood Disorder NOS | F39 | Unspecified mood [affective] disorder |
| | | F33.8 | Other recurrent depressive disorders |
| | | F34.8 | Other persistent mood [affective] disorders |
| | | F34.9 | Persistent mood [affective] disorder, unspecified |
| 297.1 | Delusional Disorder | F22 | Delusional disorders |
| 297.3 | Shared Psychotic Disorder | F24 | Shared psychotic disorder |
| 298.8 | Brief Psychotic Disorder | F23 | Brief psychotic disorder |
| 298.9 | Psychotic Disorder NOS | F28 | Other psychotic disorder not due to a substance or known physiological condition |
| | | F29 | Unspecified psychosis not due to a substance or known physiological condition |
| 299.00 | Autistic Disorder | F84.0 | Autistic disorder |
| 299.10 | Childhood Disintegrative Disorder | F84.3 | Other childhood disintegrative disorder |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 299.80 | Asperger's Disorder | F84.5 | Asperger's syndrome |
| | Pervasive Developmental Disorder NOS | F84.8 | Other pervasive developmental disorder |
| | Rett's Disorder | F84.9 | Pervasive developmental disorder, unspecified |
| 300.00 | Anxiety Disorder NOS | F41.9 | Anxiety disorder, unspecified |
| 300.01 | Panic Disorder Without Agoraphobia | F41.0 | Panic disorder without agoraphobia |
| 300.02 | Generalized Anxiety Disorder | F41.1 | Generalized anxiety disorder |
| 300.11 | Conversion Disorder | F44.4 | Conversion disorder with motor symptom or deficit |
| | | F44.5 | Conversion disorder with seizures or convulsions |
| | | F44.6 | Conversion disorder with sensory symptom or deficit |
| | | F44.7 | Conversion disorder with mixed symptom presentation |
| 300.12 | Dissociative Amnesia | F44.0 | Dissociative amnesia |
| 300.13 | Dissociative Fugue | F44.1 | Dissociative fugue |
| 300.14 | Dissociative Identity Disorder | F44.81 | Dissociative identity disorder |
| 300.15 | Dissociative Disorder NOS | F44.9 | Dissociative and conversion disorder, unspecified |
| 300.21 | Panic Disorder With Agoraphobia | F40.01 | Agoraphobia with panic disorder |
| 300.22 | Agoraphobic Without History of Panic Disorder | F40.02 | Agoraphobia without panic disorder |
| | | F40.00 | Agoraphobia, unspecified |
| 300.23 | Social Phobia | F40.10 | Social phobia, unspecified |
| | | F40.11 | Social phobia, generalized |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 300.29 | Specific Phobia | F40.210 | Arachnophobia |
| | | F40.218 | Other animal type phobia |
| | | F40.220 | Fear of thunderstorms |
| | | F40.228 | Other natural environment type phobia |
| | | F40.230 | Fear of blood |
| | | F40.231 | Fear of injections and transfusions |
| | | F40.232 | Fear of other medical care |
| | | F40.233 | Fear of injury |
| | | F40.240 | Claustrophobia |
| | | F40.241 | Acrophobia |
| | | F40.242 | Fear of bridges |
| | | F40.243 | Fear of flying |
| | | F40.248 | Other situational type phobia |
| | | F40.290 | Androphobia |
| | | F40.291 | Gynephobia |
| | | F40.298 | Other specified phobia |
| 300.3 | Obsessive-Compulsive Disorder | F42 | Obsessive-compulsive disorder |
| 300.4 | Dysthymic Disorder | F34.1 | Dysthymic disorder |
| 300.6 | Depersonalization Disorder | F48.1 | Depersonalization-derealization syndrome |
| 300.7 | Body Dysmorphic Disorder | F45.22 | Body dysmorphic disorder |
| | Hypochondriasis | F45.21 | Hypochondriasis |
| 300.81 | Somatization Disorder | F45.0 | Somatization disorder |
| 300.82 | Somatoform Disorder NOS | F45.1 | Undifferentiated somatoform disorder |
| | Undifferentiated Somatoform Disorder | F45.1 | Undifferentiated Somatoform Disorder |
| 301.0 | Paranoid Personality Disorder | F60.0 | Paranoid personality disorder |
| 301.13 | Cyclothymic Disorder | F34.0 | Cyclothymic disorder |
| 301.20 | Schizoid Personality Disorder | F60.1 | Schizoid personality disorder |
| 301.22 | Schizotypal Personality Disorder | F21 | Schizotypal disorder |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|---|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 301.4 | Obsessive-Compulsive Personality Disorder | F60.5 | Obsessive-compulsive personality disorder |
| 301.50 | Histrionic Personality Disorder | F60.4 | Histrionic personality disorder |
| 301.6 | Dependent Personality Disorder | F60.7 | Dependent personality disorder |
| 301.7 | Antisocial Personality Disorder | F60.2 | Antisocial personality disorder |
| 301.81 | Narcissistic Personality Disorder | F60.81 | Narcissistic personality disorder |
| 301.82 | Avoidant Personality Disorder | F60.6 | Avoidant personality disorder |
| 301.83 | Borderline Personality Disorder | F60.3 | Borderline personality disorder |
| 301.9 | Personality Disorder NOS | F60.9 | Personality disorder, unspecified |
| 307.1 | Anorexia Nervosa | F50.00 | Anorexia nervosa, unspecified |
| | | F50.01 | Anorexia nervosa, restricting type |
| | | F50.02 | Anorexia nervosa, binge eating/purging type |
| 307.20 | Tic Disorder NOS | F95.8 | Other tic disorders |
| | | F95.9 | Tic disorder, unspecified |
| 307.22 | Chronic Motor or Vocal Tic Disorder | F95.1 | Chronic motor or vocal tic disorder |
| 307.23 | Tourette's Disorder | F95.2 | Tourette's disorder |
| 307.3 | Stereotypic Movement Disorder | F98.4 | Stereotyped movement disorders |
| 307.50 | Eating Disorder NOS | F50.9 | Eating disorder, unspecified |
| 307.51 | Bulimia Nervosa | F50.2 | Bulimia nervosa |
| 307.52 | Pica | F98.3 | Pica of infancy and childhood |
| 307.53 | Rumination Disorder | F98.21 | Rumination disorder of infancy |
| 307.59 | Feeding Disorder of Infancy or Early Childhood | F98.29 | Other feeding disorders of infancy and early childhood |
| 307.6 | Enuresis (Not Due to a General Medical Condition) | F98.0 | Enuresis not due to a substance or known physiol condition |
| 307.7 | Encopresis, Without Constipation and Overflow Incontinence | F98.1 | Encopresis not due to a substance or known physiol condition |
| 307.80 | Pain Disorder Associated With Psychological Factors | F45.41 | Pain disorder exclusively related to psychological factors |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|-----------------|--|---------------|--|
| ICD-9 CM | Description | ICD-10 | Description |
| 307.89 | Pain Disorder Associated With Both Psychological Factors and a General Medical Condition | F45.42 | Pain disorder with related psychological factors |
| 308.3 | Acute Stress Disorder | F43.0 | Acute stress reaction |
| 309.0 | Adjustment Disorder with Depressed Mood | F43.21 | Adjustment disorder with depressed mood |
| 309.21 | Separation Anxiety Disorder | F93.0 | Separation anxiety disorder of childhood |
| 309.24 | Adjustment Disorder With Anxiety | F43.22 | Adjustment disorder with anxiety |
| 309.28 | Adjustment Disorder With Mixed Anxiety and Depressed Mood | F43.23 | Adjustment disorder with mixed anxiety and depressed mood |
| 309.3 | Adjustment Disorder with Disturbance of Conduct | F43.24 | Adjustment disorder with disturbance of conduct |
| 309.4 | Adjustment Disorder With Mixed Disturbance of Emotions and Conduct | F43.25 | Adjustment disorder with mixed disturbance of emotions and conduct |
| 309.81 | Posttraumatic Stress Disorder | F43.10 | Post-traumatic stress disorder, unspecified |
| | | F43.11 | Post-traumatic stress disorder, acute |
| | | F43.12 | Post-traumatic stress disorder, chronic |
| 309.9 | Adjustment Disorder Unspecified | F43.20 | Adjustment disorder, unspecified |
| 311 | Depressive Disorder NOS | F39 | Unspecified Mood Disorder |
| 312.33 | Pyromania | F63.1 | Pyromania |
| 312.34 | Intermittent Explosive Disorder | F63.81 | Intermittent explosive disorder |
| 312.81 | Conduct Disorder, Childhood-Onset Type | F91.1 | Conduct disorder, childhood-onset type |
| 312.82 | Conduct Disorder, Adolescent-Onset Type | F91.2 | Conduct disorder, adolescent-onset type |
| 312.89 | Conduct Disorder, Unspecified Onset | F91.9 | Conduct disorder, unspecified |
| 312.9 | Disruptive Behavior Disorder NOS | F91.9 | Conduct disorder, unspecified |
| 313.23 | Selective Mutism | F94.0 | Selective mutism |
| 313.81 | Oppositional Defiant Disorder | F91.3 | Oppositional defiant disorder |
| 313.82 | Identity Problem | F93.8 | Other childhood emotional disorders |

**Specialty Mental Health Services
ICD-10 Inpatient Diagnosis Table**

| | Included Diagnoses from the Contract Between DHCS and the MHPs | ICD-10 | Mapping |
|------------------|--|---------------|---|
| ICD-9 CM | Description | ICD-10 | Description |
| 313.89 | Reactive Attachment Disorder of Infancy or Early Childhood | F94.1 | Reactive attachment disorder of childhood |
| | | F94.2 | Disinhibited attachment disorder of childhood |
| 313.9 | Disorder of Infancy, Childhood or Adolescence NOS | F93.9 | Childhood emotional disorder, unspecified |
| 314.00 | Attention-Deficit/Hyperactivity Disorder, Predominantly Inattentive Type | F90.0 | Attention-deficit/hyperactivity disorder, predominantly inattentive type |
| 314.01 | Attention-Deficit/Hyperactivity Disorder, Combined Type | F90.2 | Attention-deficit/hyperactivity disorder, other type |
| | Attention-Deficit/Hyperactivity Disorder, Predominantly Hyperactive-Impulsive Type | F90.1 | Attention-deficit/hyperactivity disorder, predominantly hyperactive type |
| | | F90.2 | Attention-deficit/hyperactivity disorder, combined type |
| 314.9 | Attention-Deficit/Hyperactivity Disorder NOS | F90.8 | Attention-deficit/hyperactivity disorder, other type |
| | | F90.9 | Attention-deficit/hyperactivity disorder, unspecified type |
| 787.6 | Encopresis, with Constipation and Overflow Incontinence | R15.0 | Incomplete defecation |
| | | R15.9 | Full Incontinence of Feces |
| V71.09 | Assessment Period: Observation of Other Suspected Mental Condition. | Z0389 | No diagnosis |
| DSM 4: 799.90 | Used at the end of that assessment when no diagnosis can be found; Illness unspecified | R69 | Diagnosis deferred |